

Rhonda Small

List of PR Articles by Year in descending order

Source: [//exaly.com/author-pdf/7346037/publications.pdf](https://exaly.com/author-pdf/7346037/publications.pdf)

Version: 2025-02-01

112

PR articles

5,237

PR citations

63689

38

PR h-index

67698

70

g-index

119

documents

5711

doc citations

73973

39

h-index

5724

citing authors

#	ARTICLE	IF	PR CITATIONS
1	Vietnamese midwives' experiences of working in maternity care – A qualitative study in the Hanoi region. <i>Sexual and Reproductive Healthcare</i> , 2022, 31, 100695.	1.2	6
2	Midwives' communication with non-Swedish-speaking women giving birth: A survey from a multicultural setting in Sweden. <i>European Journal of Midwifery</i> , 2022, 6, 1-8.	0.5	5
3	Language-supported labor ward visits for pregnant migrant women: Staff experiences in a Swedish hospital. <i>European Journal of Midwifery</i> , 2022, 6, 1-9.	0.5	2
4	The community-based bilingual doula – A new actor filling gaps in labour care for migrant women. Findings from a qualitative study of midwives' and obstetricians' experiences. <i>Sexual and Reproductive Healthcare</i> , 2021, 28, 100614.	1.2	15
5	Maternal health care professionals' experiences and views on the use of obstetric ultrasound in Rwanda: A cross-sectional study. <i>BMC Health Services Research</i> , 2021, 21, .	2.6	3
6	Women's experiences of infant feeding support: Findings from a cross-sectional survey in Victoria, Australia. <i>Women and Birth</i> , 2021, 34, e505-e513.	2.0	17
7	Community-based bilingual doulas for migrant women in labour and birth – findings from a Swedish register-based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, .	2.5	23
8	Community-based doula support for migrant women during labour and birth: study protocol for a randomised controlled trial in Stockholm, Sweden (NCT03461640). <i>BMJ Open</i> , 2020, 10, e031290.	2.0	17
9	Epidural analgesia for labour pain in nulliparous women in Norway in relation to maternal country of birth and migration related factors. <i>Sexual and Reproductive Healthcare</i> , 2020, 26, 100553.	1.2	14
10	Country of first birth and neonatal outcomes in migrant and Norwegian-born parous women in Norway: a population-based study. <i>BMC Health Services Research</i> , 2020, 20, .	2.6	10
11	Sub-optimal use of ultrasound examinations may result in underperformance of Vietnamese maternity care – A qualitative study of midwives' experiences and views. <i>Sexual and Reproductive Healthcare</i> , 2020, 24, 100508.	1.2	13
12	Paternal country of origin and adverse neonatal outcomes in births to foreign-born women in Norway: A population-based cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003395.	8.5	9
13	Women's views and experiences of publicly-funded homebirth programs in Victoria, Australia: A cross-sectional survey. <i>Women and Birth</i> , 2019, 32, 221-230.	2.0	17
14	Preconception Folic Acid Supplement Use in Immigrant Women (1999–2016). <i>Nutrients</i> , 2019, 11, 2300.	4.7	13
15	Stillbirth in relation to maternal country of birth and other migration related factors: a population-based study in Norway. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, .	2.5	52
16	A much valued tool that also brings ethical dilemmas - a qualitative study of Norwegian midwives' experiences and views on the role of obstetric ultrasound. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, .	2.5	24
17	Antenatal care for Somali-born women in Sweden: Perspectives from mothers, fathers and midwives. <i>Midwifery</i> , 2019, 74, 107-115.	2.4	47
18	Proactive Peer (Mother-to-Mother) Breastfeeding Support by Telephone (Ringling up About) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 67 Td <i>EclinicalMedicine</i> , 2019, 8, 20-28.	8.5	59

#	ARTICLE	IF	PR CITATIONS
19	Health professionals' experiences and views on obstetric ultrasound in Vietnam: a regional, cross-sectional study. <i>BMJ Open</i> , 2019, 9, e031761.	2.0	17
20	Rationale, development and feasibility of group antenatal care for immigrant women in Sweden: a study protocol for the Hooyo Project. <i>BMJ Open</i> , 2019, 9, e030314.	2.0	13
21	Birthweight of babies born to migrant mothers - What role do integration policies play?. <i>SSM - Population Health</i> , 2019, 9, 100503.	2.4	14
22	Peer supporters' experiences on an Australian perinatal mental health helpline. <i>Health Promotion International</i> , 2019, 34, 479-489.	2.1	13
23	"Without ultrasound you can't reach the best decision" - Midwives' experiences and views of the role of ultrasound in maternity care in Dar Es Salaam, Tanzania. <i>Sexual and Reproductive Healthcare</i> , 2018, 15, 28-34.	1.2	22
24	Norwegian obstetricians' experiences of the use of ultrasound in pregnancy management. A qualitative study. <i>Sexual and Reproductive Healthcare</i> , 2018, 15, 69-76.	1.2	12
25	Length of residence and caesarean section in migrant women in Sweden: a population-based study. <i>European Journal of Public Health</i> , 2018, 28, 1073-1079.	0.3	5
26	Risk of unplanned caesarean birth in Vietnamese-born women in Victoria, Australia: A cross-sectional study. <i>Women and Birth</i> , 2018, 31, 496-504.	2.0	4
27	Health professionals' experiences and views on obstetric ultrasound in Rwanda: A cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0208387.	2.4	32
28	Preeclampsia by maternal reasons for immigration: a population-based study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, .	2.5	22
29	Maternal height and risk of caesarean section in singleton births in Sweden - A population-based study using data from the Swedish Pregnancy Register 2011 to 2016. <i>PLoS ONE</i> , 2018, 13, e0198124.	2.4	46
30	Characteristics of women calling the PANDA Perinatal Anxiety & Depression Australia National Helpline: a cross-sectional study. <i>Archives of Women's Mental Health</i> , 2018, 21, 801-812.	2.2	10
31	Trial of labour and vaginal birth after previous caesarean section: A population based study of Eastern African immigrants in Victoria, Australia. <i>Midwifery</i> , 2017, 46, 8-16.	2.4	2
32	Episiotomy and severe perineal trauma among Eastern African immigrant women giving birth in public maternity care: A population based study in Victoria, Australia. <i>Women and Birth</i> , 2017, 30, 282-290.	2.0	29
33	The meaning of labour pain: how the social environment and other contextual factors shape women's experiences. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, .	2.5	77
34	Caesarean Birth is Associated with Both Maternal and Paternal Origin in Immigrants in Sweden: a Population-Based Study. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 509-521.	2.2	27
35	Improved maternity care if midwives learn to perform ultrasound: a qualitative study of Rwandan midwives' experiences and views of obstetric ultrasound. <i>Global Health Action</i> , 2017, 10, .	2.2	42
36	Variations in first-time caesarean birth between Eastern African immigrants and Australian-born women in public care: A population-based investigation in Victoria. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2017, 57, 294-301.	1.2	9

#	ARTICLE	IF	PR CITATIONS
37	Implementation and evaluation of community-based drop-in centres for breastfeeding support in Victoria, Australia. <i>International Breastfeeding Journal</i> , 2017, 12, .	2.8	6
38	Fathers's™ satisfaction with two different models of antenatal care in Sweden – Findings from a quasi-experimental study. <i>Midwifery</i> , 2017, 50, 201-207.	2.4	12
39	Understanding sustained domestic violence identification in maternal and child health nurse care: process evaluation from a 2-year follow-up of the MOVE trial. <i>Journal of Advanced Nursing</i> , 2016, 72, 533-544.	3.6	35
40	Physicians' experiences and views on the role of obstetric ultrasound in rural and urban Rwanda: a qualitative study. <i>Tropical Medicine and International Health</i> , 2016, 21, 895-906.	2.0	30
41	Caesarean births among migrant women in high-income countries. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2016, 32, 88-99.	4.1	42
42	Publicly-funded home birth in Victoria, Australia: Exploring the views and experiences of midwives and doctors. <i>Midwifery</i> , 2016, 35, 24-30.	2.4	21
43	Frequency of –Time for Self–Is a Significant Predictor of Postnatal Depressive Symptoms: Results from a Prospective Pregnancy Cohort Study. <i>Birth</i> , 2016, 43, 58-67.	2.4	12
44	Increasing possibilities – Increasing dilemmas: A qualitative study of Swedish midwives' experiences of ultrasound use in pregnancy. <i>Midwifery</i> , 2016, 42, 46-53.	2.4	32
45	–Essential but not always available when needed–™ – an interview study of physicians's™ experiences and views regarding use of obstetric ultrasound in Tanzania. <i>Global Health Action</i> , 2016, 9, 31062.	2.2	25
46	Supporting breastfeeding In Local Communities (SILC) in Victoria, Australia: a cluster randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e008292.	2.0	24
47	Perinatal health outcomes of East African immigrant populations in Victoria, Australia: a population based study. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, .	2.5	50
48	Frequency, severity and persistence of postnatal dyspareunia to 18 months post partum: A cohort study. <i>Midwifery</i> , 2016, 34, 15-20.	2.4	30
49	–Women think pregnancy management means obstetric ultrasound–™: Vietnamese obstetricians's™ views on the use of ultrasound during pregnancy. <i>Global Health Action</i> , 2015, 8, 28405.	2.2	24
50	Exploring the views and experiences of callers to the PANDA Post and Antenatal Depression Association Australian National Perinatal Depression Helpline: a cross-sectional survey. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, .	2.5	14
51	Debriefing interventions for the prevention of psychological trauma in women following childbirth. <i>The Cochrane Library</i> , 2015, 2015, .	2.4	84
52	Two sides of the same coin – an interview study of Swedish obstetricians's™ experiences using ultrasound in pregnancy management. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, .	2.5	17
53	Ultrasound's™ –window on the womb–™ brings ethical challenges for balancing maternal and fetal health interests: obstetricians's™ experiences in Australia. <i>BMC Medical Ethics</i> , 2015, 16, .	2.6	20
54	Maternal and child health nurse screening and care for mothers experiencing domestic violence (MOVE): a cluster randomised trial. <i>BMC Medicine</i> , 2015, 13, .	7.5	71

#	ARTICLE	IF	PR CITATIONS
55	Severe maternal morbidity associated with maternal birthplace in three high-immigration settings. <i>European Journal of Public Health</i> , 2015, 25, 620-625.	0.3	78
56	Immigrant Afghan women's emotional well-being after birth and use of health services in Melbourne, Australia. <i>Midwifery</i> , 2015, 31, 671-677.	2.4	29
57	Applying normalization process theory to understand implementation of a family violence screening and care model in maternal and child health nursing practice: a mixed method process evaluation of a randomised controlled trial. <i>Implementation Science</i> , 2015, 10, .	12.5	101
58	Maternity services are not meeting the needs of immigrant women of non-English speaking background: Results of two consecutive Australian population based studies. <i>Midwifery</i> , 2015, 31, 664-670.	2.4	63
59	Assessment of pain associated with childbirth: Women's perspectives, preferences and solutions. <i>Midwifery</i> , 2015, 31, 708-712.	2.4	32
60	A routine tool with far-reaching influence: Australian midwives' views on the use of ultrasound during pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, .	2.5	28
61	Measuring Perinatal Health Equity and Migration Indicators for International Comparisons. <i>Health Care for Women International</i> , 2015, 36, 684-710.	1.5	4
62	Improving Population-Level Maternal Health: A Hard Nut to Crack? Long Term Findings and Reflections on a 16-Community Randomised Trial in Australia to Improve Maternal Emotional and Physical Health after Birth [ISRCTN03464021]. <i>PLoS ONE</i> , 2014, 9, e88457.	2.4	7
63	"Ultrasound is an invaluable third eye, but it can't see everything": a qualitative study with obstetricians in Australia. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, .	2.5	38
64	Women's experiences of labour pain and the role of the mind: An exploratory study. <i>Midwifery</i> , 2014, 30, 1029-1035.	2.4	65
65	Development of the Migrant Friendly Maternity Care Questionnaire (MFMCQ) for migrants to Western societies: an international Delphi consensus process. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, .	2.5	49
66	Immigrant and non-immigrant women's experiences of maternity care: a systematic and comparative review of studies in five countries. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, .	2.5	194
67	International migration and caesarean birth: a systematic review and meta-analysis. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, .	2.5	119
68	A population-based study of overweight and obesity in expectant parents: socio-demographic patterns and within-couple associations. <i>BMC Public Health</i> , 2013, 13, .	3.3	15
69	Using documents to investigate links between implementation and sustainability in a complex community intervention: The PRISM study. <i>Social Science and Medicine</i> , 2012, 75, 1222-1229.	4.3	19
70	Women's views and experiences of maternity care: A study of immigrant Afghan women in Melbourne, Australia. <i>Midwifery</i> , 2012, 28, 198-203.	2.4	57
71	Improving child health promotion practices in multiple sectors – outcomes of the Swedish Salut Programme. <i>BMC Public Health</i> , 2012, 12, .	3.3	28
72	Lived experience of gestational diabetes mellitus among immigrant South Asian women in Australia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 360-364.	1.2	104

#	ARTICLE	IF	PR CITATIONS
73	Giving offspring a healthy start: parents' experiences of health promotion and lifestyle change during pregnancy and early parenthood. BMC Public Health, 2011, 11, .	3.3	133
74	Mothers' AdvocateS In the Community (MOSAIC)- non-professional mentor support to reduce intimate partner violence and depression in mothers: a cluster randomised trial in primary care. BMC Public Health, 2011, 11, .	3.3	112
75	The power of social connection and support in improving health: lessons from social support interventions with childbearing women. BMC Public Health, 2011, 11, S4.	3.3	62
76	Life with a new baby: How do immigrant and Australian-born women's experiences compare?. Australian and New Zealand Journal of Public Health, 2010, 34, 412-421.	1.7	49
77	A hands-on experience of the voice of customer analysis in maternity care from Iran. International Journal of Health Care Quality Assurance, 2010, 23, 153-170.	1.7	23
78	Migration to western industrialised countries and perinatal health: A systematic review. Social Science and Medicine, 2009, 69, 934-946.	4.3	298
79	Stillbirths and infant deaths among migrants in industrialized countries. Acta Obstetrica Et Gynecologica Scandinavica, 2009, 88, 134-148.	2.8	176
80	Researching labour and birth events using health information records: methodological challenges. Midwifery, 2009, 25, 701-710.	2.4	12
81	Developing evidence-based maternity care in Iran: a quality improvement study. BMC Pregnancy and Childbirth, 2008, 8, .	2.5	29
82	Intimate partner violence in Vietnam and among Vietnamese diaspora communities in western societies: A comprehensive review. Journal of Family Studies, 2008, 14, 167-182.	2.0	12
83	A hierarchy of evidence for assessing qualitative health research. Journal of Clinical Epidemiology, 2007, 60, 43-49.	3.7	451
84	Screening for postnatal depression: not a simple task. Australian and New Zealand Journal of Public Health, 2007, 31, 57-61.	1.7	19
85	The essential role of social theory in qualitative public health research. Australian and New Zealand Journal of Public Health, 2007, 31, 438-443.	1.7	52
86	Generating best evidence from qualitative research: the role of data analysis. Australian and New Zealand Journal of Public Health, 2007, 31, 545-550.	1.7	657
87	Study highlighted important issues. Australian and New Zealand Journal of Public Health, 2007, 31, 286-287.	1.7	0
88	PRISM (Program of Resources, Information and Support for Mothers): a community-randomised trial to reduce depression and improve women's physical health six months after birth [ISRCTN03464021]. BMC Public Health, 2006, 6, .	3.3	60
89	Midwife-led debriefing after operative birth: four to six year follow-up of a randomised trial [ISRCTN24648614]. BMC Medicine, 2006, 4, .	7.5	15
90	The performance of the Edinburgh Postnatal Depression Scale in English speaking and non-English speaking populations in Australia. Social Psychiatry and Psychiatric Epidemiology, 2006, 42, 70-78.	2.8	65

#	ARTICLE	IF	PR CITATIONS
91	PRISM: Mounting a community-randomised trial. Establishing partnerships with local government. Australian and New Zealand Journal of Public Health, 2004, 28, 471-475.	1.7	5
92	Early discharge: no evidence of adverse outcomes in three consecutive population-based Australian surveys of recent mothers, conducted in 1989, 1994 and 2000. Paediatric and Perinatal Epidemiology, 2004, 18, 202-213.	2.2	48
93	Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM. Contemporary Clinical Trials, 2004, 25, 235-250.	2.8	24
94	Conceptual clarity in international collaborations: A point of departure for policy-relevant research on discrimination. Journal of International Migration and Integration, 2004, 5, 477-494.	1.1	1
95	Association between depression and abuse by partners of women attending general practice: descriptive, cross sectional survey. BMJ: British Medical Journal, 2004, 328, 621-624.	0.1	188
96	Cross-cultural experiences of maternal depression: associations and contributing factors for Vietnamese, Turkish and Filipino immigrant women in Victoria, Australia. Ethnicity and Health, 2003, 8, 189-206.	2.7	107
97	How useful is the concept of somatization in cross-cultural studies of maternal depression? A contribution from the Mothers in a New Country (MINC) study. Journal of Psychosomatic Obstetrics and Gynaecology, 2003, 24, 45-52.	2.3	14
98	Early postnatal discharge from hospital for healthy mothers and term infants. The Cochrane Library, 2002, , .	2.4	118
99	Immigrant Women's Views About Care During Labor and Birth: An Australian Study of Vietnamese, Turkish, and Filipino Women. Birth, 2002, 29, 266-277.	2.4	89
100	Randomised controlled trial of midwife led debriefing to reduce maternal depression after operative childbirth. BMJ: British Medical Journal, 2000, 321, 1043-1047.	0.1	180
101	Cross-cultural research: trying to do it better 2. Enhancing data quality. Australian and New Zealand Journal of Public Health, 1999, 23, 385-389.	1.7	42
102	Cross-cultural research: trying to do it better 2. Enhancing data quality. Australian and New Zealand Journal of Public Health, 1999, 23, 390-395.	1.7	54
103	Mothers in a New Country: The Role of Culture and Communication in Vietnamese, Turkish and Filipino Women's Experiences of Giving Birth in Australia. Women and Health, 1999, 28, 77-101.	1.4	101
104	Support, sensitivity, satisfaction: Filipino, Turkish and Vietnamese women's experiences of postnatal hospital stay. Midwifery, 1998, 14, 144-154.	2.4	62
105	Shared antenatal care fails to rate well with women of non-English-speaking backgrounds. Medical Journal of Australia, 1998, 168, 15-18.	1.8	22
106	Being a "good mother"™. Journal of Reproductive and Infant Psychology, 1997, 15, 185-200.	1.8	41
107	Depression After Childbirth: The Views of Medical Students and Women Compared. Birth, 1997, 24, 109-115.	2.4	25
108	Depression after childbirth. Medical Journal of Australia, 1994, 161, 473-477.	1.8	51

#	ARTICLE	IF	PR CITATIONS
109	Missing voices: What women say and do about depression after childbirth. <i>Journal of Reproductive and Infant Psychology</i> , 1994, 12, 89-103.	1.8	87
110	Birth events, birth experiences and social differences in postnatal depression. <i>Australian Journal of Public Health</i> , 1994, 18, 176-184.	0.1	184
111	To stay or not to stay: are fears about shorter postnatal hospital stays justified?. <i>Midwifery</i> , 1992, 8, 170-177.	2.4	25
112	Interventions for supporting pregnant women's decision-making about mode of birth after a caesarean. <i>The Cochrane Library</i> , 0, , .	2.4	39