

# Greice Caletti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7346247/publications.pdf>

Version: 2024-02-01

9  
papers

177  
citations

1307366

7  
h-index

1474057

9  
g-index

9  
all docs

9  
docs citations

9  
times ranked

331  
citing authors

#	ARTICLE	IF	CITATIONS
1	N-acetylcysteine Prevents Alcohol Related Neuroinflammation in Rats. <i>Neurochemical Research</i> , 2017, 42, 2135-2141.	1.6	55
2	Antidepressant dose of taurine increases mRNA expression of GABAA receptor $\hat{1}\pm 2$ subunit and BDNF in the hippocampus of diabetic rats. <i>Behavioural Brain Research</i> , 2015, 283, 11-15.	1.2	33
3	Antidepressant effect of taurine in diabetic rats. <i>Amino Acids</i> , 2012, 43, 1525-1533.	1.2	30
4	Taurine counteracts the neurotoxic effects of streptozotocin-induced diabetes in rats. <i>Amino Acids</i> , 2018, 50, 95-104.	1.2	17
5	Acute intraperitoneal administration of taurine decreases the glycemia and reduces food intake in type 1 diabetic rats. <i>Biomedicine and Pharmacotherapy</i> , 2018, 103, 1028-1034.	2.5	12
6	Correlations between subunits of GABAA and NMDA receptors after chronic alcohol treatment or withdrawal, and the effect of taurine in the hippocampus of rats. <i>Alcohol</i> , 2020, 82, 63-70.	0.8	11
7	Combined Exposure to Alcohol and Tobacco Smoke Changes Oxidative, Inflammatory, and Neurotrophic Parameters in Different Areas of the Brains of Rats. <i>ACS Chemical Neuroscience</i> , 2019, 10, 1336-1346.	1.7	10
8	Changes in behavioral and neuronal parameters by alcohol, cigarette, or their combined use in rats. <i>Behavioural Pharmacology</i> , 2019, 30, 490-499.	0.8	5
9	Combined use of alcohol and cigarette increases locomotion and glutamate levels in the cerebrospinal fluid without changes on GABAA or NMDA receptor subunit mRNA expression in the hippocampus of rats. <i>Behavioural Brain Research</i> , 2020, 380, 112444.	1.2	4