

Carmen C Sucharov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7347817/publications.pdf>

Version: 2024-02-01

58
papers

1,776
citations

236925

25
h-index

276875

41
g-index

59
all docs

59
docs citations

59
times ranked

2445
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Integrated analysis of miRNA-mRNA interaction in pediatric dilated cardiomyopathy. <i>Pediatric Research</i> , 2022, 92, 98-108. | 2.3 | 12 |
| 2 | Amniotic Fluid microRNA in Severe Twin-Twin Transfusion Syndrome Cardiomyopathy-Identification of Differences and Predicting Demise. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 37. | 1.6 | 2 |
| 3 | Circulating cyclic adenosine monophosphate concentrations in milrinone treated paediatric patients after congenital heart surgery. <i>Cardiology in the Young</i> , 2021, 31, 1393-1400. | 0.8 | 1 |
| 4 | Amniotic fluid microRNA profiles in twin-twin transfusion syndrome with and without severe recipient cardiomyopathy. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 439.e1-439.e10. | 1.3 | 5 |
| 5 | Serum circulating proteins from pediatric patients with dilated cardiomyopathy cause pathologic remodeling and cardiomyocyte stiffness. <i>JCI Insight</i> , 2021, 6, . | 5.0 | 7 |
| 6 | Serum response factor deletion 5 regulates phospholamban phosphorylation and calcium uptake. <i>Journal of Molecular and Cellular Cardiology</i> , 2021, 159, 28-37. | 1.9 | 1 |
| 7 | Paracrine Factors in Uremic Cardiomyopathy. <i>JACC Basic To Translational Science</i> , 2020, 5, 167-168. | 4.1 | 1 |
| 8 | MicroRNA regulation postbleomycin due to the R213G extracellular superoxide dismutase variant is predicted to suppress inflammatory and immune pathways. <i>Physiological Genomics</i> , 2020, 52, 245-254. | 2.3 | 1 |
| 9 | Dysregulated micro-RNAs and long noncoding RNAs in cardiac development and pediatric heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 318, H1308-H1315. | 3.2 | 10 |
| 10 | Circulating microRNAs differentiate Kawasaki Disease from infectious febrile illnesses in childhood. <i>Journal of Molecular and Cellular Cardiology</i> , 2020, 146, 12-18. | 1.9 | 16 |
| 11 | Alteration of cardiolipin biosynthesis and remodeling in single right ventricle congenital heart disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 318, H787-H800. | 3.2 | 8 |
| 12 | The Role of BCAT1 on Pediatric Dilated Cardiomyopathy. <i>FASEB Journal</i> , 2020, 34, 1-1. | 0.5 | 0 |
| 13 | Increased myocyte calcium sensitivity in end-stage pediatric dilated cardiomyopathy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019, 317, H1221-H1230. | 3.2 | 15 |
| 14 | Transcatheter aortic valve replacements alter circulating serum factors to mediate myofibroblast deactivation. <i>Science Translational Medicine</i> , 2019, 11, . | 12.4 | 41 |
| 15 | Redistribution of EC-SOD resolves bleomycin-induced inflammation via increased apoptosis of recruited alveolar macrophages. <i>FASEB Journal</i> , 2019, 33, 13465-13475. | 0.5 | 14 |
| 16 | Elamipretide Improves Mitochondrial Function in the Failing Human Heart. <i>JACC Basic To Translational Science</i> , 2019, 4, 147-157. | 4.1 | 72 |
| 17 | A PDE3A Promoter Polymorphism Regulates cAMP-Induced Transcriptional Activity in Failing Human Myocardium. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1173-1184. | 2.8 | 18 |
| 18 | CELF1 regulates gap junction integrity contributing to dilated cardiomyopathy. <i>Non-coding RNA Investigation</i> , 2018, 2, 10-10. | 0.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Targeted delivery of YSA-functionalized and non-functionalized polymeric nanoparticles to injured pulmonary vasculature. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2018, 46, 1059-1066. | 2.8 | 14 |
| 20 | Phosphodiesterase-5 Is Elevated in Failing Single Ventricle Myocardium and Affects Cardiomyocyte Remodeling In Vitro. <i>Circulation: Heart Failure</i> , 2018, 11, e004571. | 3.9 | 32 |
| 21 | Optimization of phenol-chloroform RNA extraction. <i>MethodsX</i> , 2018, 5, 599-608. | 1.6 | 118 |
| 22 | Acute isoproterenol leads to age-dependent arrhythmogenesis in guinea pigs. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 315, H1051-H1062. | 3.2 | 8 |
| 23 | R213G polymorphism in SOD3 protects against bleomycin-induced inflammation and attenuates induction of proinflammatory pathways. <i>Physiological Genomics</i> , 2018, 50, 807-816. | 2.3 | 9 |
| 24 | A novel genetic marker of decreased inflammation and improved survival after acute myocardial infarction. <i>Basic Research in Cardiology</i> , 2018, 113, 38. | 5.9 | 58 |
| 25 | Improved Detection of Circulating miRNAs in Serum and Plasma Following Rapid Heat/Freeze Cycling. <i>MicroRNA (Sharjah, United Arab Emirates)</i> , 2018, 7, 138-147. | 1.2 | 15 |
| 26 | Differential response to heart failure medications in children. <i>Progress in Pediatric Cardiology</i> , 2018, 49, 27-30. | 0.4 | 9 |
| 27 | Exosomes from pediatric dilated cardiomyopathy patients modulate a pathological response in cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 312, H818-H826. | 3.2 | 38 |
| 28 | Molecular Changes in Children with Heart Failure Undergoing Left Ventricular Assist Device Therapy. <i>Journal of Pediatrics</i> , 2017, 182, 184-189.e1. | 1.8 | 6 |
| 29 | Fibrosis and Fibrotic Gene Expression in Pediatric and Adult Patients With Idiopathic Dilated Cardiomyopathy. <i>Journal of Cardiac Failure</i> , 2017, 23, 314-324. | 1.7 | 28 |
| 30 | Fibrosis-Related Gene Expression in Single Ventricle Heart Disease. <i>Journal of Pediatrics</i> , 2017, 191, 82-90.e2. | 1.8 | 14 |
| 31 | Cardiac Adenylyl Cyclase and Phosphodiesterase Expression Profiles Vary by Age, Disease, and Chronic Phosphodiesterase Inhibitor Treatment. <i>Journal of Cardiac Failure</i> , 2017, 23, 72-80. | 1.7 | 29 |
| 32 | Myocardial microRNAs associated with reverse remodeling in human heart failure. <i>JCI Insight</i> , 2017, 2, e89169. | 5.0 | 42 |
| 33 | Midkine's Role in Cardiac Pathology. <i>Journal of Cardiovascular Development and Disease</i> , 2017, 4, 13. | 1.6 | 13 |
| 34 | Circulating miRNAs in Pediatric Pulmonary Hypertension Show Promise as Biomarkers of Vascular Function. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-11. | 4.0 | 16 |
| 35 | Pediatric dilated cardiomyopathy hearts display a unique gene expression profile. <i>JCI Insight</i> , 2017, 2, . | 5.0 | 46 |
| 36 | Myocardial Response to Milrinone in Single Right Ventricle Heart Disease. <i>Journal of Pediatrics</i> , 2016, 174, 199-203.e5. | 1.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Signal-Dependent Recruitment of BRD4 to Cardiomyocyte Super-Enhancers Is Suppressed by a MicroRNA. <i>Cell Reports</i> , 2016, 16, 1366-1378. | 6.4 | 70 |
| 38 | Circulating microRNA as a biomarker for recovery in pediatric dilated cardiomyopathy. <i>Journal of Heart and Lung Transplantation</i> , 2015, 34, 724-733. | 0.6 | 65 |
| 39 | Transgenic over-expression of YY1 induces pathologic cardiac hypertrophy in a sex-specific manner. <i>Biochemical and Biophysical Research Communications</i> , 2015, 462, 131-137. | 2.1 | 7 |
| 40 | Age-Related Differences in Phosphodiesterase Activity and Effects of Chronic Phosphodiesterase Inhibition in Idiopathic Dilated Cardiomyopathy. <i>Circulation: Heart Failure</i> , 2015, 8, 57-63. | 3.9 | 42 |
| 41 | Micro-RNA Expression in Hypoplastic Left Heart Syndrome. <i>Journal of Cardiac Failure</i> , 2015, 21, 83-88. | 1.7 | 40 |
| 42 | Hypertrophy Inducing Factor In Pediatric Idiopathic Dilated Cardiomyopathy Serum. <i>FASEB Journal</i> , 2015, 29, 1047.4. | 0.5 | 0 |
| 43 | Beta-adrenergic adaptation in paediatric idiopathic dilated cardiomyopathy. <i>European Heart Journal</i> , 2014, 35, 33-41. | 2.2 | 92 |
| 44 | Dysregulation of cardiolipin biosynthesis in pediatric heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 74, 251-259. | 1.9 | 41 |
| 45 | miRNA expression in pediatric failing human heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 57, 43-46. | 1.9 | 50 |
| 46 | β -Adrenergic receptor antagonism in mice: a model for pediatric heart disease. <i>Journal of Applied Physiology</i> , 2013, 115, 979-987. | 2.5 | 17 |
| 47 | Overexpression of FXRG and miR-1 increases formation of RISC complexes in H9C2 cell line. <i>FASEB Journal</i> , 2013, 27, . | 0.5 | 0 |
| 48 | EXPRESSION OF CARDIOLIPIN BIOSYNTHESIS AND REMODELING ENZYMES IN ADULT HEART FAILURE. <i>FASEB Journal</i> , 2013, 27, 1085.12. | 0.5 | 0 |
| 49 | MicroRNA expression in heart failure. <i>FASEB Journal</i> , 2012, 26, 336.3. | 0.5 | 0 |
| 50 | β -Adrenergic Receptor Stimulation and Activation of Protein Kinase A Protect Against β -1-Adrenergic-Mediated Phosphorylation of Protein Kinase D and Histone Deacetylase 5. <i>Journal of Cardiac Failure</i> , 2011, 17, 592-600. | 1.7 | 31 |
| 51 | Role of MicroRNAs in Cardiovascular Disease: Therapeutic Challenges and Potentials. <i>Journal of Cardiovascular Pharmacology</i> , 2010, 56, 444-453. | 1.9 | 55 |
| 52 | miRNA expression in the failing human heart: Functional correlates. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 45, 185-192. | 1.9 | 216 |
| 53 | YY1 Protects Cardiac Myocytes from Pathologic Hypertrophy by Interacting with HDAC5. <i>Molecular Biology of the Cell</i> , 2008, 19, 4141-4153. | 2.1 | 59 |
| 54 | β -adrenergic pathways in human heart failure. <i>Expert Review of Cardiovascular Therapy</i> , 2007, 5, 119-124. | 1.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A β_1 -adrenergic receptor CaM kinase II-dependent pathway mediates cardiac myocyte fetal gene induction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H1299-H1308. | 3.2 | 77 |
| 56 | Shuttling of HDAC5 in H9C2 cells regulates YY1 function through CaMKIV/PKD and PP2A. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 291, C1029-C1037. | 4.6 | 44 |
| 57 | The Ku Protein Complex Interacts with YY1, Is Up-Regulated in Human Heart Failure, and Represses β -Myosin Heavy-Chain Gene Expression. <i>Molecular and Cellular Biology</i> , 2004, 24, 8705-8715. | 2.3 | 43 |
| 58 | Yin Yang 1 Is Increased in Human Heart Failure and Represses the Activity of the Human β -Myosin Heavy Chain Promoter. <i>Journal of Biological Chemistry</i> , 2003, 278, 31233-31239. | 3.4 | 76 |