

# Roderick H Dashwood

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7348850/publications.pdf>

Version: 2024-02-01

117  
papers

9,013  
citations

34105

52  
h-index

42399

92  
g-index

118  
all docs

118  
docs citations

118  
times ranked

7886  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cruciferous vegetables and human cancer risk: epidemiologic evidence and mechanistic basis. <i>Pharmacological Research</i> , 2007, 55, 224-236.	7.1	883
2	A Novel Mechanism of Chemoprotection by Sulforaphane. <i>Cancer Research</i> , 2004, 64, 5767-5774.	0.9	477
3	Multi-targeted prevention of cancer by sulforaphane. <i>Cancer Letters</i> , 2008, 269, 291-304.	7.2	457
4	Sulforaphane inhibits histone deacetylase in vivo and suppresses tumorigenesis in Apc min mice. <i>FASEB Journal</i> , 2006, 20, 506-508.	0.5	327
5	Sulforaphane inhibits histone deacetylase activity in BPH-1, LnCaP and PC-3 prostate epithelial cells. <i>Carcinogenesis</i> , 2006, 27, 811-819.	2.8	275
6	Dietary histone deacetylase inhibitors: From cells to mice to man. <i>Seminars in Cancer Biology</i> , 2007, 17, 363-369.	9.6	260
7	Dietary Sulforaphane, a Histone Deacetylase Inhibitor for Cancer Prevention. <i>Journal of Nutrition</i> , 2009, 139, 2393-2396.	2.9	197
8	Sulforaphane retards the growth of human PC-3 xenografts and inhibits HDAC activity in human subjects. <i>Experimental Biology and Medicine</i> , 2007, 232, 227-34.	2.4	183
9	Modulation of histone deacetylase activity by dietary isothiocyanates and allyl sulfides: Studies with sulforaphane and garlic organosulfur compounds. <i>Environmental and Molecular Mutagenesis</i> , 2009, 50, 213-221.	2.2	180
10	Dietary HDAC inhibitors: time to rethink weak ligands in cancer chemoprevention?. <i>Carcinogenesis</i> , 2006, 27, 344-349.	2.8	179
11	Dietary phytochemicals, HDAC inhibition, and DNA damage/repair defects in cancer cells. <i>Clinical Epigenetics</i> , 2011, 3, 4.	4.1	177
12	Chemoprotection by sulforaphane: Keep one eye beyond Keap1. <i>Cancer Letters</i> , 2006, 233, 208-218.	7.2	160
13	Histone Deacetylases as Targets for Dietary Cancer Preventive Agents: Lessons Learned with Butyrate, Diallyl Disulfide, and Sulforaphane. <i>Current Drug Targets</i> , 2006, 7, 443-452.	2.1	158
14	Differential effects of sulforaphane on histone deacetylases, cell cycle arrest and apoptosis in normal prostate cells versus hyperplastic and cancerous prostate cells. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 999-1009.	3.3	149
15	Metabolism and Tissue Distribution of Sulforaphane in Nrf2 Knockout and Wild-Type Mice. <i>Pharmaceutical Research</i> , 2011, 28, 3171-3179.	3.5	130
16	Allyl mercaptan, a garlic-derived organosulfur compound, inhibits histone deacetylase and enhances Sp3 binding on the P21WAF1 promoter. <i>Carcinogenesis</i> , 2008, 29, 1816-1824.	2.8	127
17	Promoter de-methylation of cyclin D2 by sulforaphane in prostate cancer cells. <i>Clinical Epigenetics</i> , 2011, 3, 3.	4.1	120
18	Chemopreventive properties of chlorophyllin: inhibition of aflatoxin B1 (AFB1)-DNA binding in vivo and anti-mutagenic activity against AFB1 and two heterocyclic amines in the salmonella mutagenicity assay. <i>Carcinogenesis</i> , 1991, 12, 939-942.	2.8	118

#	ARTICLE	IF	CITATIONS
19	Protection by chlorophyllin and indole-3-carbinol against 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP)-induced DNA adducts and colonic aberrant crypts in the F344 rat. <i>Carcinogenesis</i> , 1995, 16, 2931-2937.	2.8	118
20	Histone deacetylase turnover and recovery in sulforaphane-treated colon cancer cells: competing actions of 14-3-3 and Pin1 in HDAC3/SMRT corepressor complex dissociation/reassembly. <i>Molecular Cancer</i> , 2011, 10, 68.	19.2	113
21	Chemopreventive properties of chlorophylls towards aflatoxin B1: a review of the antimutagenicity and anticarcinogenicity data in rainbow trout. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1998, 399, 245-253.	1.0	110
22	Mechanisms of Chlorophyllin Anticarcinogenesis against Aflatoxin B1: Complex Formation with the Carcinogen. <i>Chemical Research in Toxicology</i> , 1995, 8, 506-514.	3.3	109
23	Absorption and chemopreventive targets of sulforaphane in humans following consumption of broccoli sprouts or a myrosinase-treated broccoli sprout extract. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 424-433.	3.3	104
24	Suppression of tumorigenesis in the Apcmin mouse: down-regulation of beta-catenin signaling by a combination of tea plus sulindac. <i>Carcinogenesis</i> , 2003, 24, 263-267.	2.8	103
25	HDAC turnover, CtIP acetylation and dysregulated DNA damage signaling in colon cancer cells treated with sulforaphane and related dietary isothiocyanates. <i>Epigenetics</i> , 2013, 8, 612-623.	2.7	103
26	Dietary Factors and Epigenetic Regulation for Prostate Cancer Prevention. <i>Advances in Nutrition</i> , 2011, 2, 497-510.	6.4	102
27	MicroRNAs, diet, and cancer: New mechanistic insights on the epigenetic actions of phytochemicals. <i>Molecular Carcinogenesis</i> , 2012, 51, 213-230.	2.7	101
28	Mechanisms of the in vitro antimutagenic action of chlorophyllin against benzo[a]pyrene: Studies of enzyme inhibition, molecular complex formation and degradation of the ultimate carcinogen. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1994, 308, 191-203.	1.0	95
29	Effects of Chlorophyll and Chlorophyllin on Low-Dose Aflatoxin B1 Pharmacokinetics in Human Volunteers. <i>Cancer Prevention Research</i> , 2009, 2, 1015-1022.	1.5	93
30	Effects of Sulforaphane and 3,3'-Diindolylmethane on Genome-Wide Promoter Methylation in Normal Prostate Epithelial Cells and Prostate Cancer Cells. <i>PLoS ONE</i> , 2014, 9, e86787.	2.5	91
31	Dietary agents as histone deacetylase inhibitors. <i>Molecular Carcinogenesis</i> , 2006, 45, 443-446.	2.7	90
32	Natural chlorophyll inhibits aflatoxin B1-induced multi-organ carcinogenesis in the rat. <i>Carcinogenesis</i> , 2007, 28, 1294-1302.	2.8	88
33	Protection by chlorophyllin against the covalent binding of 2-amino-3-methylimidazo[4,5-f]quinoxaline (IQ) to rat liver DNA. <i>Carcinogenesis</i> , 1992, 13, 113-118.	2.8	87
34	Indole-3-carbinol: Anticarcinogen or tumor promoter in brassica vegetables?. <i>Chemico-Biological Interactions</i> , 1998, 110, 1-5.	4.0	84
35	Mango polyphenolics reduce inflammation in intestinal colitis-involvement of the miR-126/PI3K/AKT/mTOR axis in vitro and in vivo. <i>Molecular Carcinogenesis</i> , 2017, 56, 197-207.	2.7	83
36	Modulation of heterocyclic amine-induced mutagenicity and carcinogenicity: an 'A-to-Z' guide to chemopreventive agents, promoters, and transgenic models. <i>Mutation Research - Reviews in Mutation Research</i> , 2002, 511, 89-112.	5.5	82

#	ARTICLE	IF	CITATIONS
37	Long noncoding RNAs and sulforaphane: a target for chemoprevention and suppression of prostate cancer. <i>Journal of Nutritional Biochemistry</i> , 2017, 42, 72-83.	4.2	81
38	Â-Keto acid metabolites of organoselenium compounds inhibit histone deacetylase activity in human colon cancer cells. <i>Carcinogenesis</i> , 2009, 30, 1416-1423.	2.8	74
39	3,3-â€²-Diindolylmethane, but not indole-3-carbinol, inhibits histone deacetylase activity in prostate cancer cells. <i>Toxicology and Applied Pharmacology</i> , 2012, 263, 345-351.	2.8	73
40	Antimutagenic potency of chlorophyllin in the salmonella assay and its correlation with binding constants of mutagen-inhibitor complexes. <i>Environmental and Molecular Mutagenesis</i> , 1993, 22, 164-171.	2.2	69
41	Study of the forces stabilizing complexes between chlorophylls and heterocyclic amine mutagens. , 1996, 27, 211-218.		69
42	Metabolism as a key to histone deacetylase inhibition. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2011, 46, 181-199.	5.2	68
43	Dietary agents as histone deacetylase inhibitors: sulforaphane and structurally related isothiocyanates. <i>Nutrition Reviews</i> , 2008, 66, S36-S38.	5.8	65
44	(âˆ™)-Epigallocatechin-3-gallate inhibits Met signaling, proliferation, and invasiveness in human colon cancer cells. <i>Archives of Biochemistry and Biophysics</i> , 2010, 501, 52-57.	3.0	65
45	Inhibition by chlorophyllin of 2-amino-3-methylimidazo-[4,5-f] quinoline-induced tumorigenesis in the male F344 rat. <i>Cancer Letters</i> , 1995, 95, 161-165.	7.2	64
46	Comparison of antiâ€œinflammatory mechanisms of mango (<i>Mangifera Indica</i> L.) and pomegranate (<i>Punica Granatum</i> L.) in a preclinical model of colitis. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 1912-1923.	3.3	64
47	Inhibition of 2-amino-3-methylimidazo[4.5-f] (IQ)-DNA binding by chlorophyllin: studies of enzyme inhibition and molecular complex formation. <i>Carcinogenesis</i> , 1992, 13, 1121-1126.	2.8	61
48	Phytochemicals from Cruciferous Vegetables, Epigenetics, and Prostate Cancer Prevention. <i>AAPS Journal</i> , 2013, 15, 951-961.	4.4	59
49	Chlorophyllin Chemoprevention in Trout Initiated by Aflatoxin B1 Bath Treatment: An Evaluation of Reduced Bioavailability vs. Target Organ Protective Mechanisms. <i>Toxicology and Applied Pharmacology</i> , 1999, 158, 141-151.	2.8	57
50	Epigenetic Regulation of NRF2/KEAP1 by Phytochemicals. <i>Antioxidants</i> , 2020, 9, 865.	5.1	56
51	NADPH oxidase overexpression in human colon cancers and rat colon tumors induced by 2â€œaminoâ€œmethylâ€œphenylimidazo[4,5â€œb</i>]pyridine (PhIP). <i>International Journal of Cancer</i> , 2011, 128, 2581-2590.		55
52	Post-initiation effects of chlorophyllin and indole-3-carbinol in rats given 1,2-dimethylhydrazine or 2-amino-3-methyl- imidazo[4,5-f]quinoline. <i>Carcinogenesis</i> , 2001, 22, 309-314.	2.8	54
53	Nrf2 status affects tumor growth, HDAC3 gene promoter associations, and the response to sulforaphane in the colon. <i>Clinical Epigenetics</i> , 2015, 7, 102.	4.1	54
54	Â-Catenin mutation in rat colon tumors initiated by 1,2-dimethylhydrazine and 2-amino-3-methylimidazo[4,5-f]quinoline, and the effect of post-initiation treatment with chlorophyllin and indole-3-carbinol. <i>Carcinogenesis</i> , 2001, 22, 315-320.	2.8	53

#	ARTICLE	IF	CITATIONS
55	Histone and Non-Histone Targets of Dietary Deacetylase Inhibitors. <i>Current Topics in Medicinal Chemistry</i> , 2015, 16, 714-731.	2.1	53
56	Caspase-8 and apoptosis-inducing factor mediate a cytochrome c-independent pathway of apoptosis in human colon cancer cells induced by the dietary phytochemical chlorophyllin. <i>Cancer Research</i> , 2003, 63, 1254-61.	0.9	51
57	Epigenetic Regulation by Sulforaphane: Opportunities for Breast and Prostate Cancer Chemoprevention. <i>Current Pharmacology Reports</i> , 2015, 1, 102-111.	3.0	50
58	Response of Apc <sup>min</sup> and A33 <sup>+</sup> N1 <sup>2</sup> -cat mutant mice to treatment with tea, sulindac, and 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP). <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2002, 506-507, 121-127.	1.0	48
59	Antimutagenic activity of tea towards 2-hydroxyamino-3-methylimidazo[4,5-f]quinoline: effect of tea concentration and brew time on electrophile scavenging. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1998, 402, 299-306.	1.0	47
60	Evidence forras gene mutation in 2-amino-3-methylimidazo[4,5-f]quinoline-induced colonic aberrant crypts in the rat. <i>Molecular Carcinogenesis</i> , 1995, 12, 187-192.	2.7	46
61	Effects of tea and chlorophyllin on the mutagenicity of N-hydroxy-IQ: Studies of enzyme inhibition, molecular complex formation, and degradation/scavenging of the active metabolites. , 1997, 30, 468-474.		46
62	Cancer Chemopreventive Mechanisms of Tea Against Heterocyclic Amine Mutagens from Cooked Meat. <i>Proceedings of the Society for Experimental Biology and Medicine</i> , 1999, 220, 239-243.	1.8	46
63	Heterocyclic Analogs of Sulforaphane Trigger DNA Damage and Impede DNA Repair in Colon Cancer Cells: Interplay of HATs and HDACs. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800228.	3.3	45
64	Chemoprevention studies of heterocyclic amine-induced colon carcinogenesis. <i>Cancer Letters</i> , 1999, 143, 179-183.	7.2	44
65	Epigenetic inactivation of endothelin-2 and endothelin-3 in colon cancer. <i>International Journal of Cancer</i> , 2013, 132, 1004-1012.	5.1	44
66	Cancer chemoprevention by dietary chlorophylls: A 12,000-animal dose-dose matrix biomarker and tumor study. <i>Food and Chemical Toxicology</i> , 2012, 50, 341-352.	3.6	43
67	Reliable tumor detection by whole-genome methylation sequencing of cell-free DNA in cerebrospinal fluid of pediatric medulloblastoma. <i>Science Advances</i> , 2020, 6, .	10.3	42
68	Inhibition of 2-amino-3-methylimidazo[4,5-f]quinoline (IQ)-DNA binding in rats given chlorophyllin: dose-response and time-course studies in the liver and colon. <i>Carcinogenesis</i> , 1994, 15, 763-766.	2.8	40
69	Chlorophyllin-enhanced excretion of urinary and fecal mutagens in rats given 2-amino-3-methylimidazo[4, 5-f]quinoline. <i>Environmental and Molecular Mutagenesis</i> , 1992, 20, 199-205.	2.2	39
70	Inhibitory Activity of Green and Black Tea in a Free Radical-generating System Using 2-Amino-3-methylimidazo[4,5-f]quinoline as Substrate. <i>Japanese Journal of Cancer Research</i> , 1997, 88, 553-558.	1.7	39
71	Low-dose dietary chlorophyll inhibits multi-organ carcinogenesis in the rainbow trout. <i>Food and Chemical Toxicology</i> , 2008, 46, 1014-1024.	3.6	39
72	Antioxidant and antigenotoxic activities of <i>Angelica keiskei</i> , <i>Oenanthe javanica</i> and <i>Brassica oleracea</i> in the Salmonella mutagenicity assay and in HCT116 human colon cancer cells. <i>BioFactors</i> , 2006, 26, 231-244.	5.4	38

#	ARTICLE	IF	CITATIONS
73	A role for low-abundance miRNAs in colon cancer: the miR-206/KrÄ¼ppel-like factor 4 (KLF4) axis. <i>Clinical Epigenetics</i> , 2012, 4, 16.	4.1	38
74	Frequent mutations of the rat $\beta$ -catenin gene in colon cancers induced by methylazoxymethanol acetate plus 1-hydroxyanthraquinone. , 1999, 24, 232-237.		37
75	The importance of using pure chemicals in (anti)mutagenicity studies: chlorophyllin as a case in point. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1997, 381, 283-286.	1.0	36
76	Phosphorylation and ubiquitination of oncogenic mutants of $\beta$ -catenin containing substitutions at Asp32. <i>Oncogene</i> , 2004, 23, 4839-4846.	5.9	35
77	Micro<scp>RNA</scp> profiling of carcinogenâ€induced rat colon tumors and the influence of dietary spinach. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1259-1269.	3.3	33
78	The Dietary Phytochemical Chlorophyllin Alters E-Cadherin and $\beta$ -Catenin Expression in Human Colon Cancer Cells. <i>Journal of Nutrition</i> , 2004, 134, 3441S-3444S.	2.9	32
79	Identifying efficacious approaches to chemoprevention with chlorophyllin, purified chlorophylls and freeze-dried spinach in a mouse model of transplacental carcinogenesis. <i>Carcinogenesis</i> , 2008, 30, 315-320.	2.8	29
80	Protective versus promotional effects of white tea and caffeine on PhIP-induced tumorigenesis and $\beta$ -catenin expression in the rat. <i>Carcinogenesis</i> , 2008, 29, 834-839.	2.8	29
81	E2F4 and ribonucleotide reductase mediate Sâ€phase arrest in colon cancer cells treated with chlorophyllin. <i>International Journal of Cancer</i> , 2009, 125, 2086-2094.	5.1	29
82	A functional pseudogene, <i>NMRAL2P</i>, is regulated by Nrf2 and serves as a coactivator of <i>NQO1</i> in sulforaphaneâ€treated colon cancer cells. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600769.	3.3	29
83	Acetylation of CCAR2 Establishes a BET/BRD9 Acetyl Switch in Response to Combined Deacetylase and Bromodomain Inhibition. <i>Cancer Research</i> , 2019, 79, 918-927.	0.9	28
84	Transcriptome analysis reveals a dynamic and differential transcriptional response to sulforaphane in normal and prostate cancer cells and suggests a role for Sp1 in chemoprevention. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 2001-2013.	3.3	26
85	Emerging crosstalk between long non-coding RNAs and Nrf2 signaling. <i>Cancer Letters</i> , 2020, 490, 154-164.	7.2	26
86	Promotion versus suppression of rat colon carcinogenesis by chlorophyllin and chlorophyll: modulation of apoptosis, cell proliferation, and $\beta$ -catenin/Tcf signaling. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2003, 523-524, 217-223.	1.0	23
87	Neonatal Colonic Inflammation Epigenetically Aggravates Epithelial Inflammatory Responses to Injury in Adult Life. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 6, 65-78.	4.5	23
88	Measuring Histone Deacetylase Inhibition in the Brain. <i>Current Protocols in Pharmacology</i> , 2018, 81, e41.	4.0	23
89	Reciprocal regulation of BMF and BIRC5 (Survivin) linked to Eomes overexpression in colorectal cancer. <i>Cancer Letters</i> , 2016, 381, 341-348.	7.2	22
90	Differential modulation of dibenzo[def,p]chrysene transplacental carcinogenesis: Maternal diets rich in indole-3-carbinol versus sulforaphane. <i>Toxicology and Applied Pharmacology</i> , 2013, 270, 60-69.	2.8	21

#	ARTICLE	IF	CITATIONS
91	Mutational analysis of Ctnnb1 and Apc in tumors from rats given 1,2-dimethylhydrazine or 2-amino-3-methylimidazo[4,5-f]quinoline: Mutational "hotspots" and the relative expression of $\beta$ -catenin and c-jun. <i>Molecular Carcinogenesis</i> , 2003, 36, 195-203.	2.7	20
92	Cancer Chemopreventive Mechanisms of Tea Against Heterocyclic Amine Mutagens from Cooked Meat. <i>Experimental Biology and Medicine</i> , 1999, 220, 239-243.	2.4	19
93	Oncogenic targets <i>Mmp7</i> , <i>S100a9</i> , <i>Nppb</i> and <i>Aldh1a3</i> from transcriptome profiling of FAP and Pirc adenomas are downregulated in response to tumor suppression by Clotam. <i>International Journal of Cancer</i> , 2017, 140, 460-468.	5.1	18
94	<i>CCAR1</i> and <i>CCAR2</i> as gene chameleons with antagonistic duality: Preclinical, human translational, and mechanistic basis. <i>Cancer Science</i> , 2020, 111, 3416-3425.	3.9	18
95	The phytochemical 3,3'-diindolylmethane decreases expression of AR-controlled DNA damage repair genes through repressive chromatin modifications and is associated with DNA damage in prostate cancer cells. <i>Journal of Nutritional Biochemistry</i> , 2017, 47, 113-119.	4.2	16
96	Dietary spinach reshapes the gut microbiome in an Apc-mutant genetic background: mechanistic insights from integrated multi-omics. <i>Gut Microbes</i> , 2021, 13, 1972756.	9.8	15
97	Neonatal Injury Increases Gut Permeability by Epigenetically Suppressing E-Cadherin in Adulthood. <i>Journal of Immunology</i> , 2020, 204, 980-989.	0.8	14
98	$\beta$ -catenin is strongly elevated in rat colonic epithelium following short-term intermittent treatment with 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) and a high-fat diet. <i>Cancer Science</i> , 2008, 99, 1754-1759.	2.9	12
99	Optimization of Erlotinib Plus Sulindac Dosing Regimens for Intestinal Cancer Prevention in an Apc-Mutant Model of Familial Adenomatous Polyposis (FAP). <i>Cancer Prevention Research</i> , 2021, 14, 325-336.	1.5	12
100	Tumors from rats given 1,2-dimethylhydrazine plus chlorophyllin or indole-3-carbinol contain transcriptional changes in $\beta$ -catenin that are independent of $\beta$ -catenin mutation status. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2006, 601, 11-18.	1.0	11
101	A miRNA signature for an environmental heterocyclic amine defined by a multi-organ carcinogenicity bioassay in the rat. <i>Archives of Toxicology</i> , 2017, 91, 3415-3425.	4.2	10
102	Deacetylase Plus Bromodomain Inhibition Downregulates ERCC2 and Suppresses the Growth of Metastatic Colon Cancer Cells. <i>Cancers</i> , 2021, 13, 1438.	3.7	10
103	HDAC6 activity is not required for basal autophagic flux in metastatic prostate cancer cells. <i>Experimental Biology and Medicine</i> , 2016, 241, 1177-1185.	2.4	8
104	Accurate quantification of PGE 2 in the polyposis in rat colon (Pirc) model by surrogate analyte-based UPLC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 148, 42-50.	2.8	8
105	Targeting Epigenetic "Readers" with Natural Compounds for Cancer Interception. <i>Journal of Cancer Prevention</i> , 2020, 25, 189-203.	2.0	8
106	Development of a murine colonoscopic polypectomy model (with videos). <i>Gastrointestinal Endoscopy</i> , 2016, 83, 1272-1276.	1.0	6
107	Divergent roles of p120-catenin isoforms linked to altered cell viability, proliferation, and invasiveness in carcinogen-induced rat skin tumors. <i>Molecular Carcinogenesis</i> , 2017, 56, 1733-1742.	2.7	6
108	Cancer chemoprevention from the food-borne carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1998, 405, 109-110.	1.0	5

#	ARTICLE	IF	CITATIONS
109	Sequencing of the rat $\beta$ -catenin gene ( Ctnnb1 ) and mutational analysis of liver tumors induced by 2-amino-3-methylimidazo[4,5-f]quinoline. <i>Gene</i> , 2002, 283, 255-262.	2.2	5
110	Cancer interception by interceptor molecules: mechanistic, preclinical and human translational studies with chlorophylls. <i>Genes and Environment</i> , 2021, 43, 8.	2.1	5
111	Meeting Report: Translational Advances in Cancer Prevention Agent Development Meeting. <i>Journal of Cancer Prevention</i> , 2021, 26, 71-82.	2.0	4
112	Metabolomics of Acute vs. Chronic Spinach Intake in an Apc <sup>+</sup> Mutant Genetic Background: Linoleate and Butanoate Metabolites Targeting HDAC Activity and IFN $\gamma$ Signaling. <i>Cells</i> , 2022, 11, 573.	4.1	3
113	Assessment of global proteome in LNCaP cells by 2D-RP/RP LC-MS/MS following sulforaphane exposure. <i>EuPA Open Proteomics</i> , 2015, 9, 34-40.	2.5	2
114	Memories of a friend and colleague – Takashi Sugimura. <i>Mutation Research - Reviews in Mutation Research</i> , 2020, 786, 108337.	5.5	2
115	Chemoprevention of Prostate Cancer with Cruciferous Vegetables: Role of Epigenetics. , 2012, , 49-81.		2
116	Translational Advances in Cancer Prevention Agent Development (TACPAD) Virtual Workshop on Immunomodulatory Agents: Report. <i>Journal of Cancer Prevention</i> , 2021, 26, 309-317.	2.0	1
117	S118-Optimized Lower Dose Combinations of Sulindac Plus Erlotinib Sustained Antitumor Efficacy and Reduced Toxicity in a Preclinical Model of FAP. <i>American Journal of Gastroenterology</i> , 2021, 116, S138-S138.	0.4	0