

# Alice M Theadom

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7348959/publications.pdf>

Version: 2024-02-01

143  
papers

18,812  
citations

87723

38  
h-index

13338

130  
g-index

145  
all docs

145  
docs citations

145  
times ranked

30702  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 743-800. | 6.3 | 4,951     |
| 2  | Global, regional, and national burden of neurological disorders, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 459-480.   | 4.9 | 2,625     |
| 3  | Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. <i>Lancet Neurology, The</i> , 2017, 16, 987-1048.   | 4.9 | 1,571     |
| 4  | Global, regional, and national burden of neurological disorders during 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , 2017, 16, 877-897.   | 4.9 | 1,521     |
| 5  | Prevalence of Muscular Dystrophies: A Systematic Literature Review. <i>Neuroepidemiology</i> , 2014, 43, 259-268.  | 1.1 | 1,374     |
| 6  | Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 56-87.  | 4.9 | 1,064     |
| 7  | The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. <i>Injury Prevention</i> , 2016, 22, 3-18.   | 1.2 | 898       |
| 8  | Incidence of traumatic brain injury in New Zealand: a population-based study. <i>Lancet Neurology, The</i> , 2013, 12, 53-64.  | 4.9 | 549       |
| 9  | Case-mix, care pathways, and outcomes in patients with traumatic brain injury in CENTER-TBI: a European prospective, multicentre, longitudinal, cohort study. <i>Lancet Neurology, The</i> , 2019, 18, 923-934.  | 4.9 | 304       |
| 10 | Epidemiology of Traumatic Brain Injury in Europe: A Living Systematic Review. <i>Journal of Neurotrauma</i> , 2021, 38, 1411-1440.   | 1.7 | 276       |
| 11 | Effects of preoperative smoking cessation on the incidence and risk of intraoperative and postoperative complications in adult smokers: a systematic review. <i>Tobacco Control</i> , 2006, 15, 352-358.   | 1.8 | 204       |
| 12 | Building the national health information infrastructure for personal health, health care services, public health, and research. <i>BMC Medical Informatics and Decision Making</i> , 2003, 3, 1.   | 1.5 | 188       |
| 13 | Persistent problems 1 year after mild traumatic brain injury: a longitudinal population study in New Zealand. <i>British Journal of General Practice</i> , 2016, 66, e16-e23.  | 0.7 | 167       |
| 14 | Exploring the role of sleep and coping in quality of life in fibromyalgia. <i>Journal of Psychosomatic Research</i> , 2007, 62, 145-151.   | 1.2 | 148       |
| 15 | Machine learning algorithms performed no better than regression models for prognostication in traumatic brain injury. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 95-107.   | 2.4 | 117       |
| 16 | Years of life lost due to traumatic brain injury in Europe: A cross-sectional analysis of 16 countries. <i>PLoS Medicine</i> , 2017, 14, e1002331.   | 3.9 | 93        |
| 17 | Population-based cohort study of the impacts of mild traumatic brain injury in adults four years post-injury. <i>PLoS ONE</i> , 2018, 13, e0191655.  | 1.1 | 92        |
| 18 | Sleep difficulties one year following mild traumatic brain injury in a population-based study. <i>Sleep Medicine</i> , 2015, 16, 926-932.  | 0.8 | 90        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Encouraging family engagement in the rehabilitation process: a rehabilitation provider's development of support strategies for family members of people with traumatic brain injury. <i>Disability and Rehabilitation</i> , 2012, 34, 1855-1862. | 0.9 | 89        |
| 20 | Epidemiology of ischaemic stroke and traumatic brain injury. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2010, 24, 485-494.  | 1.7 | 87        |
| 21 | Cost of traumatic brain injury in New Zealand. <i>Neurology</i> , 2014, 83, 1645-1652.   | 1.5 | 83        |
| 22 | A Comparison of Cognitive Function in Former Rugby Union Players Compared with Former Non-Contact-Sport Players and the Impact of Concussion History. <i>Sports Medicine</i> , 2017, 47, 1209-1220.  | 3.1 | 82        |
| 23 | Work Limitations 4 Years After Mild Traumatic Brain Injury: A Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1560-1566.   | 0.5 | 74        |
| 24 | New Strategy to Reduce the Global Burden of Stroke. <i>Stroke</i> , 2015, 46, 1740-1747.   | 1.0 | 71        |
| 25 | 30-Year Trends in Stroke Rates and Outcome in Auckland, New Zealand (1981-2012): A Multi-Ethnic Population-Based Series of Studies. <i>PLoS ONE</i> , 2015, 10, e0134609.  | 1.1 | 70        |
| 26 | Neuropsychological outcome and its correlates in the first year after adult mild traumatic brain injury: A population-based New Zealand study. <i>Brain Injury</i> , 2015, 29, 1604-1616.  | 0.6 | 60        |
| 27 | Sports-related brain injury in the general population: An epidemiological study. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 591-596.  | 0.6 | 59        |
| 28 | Mind and body therapy for fibromyalgia. <i>The Cochrane Library</i> , 2015, 2015, CD001980.  | 1.5 | 59        |
| 29 | Pathological Computed Tomography Features Associated With Adverse Outcomes After Mild Traumatic Brain Injury. <i>JAMA Neurology</i> , 2021, 78, 1137.  | 4.5 | 53        |
| 30 | Dysfunctional beliefs, stress and sleep disturbance in fibromyalgia. <i>Sleep Medicine</i> , 2008, 9, 376-381.   | 0.8 | 51        |
| 31 | The Spectrum Captured: A Methodological Approach to Studying Incidence and Outcomes of Traumatic Brain Injury on a Population Level. <i>Neuroepidemiology</i> , 2012, 38, 18-29.   | 1.1 | 50        |
| 32 | Incidence of Sports-Related Traumatic Brain Injury of All Severities: A Systematic Review. <i>Neuroepidemiology</i> , 2020, 54, 192-199.   | 1.1 | 50        |
| 33 | Post-concussive symptoms after a mild traumatic brain injury during childhood and adolescence. <i>Brain Injury</i> , 2018, 32, 617-626.  | 0.6 | 49        |
| 34 | The roles of policy and professionalism in the protection of processed clinical data: A literature review. <i>International Journal of Medical Informatics</i> , 2007, 76, 261-268.  | 1.6 | 48        |
| 35 | Enzogenol for cognitive functioning in traumatic brain injury: a pilot placebo-controlled RCT. <i>European Journal of Neurology</i> , 2013, 20, 1135-1144.   | 1.7 | 48        |
| 36 | Fibromyalgia Syndrome and Chronotype. <i>Journal of Biological Rhythms</i> , 2012, 27, 176-179.  | 1.4 | 45        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Mobile Technology for Primary Stroke Prevention. <i>Stroke</i> , 2019, 50, 196-198.  | 1.0 | 45        |
| 38 | Hearing every footstep: Noise sensitivity in individuals following traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2012, 22, 391-407.   | 1.0 | 40        |
| 39 | Treatment for depression following mild traumatic brain injury in adults: A meta-analysis. <i>Brain Injury</i> , 2013, 27, 1124-1133.  | 0.6 | 40        |
| 40 | Fluid balance and outcome in critically ill patients with traumatic brain injury (CENTER-TBI and) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 627-638.  | 4.9 | 40        |
| 41 | Sleep difficulties and their impact on recovery following mild traumatic brain injury in children. <i>Brain Injury</i> , 2016, 30, 1243-1248.  | 0.6 | 38        |
| 42 | Determinants, Prevalence, and Trajectory of Long-Term Post-Stroke Cognitive Impairment: Results from a 4-Year Follow-Up of the ARCOS-IV Study. <i>Neuroepidemiology</i> , 2017, 49, 129-134.                         | 1.1 | 38        |
| 43 | Frequency and Impact of Recurrent Traumatic Brain Injury in a Population-Based Sample. <i>Journal of Neurotrauma</i> , 2015, 32, 674-681.  | 1.7 | 37        |
| 44 | Prevalence and Predictors of 6-Month Fatigue in Patients With Ischemic Stroke. <i>Stroke</i> , 2012, 43, 2604-2609.  | 1.0 | 35        |
| 45 | Factor structure of the Rivermead Post-Concussion Symptoms Questionnaire over the first year following mild traumatic brain injury. <i>Brain Injury</i> , 2018, 32, 453-458.   | 0.6 | 34        |
| 46 | A pilot randomized controlled trial of on-line interventions to improve sleep quality in adults after mild or moderate traumatic brain injury. <i>Clinical Rehabilitation</i> , 2018, 32, 619-629.                   | 1.0 | 34        |
| 47 | Effect of frailty on 6-month outcome after traumatic brain injury: a multicentre cohort study with external validation. <i>Lancet Neurology</i> , The, 2022, 21, 153-162.  | 4.9 | 34        |
| 48 | The effectiveness of smoking cessation interventions prior to surgery: A systematic review. <i>Nicotine and Tobacco Research</i> , 2008, 10, 407-412.  | 1.4 | 32        |
| 49 | A Systematic Review of Psychological Interventions for Sleep and Fatigue after Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 195-209.   | 1.7 | 32        |
| 50 | “This constant being woken up is the worst thing” “ experiences of sleep in fibromyalgia syndrome. <i>Disability and Rehabilitation</i> , 2010, 32, 1939-1947.   | 0.9 | 31        |
| 51 | Depression and anxiety across the first 4 years after mild traumatic brain injury: findings from a community-based study. <i>Brain Injury</i> , 2018, 32, 1651-1658.   | 0.6 | 31        |
| 52 | The Effects of Expressive Writing on Lung Function, Quality of Life, Medication Use, and Symptoms in Adults With Asthma. <i>Psychosomatic Medicine</i> , 2015, 77, 429-437.  | 1.3 | 30        |
| 53 | Cumulative Sport-Related Injuries and Longer Term Impact in Retired Male Elite- and Amateur-Level Rugby Code Athletes and Non-contact Athletes: A Retrospective Study. <i>Sports Medicine</i> , 2020, 50, 2051-2061. | 3.1 | 28        |
| 54 | Accuracy of an International Classification of Diseases Code Surveillance System in the Identification of Traumatic Brain Injury. <i>Neuroepidemiology</i> , 2016, 47, 46-52.  | 1.1 | 27        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Exploring the experience of sleep and fatigue in male and female adults over the 2â€¦years following traumatic brain injury: a qualitative descriptive study. <i>BMJ Open</i> , 2016, 6, e010453.   | 0.8 | 27        |
| 56 | A Nationwide, Population-Based Prevalence Study of Genetic Muscle Disorders. <i>Neuroepidemiology</i> , 2019, 52, 128-135.  | 1.1 | 27        |
| 57 | MLC 901 (NeuroAiD II â„¢) for cognition after traumatic brain injury: a pilot randomized clinical trial. <i>European Journal of Neurology</i> , 2018, 25, 1055.                                     | 1.7 | 25        |
| 58 | Recovery and adaptation after traumatic brain injury in New Zealand: Longitudinal qualitative findings over the first two years. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 1095-1112.    | 1.0 | 25        |
| 59 | Negative beliefs about breathlessness increases panic for patients with chronic respiratory disease. <i>Psychology, Health and Medicine</i> , 2012, 17, 467-477.                                    | 1.3 | 24        |
| 60 | The process of adjustment over time following stroke: A longitudinal qualitative study. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 1464-1474.   | 1.0 | 24        |
| 61 | The association between health-related quality of life and noise or light sensitivity in survivors of a mild traumatic brain injury. <i>Quality of Life Research</i> , 2020, 29, 665-672.           | 1.5 | 24        |
| 62 | Bridging the goal intentionâ€“action gap in rehabilitation: a study of <i>if-then</i> implementation intentions in neurorehabilitation. <i>Disability and Rehabilitation</i> , 2015, 37, 1073-1081. | 0.9 | 23        |
| 63 | Living Life After Traumatic Brain Injury: Phase 1 of a Longitudinal Qualitative Study. <i>Journal of Head Trauma Rehabilitation</i> , 2018, 33, E44-E52.  | 1.0 | 23        |
| 64 | Burden of Traumatic Brain Injury in New Zealand: Incidence, Prevalence and Disability-Adjusted Life Years. <i>Neuroepidemiology</i> , 2015, 44, 255-261.  | 1.1 | 22        |
| 65 | Prevalence of Charcot-Marie-Tooth disease across the lifespan: a population-based epidemiological study. <i>BMJ Open</i> , 2019, 9, e029240.  | 0.8 | 21        |
| 66 | Social cognition four years after mild-TBI: An age-matched prospective longitudinal cohort study.. <i>Neuropsychology</i> , 2019, 33, 560-567.  | 1.0 | 20        |
| 67 | Prevalence, natural course and predictors of depression 1 year following traumatic brain injury from a population-based study in New Zealand. <i>Brain Injury</i> , 2015, 29, 859-865.              | 0.6 | 19        |
| 68 | Tracheal intubation in traumatic brain injury: a multicentre prospective observational study. <i>British Journal of Anaesthesia</i> , 2020, 125, 505-517.   | 1.5 | 19        |
| 69 | Distinguishing between enduring and dynamic concussion symptoms: applying Generalisability Theory to the Rivermead Post Concussion Symptoms Questionnaire (RPQ). <i>PeerJ</i> , 2018, 6, e5676.     | 0.9 | 18        |
| 70 | Incidence of Transient Ischemic Attack in Auckland, New Zealand, in 2011 to 2012. <i>Stroke</i> , 2016, 47, 2183-2188.  | 1.0 | 17        |
| 71 | Clinical correlates of noise sensitivity in patients with acute TBI. <i>Brain Injury</i> , 2019, 33, 1050-1058.   | 0.6 | 17        |
| 72 | Context, visual salience, and inductive reasoning. <i>Thinking and Reasoning</i> , 2000, 6, 349-374.  | 2.1 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Methodology of a Population-Based Stroke and TIA Incidence and Outcomes Study: The Auckland Regional Community Stroke Study (ARCOS IV) 2011-2012. <i>International Journal of Stroke</i> , 2014, 9, 140-147. | 2.9 | 16        |
| 74 | Daytime napping associated with increased symptom severity in fibromyalgia syndrome. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 13.  | 0.8 | 16        |
| 75 | When it's quiet, it's nice: Noise sensitivity in schizophrenia. <i>American Journal of Psychiatric Rehabilitation</i> , 2016, 19, 122-135.   | 0.7 | 16        |
| 76 | Pilot study of a 4-week Pain Coping Strategies (PCS) programme for the chronic pain patient. <i>Disability and Rehabilitation</i> , 2007, 29, 199-203.   | 0.9 | 15        |
| 77 | Methodology of the Stroke Self-Management Rehabilitation Trial: An International, Multisite Pilot Trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 297-303.                          | 0.7 | 15        |
| 78 | Longitudinal patterns of behavior, cognition, and quality of life after mild traumatic brain injury in children: BIONIC study findings. <i>Brain Injury</i> , 2019, 33, 884-893.                             | 0.6 | 15        |
| 79 | Predicting Sport-related mTBI Symptom Resolution Trajectory Using Initial Clinical Assessment Findings: A Retrospective Cohort Study. <i>Sports Medicine</i> , 2020, 50, 1191-1202.                          | 3.1 | 15        |
| 80 | Trajectories in health recovery in the 12 months following a mild traumatic brain injury in children: findings from the BIONIC Study. <i>Journal of Primary Health Care</i> , 2018, 10, 81.                  | 0.2 | 14        |
| 81 | Developing a comprehensive framework of community integration for people with acquired brain injury: a conceptual analysis. <i>Disability and Rehabilitation</i> , 2019, 41, 1615-1631.                      | 0.9 | 13        |
| 82 | Bridging the gap between goal intentions and actions: a systematic review in patient populations. <i>Disability and Rehabilitation</i> , 2015, 37, 563-570.  | 0.9 | 12        |
| 83 | A systematic review of the worldwide prevalence of survivors of poliomyelitis reported in 31 studies. <i>BMJ Open</i> , 2017, 7, e015470.  | 0.8 | 12        |
| 84 | Optimising qualitative longitudinal analysis: Insights from a study of traumatic brain injury recovery and adaptation. <i>Nursing Inquiry</i> , 2017, 24, e12170.  | 1.1 | 11        |
| 85 | Knowledge, attitudes, and behavior toward concussion in adult cyclists. <i>Brain Injury</i> , 2020, 34, 1175-1182.   | 0.6 | 11        |
| 86 | Sex differences in outcomes from mild traumatic brain injury eight years post-injury. <i>PLoS ONE</i> , 2022, 17, e0269101.  | 1.1 | 11        |
| 87 | Prevalence and Predictors of Post-traumatic Stress Disorder in Adults One Year Following Traumatic Brain Injury: A Population-based Study. <i>Brain Impairment</i> , 2013, 14, 425-435.                      | 0.5 | 10        |
| 88 | Long-term factor structure of the Rivermead Post-Concussion Symptom Questionnaire in mild traumatic brain injury and normative sample. <i>Brain Injury</i> , 2019, 33, 618-622.                              | 0.6 | 10        |
| 89 | Psychological flexibility: A psychological mechanism that contributes to persistent symptoms following mild traumatic brain injury?. <i>Medical Hypotheses</i> , 2020, 143, 110141.                          | 0.8 | 10        |
| 90 | Nutritional interventions to improve neurophysiological impairments following traumatic brain injury: A systematic review. <i>Journal of Neuroscience Research</i> , 2021, 99, 573-603.                      | 1.3 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | The role of psychological flexibility in recovery following mild traumatic brain injury.. Rehabilitation Psychology, 2021, 66, 479-490.  | 0.7 | 10        |
| 92  | The effectiveness of the Mitchell Method Relaxation Technique for the treatment of fibromyalgia symptoms: A three-arm randomized controlled trial.. International Journal of Stress Management, 2017, 24, 86-106.  | 0.9 | 10        |
| 93  | Prevalence of Traumatic Brain Injury in a Male Adult Prison Population and Its Association with the Offence Type. Neuroepidemiology, 2017, 48, 164-170.  | 1.1 | 9         |
| 94  | Primary prevention of stroke and cardiovascular disease in the community (PREVENTS): Methodology of a health wellness coaching intervention to reduce stroke and cardiovascular disease risk, a randomized clinical trial. International Journal of Stroke, 2018, 13, 223-232. | 2.9 | 9         |
| 95  | The Contribution of Vascular Risk Factors in Prevalence of Fatigue Four Years Following Stroke: Results from a Population-Based Study. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 2192-2199.  | 0.7 | 8         |
| 96  | Concussion knowledge, attitudes and behaviour in equestrian athletes. Journal of Science and Medicine in Sport, 2020, 23, 1055-1061.   | 0.6 | 8         |
| 97  | Informed consent procedures in patients with an acute inability to provide informed consent: Policy and practice in the CENTER-TBI study. Journal of Critical Care, 2020, 59, 6-15.  | 1.0 | 8         |
| 98  | Turning away from sound: The role of fear avoidance in noise sensitivity following mild traumatic brain injury. Journal of Psychosomatic Research, 2021, 151, 110664.  | 1.2 | 8         |
| 99  | Written emotional disclosure for asthma. The Cochrane Library, 2014, , CD007676.   | 1.5 | 7         |
| 100 | Sensitivity to Noise Following a Mild Traumatic Brain Injury: A Longitudinal Study. Journal of Head Trauma Rehabilitation, 2021, 36, E289-E301.  | 1.0 | 7         |
| 101 | Feasibility of administering the WAIS-IV using a home-based telehealth videoconferencing model. Clinical Neuropsychologist, 2022, 36, 558-570.   | 1.5 | 7         |
| 102 | Functional somatic symptoms in accident and emergency " An exploratory study. International Emergency Nursing, 2006, 14, 171-177.  | 0.7 | 6         |
| 103 | Neuropsychological Outcome and its Predictors Across the First Year after Ischaemic Stroke. Brain Impairment, 2016, 17, 111-122.   | 0.5 | 6         |
| 104 | Brain drawings following traumatic brain injury (TBI) and links to illness perceptions and health outcomes " Findings from a population-based study. Psychology and Health, 2016, 31, 1182-1202.   | 1.2 | 6         |
| 105 | Psychosocial functioning at 4-years after pediatric mild traumatic brain injury. Brain Injury, 2021, 35, 416-425.  | 0.6 | 6         |
| 106 | Do Mild Traumatic Brain Injury Severity Sub-classification Systems Help to Identify People Who Go on to Experience Long-Term Symptoms?. Brain Impairment, 2018, 19, 119-132.   | 0.5 | 5         |
| 107 | Parent and child ratings of child behaviour following mild traumatic brain injury. Brain Injury, 2018, 32, 1397-1404.  | 0.6 | 5         |
| 108 | Questionnaires vs Interviews for the Assessment of Global Functional Outcomes After Traumatic Brain Injury. JAMA Network Open, 2021, 4, e2134121.  | 2.8 | 5         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Participant experiences of a written emotional disclosure intervention in asthma. <i>Stress and Health</i> , 2010, 26, 45-50.   | 1.4 | 4         |
| 110 | Exploring researchers'™ experiences of working with people with acquired brain injury. <i>Brain Injury</i> , 2015, 29, 592-600.   | 0.6 | 4         |
| 111 | Depression and Anxiety Across the First Year After Ischemic Stroke: Findings from a Population-Based New Zealand ARCOS-IV Study. <i>Brain Impairment</i> , 2017, 18, 265-276.   | 0.5 | 4         |
| 112 | Exploring challenges at 6 months after stroke: what is important to patients for self-management?. <i>International Journal of Therapy and Rehabilitation</i> , 2018, 25, 565-575.  | 0.1 | 4         |
| 113 | Determining the feasibility and preliminary efficacy of a stroke instructional and educational DVD in a multinational context: a randomized controlled pilot study. <i>Clinical Rehabilitation</i> , 2018, 32, 1086-1097. | 1.0 | 4         |
| 114 | Impacts for Children Living with Genetic Muscle Disorders and their Parents – Findings from a Population-Based Study. <i>Journal of Neuromuscular Diseases</i> , 2018, 5, 341-352.  | 1.1 | 4         |
| 115 | Changes over time in family members of adults with mild traumatic brain injury. <i>Brain Impairment</i> , 2020, 21, 154-172.  | 0.5 | 4         |
| 116 | A Feasibility Study of a One-to-One Mindfulness-Based Intervention for Improving Mood in Stroke Survivors. <i>Mindfulness</i> , 2021, 12, 1148-1158.  | 1.6 | 4         |
| 117 | The Brain Injury Screening Tool (BIST): Tool development, factor structure and validity. <i>PLoS ONE</i> , 2021, 16, e0246512.  | 1.1 | 4         |
| 118 | An intervention to improve coping strategies in adult male prisoners with a history of traumatic brain injury: A pilot randomised clinical trial. <i>Clinical Rehabilitation</i> , 2021, 35, 1185-1195.                   | 1.0 | 4         |
| 119 | Exploring participant experiences of research after traumatic brain injury. <i>Brain Injury</i> , 2014, 28, 995-1002.   | 0.6 | 3         |
| 120 | Can we reduce injury risk in rugby codes?. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 1.   | 0.6 | 3         |
| 121 | Rasch analysis of the Brain Injury Screening Tool (BIST) in mild traumatic brain injury. <i>BMC Neurology</i> , 2021, 21, 376.  | 0.8 | 3         |
| 122 | Relaxation and related therapies for people with multiple sclerosis (MS): A systematic review. <i>Clinical Rehabilitation</i> , 2022, , 026921552210915.  | 1.0 | 3         |
| 123 | Capturing the Stories behind the Numbers: The Auckland Regional Community Stroke Study (ARCOS IV), a Qualitative Study. <i>International Journal of Stroke</i> , 2014, 9, 64-70.  | 2.9 | 2         |
| 124 | Knowledge of Sub-Types Important to Understanding of the Prevalence of Myotonic Dystrophy. <i>Neuroepidemiology</i> , 2016, 46, 228-228.  | 1.1 | 2         |
| 125 | Psychological flexibility in mild traumatic brain injury: an evaluation of measures. <i>Brain Injury</i> , 2021, 35, 1103-1111.   | 0.6 | 2         |
| 126 | Impact and predictors of quality of life in adults diagnosed with a genetic muscle disorder: a nationwide population-based study. <i>Quality of Life Research</i> , 2022, 31, 1657-1666.                                  | 1.5 | 2         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | What Is the Evidence on Natural Recovery Over the Year Following Sports-Related and Non-sports-Related Mild Traumatic Brain Injury: A Scoping Review. <i>Frontiers in Neurology</i> , 2021, 12, 756700.        | 1.1 | 2         |
| 128 | The influence of psychological flexibility on persistent post concussion symptoms and functional status after mild traumatic brain injury. <i>Disability and Rehabilitation</i> , 2023, 45, 1192-1201.         | 0.9 | 2         |
| 129 | Atypical symptom reporting after mild traumatic brain injury. <i>Brain Impairment</i> , 2023, 24, 114-123.   | 0.5 | 2         |
| 130 | Associations between brain drawings following mild traumatic brain injury and negative illness perceptions and post-concussion symptoms at 4 years. <i>Journal of Health Psychology</i> , 2019, 24, 1448-1458. | 1.3 | 1         |
| 131 | Parent and Teacher-Reported Child Outcomes Seven Years After Mild Traumatic Brain Injury: A Nested Case Control Study. <i>Frontiers in Neurology</i> , 2021, 12, 683661.                                       | 1.1 | 1         |
| 132 | Stroke survivors' expectations and post-intervention perceptions of mindfulness training: A qualitative study. <i>Neuropsychological Rehabilitation</i> , 2021, , 1-23.  | 1.0 | 1         |
| 133 | Preliminary Evidence for the Clinical Utility of Tactile Somatosensory Assessments of Sport-Related mTBI. <i>Sports Medicine - Open</i> , 2021, 7, 56.   | 1.3 | 1         |
| 134 | Women with fibromyalgia syndrome in New Zealand: the symptom experience. <i>New Zealand Medical Journal</i> , 2011, 124, 38-47.  | 0.5 | 1         |
| 135 | Sleep disturbance in fibromyalgia syndrome. <i>Future Rheumatology</i> , 2008, 3, 533-535.   | 0.2 | 0         |
| 136 | G.P.257. <i>Neuromuscular Disorders</i> , 2014, 24, 894.   | 0.3 | 0         |
| 137 | Unmet needs of people living with myotonic dystrophy: Data from a national, population-based study. <i>Neuromuscular Disorders</i> , 2016, 26, S195.   | 0.3 | 0         |
| 138 | Unmet needs in adults and children living with genetic muscle disorders. <i>Journal of the Neurological Sciences</i> , 2017, 381, 1080.  | 0.3 | 0         |
| 139 | Evidence of Decreasing Hospital Admissions for Traumatic Brain Injury in Europe. <i>Neuroepidemiology</i> , 2017, 48, 71-71.   | 1.1 | 0         |
| 140 | Three methods for examining trajectories in neuropsychological performance across the first 4 years after mild Traumatic Brain Injury. <i>Brain Impairment</i> , 2021, 22, 20-33.                              | 0.5 | 0         |
| 141 | Patient and clinician experiences of a computerised cognitive battery for use after concussion: a preliminary qualitative study. <i>Brain Impairment</i> , 2021, 22, 189-204.                                  | 0.5 | 0         |
| 142 | Coping in Children and Adolescents with a Genetic Muscle Disorder – Findings from a Population-Based Study. <i>Journal of Neuromuscular Diseases</i> , 2021, 8, 1-10.  | 1.1 | 0         |
| 143 | Traumatic brain injury within Pacific people of New Zealand. <i>New Zealand Medical Journal</i> , 2015, 128, 29-38.  | 0.5 | 0         |