

Michael J Ostacher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7349977/publications.pdf>

Version: 2024-02-01

110
papers

7,141
citations

76294

40
h-index

56687

83
g-index

112
all docs

112
docs citations

112
times ranked

5921
citing authors

#	ARTICLE	IF	CITATIONS
1	Lithium plus antipsychotics or anticonvulsants for bipolar disorder: Comparing clinical response and metabolic changes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 93-103.	1.3	3
2	Lithium Treatment in the Prevention of Repeat Suicide-Related Outcomes in Veterans With Major Depression or Bipolar Disorder. <i>JAMA Psychiatry</i> , 2022, 79, 24.	6.0	35
3	Cardiometabolic risk markers during mood-stabilizing treatment: Correlation with drug-specific effects, depressive symptoms and treatment response. <i>Journal of Affective Disorders</i> , 2022, 300, 41-49.	2.0	6
4	Childhood trauma and treatment outcomes during mood-stabilising treatment with lithium or quetiapine among outpatients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 615-627.	2.2	9
5	COVID-19 and substance use disorders: a review of international guidelines for frontline healthcare workers of addiction services. <i>BMC Psychiatry</i> , 2022, 22, 228.	1.1	6
6	A pilot trial of quetiapine, lithium, or placebo added to divalproex sodium for hypomanic or manic episodes in ambulatory adults with bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2022, 10, 7.	0.8	0
7	Effect of Pharmacogenomic Testing for Drug-Gene Interactions on Medication Selection and Remission of Symptoms in Major Depressive Disorder. <i>JAMA - Journal of the American Medical Association</i> , 2022, 328, 151.	3.8	55
8	Adjunctive antidepressant treatment among 763 outpatients with bipolar disorder: Findings from the Bipolar CHOICE and LiTMUS trials. <i>Depression and Anxiety</i> , 2021, 38, 114-123.	2.0	5
9	Moderators of the association between depressive, manic, and mixed mood symptoms and suicidal ideation and behavior: An analysis of the National Network of Depression Centers Mood Outcomes Program. <i>Journal of Affective Disorders</i> , 2021, 281, 623-630.	2.0	11
10	Incorporating clinical research into recommendations for addressing global mental health needs: Updating the World Health Organization's Essential Medicines List. <i>Comprehensive Psychiatry</i> , 2021, 109, 152245.	1.5	0
11	Response and remission rates during 24 weeks of mood-stabilizing treatment for bipolar depression depending on early non-response. <i>Psychiatry Research</i> , 2021, 305, 114194.	1.7	1
12	Investigation of a Capnometry Guided Respiratory Intervention in the Treatment of Posttraumatic Stress Disorder. <i>Applied Psychophysiology Biofeedback</i> , 2021, 46, 367-376.	1.0	2
13	Slowly Working Toward More Treatments for Depression in Bipolar II Disorder. <i>American Journal of Psychiatry</i> , 2021, 178, 1075-1076.	4.0	4
14	Pilot Randomized Controlled Trial of Web-Delivered Acceptance and Commitment Therapy Versus Smokefree.gov for Smokers With Bipolar Disorder. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1543-1552.	1.4	23
15	Clinical Significance and Outcomes in Trial of Nabiximols for Treatment of Cannabis Dependence. <i>JAMA Internal Medicine</i> , 2020, 180, 163.	2.6	0
16	Changed Primary Outcome Between Trial Registration and Publication. <i>JAMA Internal Medicine</i> , 2020, 180, 1550.	2.6	1
17	Preliminary findings on topiramate for addressing health behaviors in comorbid bipolar disorder and alcohol use disorder. <i>Psychiatry Research</i> , 2020, 289, 113037.	1.7	0
18	Using big data to advance mental health research. <i>Evidence-Based Mental Health</i> , 2020, 23, 1-1.	2.2	3

#	ARTICLE	IF	CITATIONS
19	Familial severe psychiatric history in bipolar disorder and correlation with disease severity and treatment response. <i>Journal of Affective Disorders</i> , 2020, 273, 131-137.	2.0	7
20	A Simple Suggestion. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	0
21	A Novel Study Design to Systematically Explore the Impact of Trial Methodology on Psychopharmacological Treatment Outcome in Patients with Depression. <i>Pharmacopsychiatry</i> , 2019, 52, 170-174.	1.7	2
22	Ethical Issues in the Diagnosis and Treatment of Bipolar Disorders. <i>Focus (American Psychiatric) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62</i>	0.4	0
23	Prazosin and Alcohol Use Disorder. <i>American Journal of Psychiatry</i> , 2019, 176, 165-165.	4.0	3
24	Correlation between white blood cell count and mood-stabilising treatment response in two bipolar disorder trials. <i>Acta Neuropsychiatrica</i> , 2019, 31, 230-234.	1.0	2
25	How genome-wide association studies (GWAS) made traditional candidate gene studies obsolete. <i>Neuropsychopharmacology</i> , 2019, 44, 1518-1523.	2.8	124
26	Depressive symptoms carry an increased risk for suicidal ideation and behavior in bipolar disorder without any additional contribution of mixed symptoms. <i>Journal of Affective Disorders</i> , 2019, 246, 775-782.	2.0	26
27	Management of Posttraumatic Stress Disorder. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 200.	3.8	36
28	Bipolar II should only exist if we can actually study treatments of it. Otherwise, what purpose does it serve?. <i>Bipolar Disorders</i> , 2018, 20, 395-396.	1.1	4
29	Lurasidone compared to other atypical antipsychotic monotherapies for bipolar depression: A systematic review and network meta-analysis. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 586-601.	1.3	189
30	Clinically relevant and simple immune system measure is related to symptom burden in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2018, 30, 297-305.	1.0	10
31	Comparative efficacy and acceptability of psychosocial interventions for individuals with cocaine and amphetamine addiction: A systematic review and network meta-analysis. <i>PLoS Medicine</i> , 2018, 15, e1002715.	3.9	162
32	Revising <i>Diagnostic and Statistical Manual of Mental Disorders</i>, Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1173-1182.	1.3	18
33	Depression With Mixed Features in Major Depressive Disorder: A New Diagnosis or There All Along?. <i>Journal of Clinical Psychiatry</i> , 2018, 79, 94-95.	1.1	5
34	White blood cell count correlates with mood symptom severity and specific mood symptoms in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 355-365.	1.3	22
35	Increased Suicidal Ideation in Patients with Co-Occurring Bipolar Disorder and Post-Traumatic Stress Disorder. <i>Archives of Suicide Research</i> , 2017, 21, 621-632.	1.2	11
36	Guidelines for the recognition and management of mixed depression. <i>CNS Spectrums</i> , 2017, 22, 203-219.	0.7	97

#	ARTICLE	IF	CITATIONS
37	Mixed features in major depressive disorder: diagnoses and treatments. <i>CNS Spectrums</i> , 2017, 22, 155-160.	0.7	18
38	Florida Best Practice Psychotherapeutic Medication Guidelines for Adults With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 703-713.	1.1	46
39	Ketamine: stimulating antidepressant treatment?. <i>BJPsych Open</i> , 2016, 2, e5-e9.	0.3	24
40	A randomized, placebo-controlled proof-of-concept trial of adjunctive topiramate for alcohol use disorders in bipolar disorder. <i>American Journal on Addictions</i> , 2016, 25, 94-98.	1.3	24
41	Stratifying Risk for Renal Insufficiency Among Lithium-Treated Patients: An Electronic Health Record Study. <i>Neuropsychopharmacology</i> , 2016, 41, 1138-1143.	2.8	73
42	Florida Best Practice Psychotherapeutic Medication Guidelines for Adults With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 920-926.	1.1	26
43	Antidepressants in Type II Versus Type I Bipolar Depression. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 605-608.	0.7	16
44	Monotherapy Antidepressant Treatment is Not Associated With Mania in Bipolar I Disorder. <i>American Journal of Psychiatry</i> , 2015, 172, 586-586.	4.0	0
45	Lithium Treatment Moderate-Dose Use Study (LiTMUS) for Bipolar Disorder: A Randomized Comparative Effectiveness Trial of Optimized Personalized Treatment With and Without Lithium. <i>Focus (American Journal of Psychiatry)</i> , 2015, 13, 431-434.	1.0	7
46	An exploratory study of responses to low-dose lithium in African Americans and Hispanics. <i>Journal of Affective Disorders</i> , 2015, 178, 224-228.	2.0	9
47	Patterns of response to aripiprazole, lithium, haloperidol, and placebo across factor scores of mania. <i>International Journal of Bipolar Disorders</i> , 2015, 3, 11.	0.8	12
48	A clinical measure of suicidal ideation, suicidal behavior, and associated symptoms in bipolar disorder: Psychometric properties of the Concise Health Risk Tracking Self-Report (CHRT-SR). <i>Journal of Psychiatric Research</i> , 2015, 71, 126-133.	1.5	32
49	The effect of personalized guideline-concordant treatment on quality of life and functional impairment in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 169, 144-148.	2.0	15
50	Gene-expression differences in peripheral blood between lithium responders and non-responders in the Lithium Treatment-Moderate dose Use Study (LiTMUS). <i>Pharmacogenomics Journal</i> , 2014, 14, 182-191.	0.9	37
51	What can ICD-11 be that DSM-5 cannot?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 283-284.	1.3	2
52	A novel application of the <i>Intent to Attend</i> assessment to reduce bias due to missing data in a randomized controlled clinical trial. <i>Clinical Trials</i> , 2014, 11, 494-502.	0.7	9
53	Pilot investigation of isradipine in the treatment of bipolar depression motivated by genome-wide association. <i>Bipolar Disorders</i> , 2014, 16, 199-203.	1.1	45
54	Alcohol and the law. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 125, 649-657.	1.0	3

#	ARTICLE	IF	CITATIONS
55	Controversies in the Psychopharmacology of Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e30-e30.	1.1	2
56	When Positive Isn't Positive: The Hopes and Disappointments of Clinical Trials. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e1186-e1187.	1.1	4
57	Multivariate analysis of bipolar mania: Retrospectively assessed structure of bipolar I manic and mixed episodes in randomized clinical trial participants. <i>Journal of Affective Disorders</i> , 2013, 144, 59-64.	2.0	14
58	Lithium Treatment Moderate-Dose Use Study (LiTMUS) for Bipolar Disorder: A Randomized Comparative Effectiveness Trial of Optimized Personalized Treatment With and Without Lithium. <i>American Journal of Psychiatry</i> , 2013, 170, 102-110.	4.0	80
59	Presentation and prevalence of PTSD in a bipolar disorder population: A STEP-BD examination. <i>Journal of Affective Disorders</i> , 2013, 150, 450-455.	2.0	37
60	The Medication Recommendation Tracking Form: A novel tool for tracking changes in prescribed medication, clinical decision making, and use in comparative effectiveness research. <i>Journal of Psychiatric Research</i> , 2013, 47, 1686-1693.	1.5	14
61	Raising the bar for the evidence in evidence-based guidelines. <i>Bipolar Disorders</i> , 2013, 15, 50-53.	1.1	2
62	Use of Treatment Services in a Comparative Effectiveness Study of Bipolar Disorder. <i>Psychiatric Services</i> , 2013, 64, 1119-1126.	1.1	3
63	Association Between Therapeutic Alliance, Care Satisfaction, and Pharmacological Adherence in Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 343-350.	0.7	37
64	Sleep disturbance in euthymic bipolar patients. <i>Journal of Psychopharmacology</i> , 2012, 26, 1108-1112.	2.0	104
65	Methods to limit attrition in longitudinal comparative effectiveness trials: lessons from the Lithium Treatment "Moderate dose Use Study (LiTMUS) for bipolar disorder. <i>Clinical Trials</i> , 2012, 9, 94-101.	0.7	11
66	A critical review of pharmacotherapy for major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 1417-1431.	1.0	54
67	Bipolar and Substance Use Disorder Comorbidity: Diagnostic and Treatment Considerations. <i>Focus (American Psychiatric Publishing)</i> , 2011, 9, 428-434.	0.4	3
68	Lithium Plus Valproate Combination Therapy Versus Monotherapy for Relapse Prevention in Bipolar I Disorder (BALANCE): A Randomised Open-Label Trial. <i>Focus (American Psychiatric Publishing)</i> , 2011, 9, 488-499.	0.4	4
69	Assuring That Double-Blind Is Blind. <i>American Journal of Psychiatry</i> , 2010, 167, 250-252.	4.0	46
70	Reply to Goldberg Letter. <i>American Journal of Psychiatry</i> , 2010, 167, 869-869.	4.0	1
71	Impact of Substance Use Disorders on Recovery From Episodes of Depression in Bipolar Disorder Patients: Prospective Data From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>American Journal of Psychiatry</i> , 2010, 167, 289-297.	4.0	103
72	Association Between Bipolar Spectrum Features and Treatment Outcomes in Outpatients With Major Depressive Disorder. <i>Archives of General Psychiatry</i> , 2010, 68, 351.	13.8	118

#	ARTICLE	IF	CITATIONS
73	Transition to Mania During Treatment of Bipolar Depression. <i>Neuropsychopharmacology</i> , 2010, 35, 2545-2552.	2.8	72
74	Lithium plus valproate combination therapy versus monotherapy for relapse prevention in bipolar I disorder (BALANCE): a randomised open-label trial. <i>Lancet, The</i> , 2010, 375, 385-395.	6.3	467
75	Benzodiazepine Use and Risk of Recurrence in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 194-200.	1.1	35
76	Clinical Features Associated With Poor Pharmacologic Adherence in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 296-303.	1.1	88
77	Lithium treatment "moderate dose use study (LiTMUS) for bipolar disorder: rationale and design. <i>Clinical Trials</i> , 2009, 6, 637-648.	0.7	39
78	Retrospective age at onset of bipolar disorder and outcome during two-year follow-up: results from the STEP-BD study. <i>Bipolar Disorders</i> , 2009, 11, 391-400.	1.1	229
79	Cigarette smoking is associated with suicidality in bipolar disorder. <i>Bipolar Disorders</i> , 2009, 11, 766-771.	1.1	50
80	Stability of symptoms across major depressive episodes in bipolar disorder. <i>Bipolar Disorders</i> , 2009, 11, 867-875.	1.1	17
81	Suicidal ideation and depressive symptoms among bipolar patients as predictors of the health and well-being of caregivers. <i>Bipolar Disorders</i> , 2009, 11, 876-884.	1.1	23
82	Brain GABA levels in patients with bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 427-434.	2.5	63
83	Galantamine "ER For Cognitive Dysfunction In Bipolar Disorder and Correlation with Hippocampal Neuronal Viability: A Proof-of-Concept Study. <i>CNS Neuroscience and Therapeutics</i> , 2009, 15, 309-319.	1.9	41
84	An fMRI investigation of working memory and sadness in females with bipolar disorder: a brief report. <i>Bipolar Disorders</i> , 2008, 10, 928-942.	1.1	47
85	Euthymic Patients with Bipolar Disorder Show Decreased Reward Learning in a Probabilistic Reward Task. <i>Biological Psychiatry</i> , 2008, 64, 162-168.	0.7	157
86	Anxiety is associated with impulsivity in bipolar disorder. <i>Journal of Anxiety Disorders</i> , 2008, 22, 868-876.	1.5	66
87	A Brief Review of Antidepressant Efficacy, Effectiveness, Indications, and Usage for Major Depressive Disorder. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 428-436.	0.9	54
88	Intensive Psychosocial Intervention Enhances Functioning in Patients With Bipolar Depression: Results From a 9-Month Randomized Controlled Trial. <i>American Journal of Psychiatry</i> , 2007, 164, 1340-1347.	4.0	238
89	Comorbid Alcohol and Substance Abuse Dependence in Depression: Impact on the Outcome of Antidepressant Treatment. <i>Psychiatric Clinics of North America</i> , 2007, 30, 69-76.	0.7	60
90	Effectiveness of Adjunctive Antidepressant Treatment for Bipolar Depression. <i>New England Journal of Medicine</i> , 2007, 356, 1711-1722.	13.9	822

#	ARTICLE	IF	CITATIONS
91	Prevalence and correlates of burden among caregivers of patients with bipolar disorder enrolled in the Systematic Treatment Enhancement Program for Bipolar Disorder. <i>Bipolar Disorders</i> , 2007, 9, 262-273.	1.1	135
92	Complicated grief and impaired sleep in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2007, 9, 913-917.	1.1	18
93	Understanding the link between anxiety symptoms and suicidal ideation and behaviors in outpatients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 97, 91-99.	2.0	56
94	The association of comorbid anxiety disorders with suicide attempts and suicidal ideation in outpatients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2007, 41, 255-264.	1.5	155
95	Seasonal changes in clinical status in bipolar disorder: a prospective study in 1000 STEP-BD patients. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 510-517.	2.2	49
96	Validity of the Distinction Between Primary and Secondary Substance Use Disorder in Patients with Bipolar Disorder: Data from the First 1000 STEP-BD Participants. <i>American Journal on Addictions</i> , 2006, 15, 138-143.	1.3	38
97	Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>American Journal of Psychiatry</i> , 2006, 163, 217-224.	4.0	563
98	Treatment-Resistant Bipolar Depression: A STEP-BD Equipose Randomized Effectiveness Trial of Antidepressant Augmentation With Lamotrigine, Inositol, or Risperidone. <i>American Journal of Psychiatry</i> , 2006, 163, 210-216.	4.0	218
99	Update on Bipolar Disorder and Substance Abuse. <i>Journal of Clinical Psychiatry</i> , 2006, 67, e10.	1.1	24
100	The Relationship Between Smoking and Suicidal Behavior, Comorbidity, and Course of Illness in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 1907-1911.	1.1	115
101	The evidence for antidepressant use in bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2006, 67 Suppl 11, 18-21.	1.1	6
102	Prevalence and correlates of tobacco use in bipolar disorder: data from the first 2000 participants in the Systematic Treatment Enhancement Program. <i>General Hospital Psychiatry</i> , 2005, 27, 321-328.	1.2	117
103	Clinical and Diagnostic Implications of Lifetime Attention-Deficit/Hyperactivity Disorder Comorbidity in Adults with Bipolar Disorder: Data from the First 1000 STEP-BD Participants. <i>Biological Psychiatry</i> , 2005, 57, 1467-1473.	0.7	247
104	Does Recovery From Substance Use Disorder Matter in Patients With Bipolar Disorder?. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 730-735.	1.1	111
105	Functional recovery is limited in people with bipolar disorder. <i>Evidence-Based Mental Health</i> , 2004, 7, 69-69.	2.2	0
106	Long-Term implications of early onset in bipolar disorder: data from the first 1000 participants in the systematic treatment enhancement program for bipolar disorder (STEP-BD). <i>Biological Psychiatry</i> , 2004, 55, 875-881.	0.7	746
107	Mirtazapine in the treatment of mood and anxiety disorders. <i>Expert Review of Neurotherapeutics</i> , 2003, 3, 425-433.	1.4	2
108	Association between borderline personality structure and history of childhood abuse in adult volunteers. <i>Comprehensive Psychiatry</i> , 1993, 34, 254-257.	1.5	47

#	ARTICLE	IF	CITATIONS
109	Evidence-based pharmacotherapy of major depressive disorder. , 0, , 53-72.		0
110	Bipolar disorders in DSM-5: changes and implications for clinical research. , 0, , 1-7.		0