

Young Nyun Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7351900/publications.pdf>

Version: 2024-02-01

341
papers

16,700
citations

14614

66
h-index

22102

113
g-index

354
all docs

354
docs citations

354
times ranked

20243
citing authors

#	ARTICLE	IF	CITATIONS
1	Nomenclature of the finer branches of the biliary tree: Canals, ductules, and ductular reactions in human livers. <i>Hepatology</i> , 2004, 39, 1739-1745.	3.6	644
2	Whole-Genome and Epigenomic Landscapes of Etiologically Distinct Subtypes of Cholangiocarcinoma. <i>Cancer Discovery</i> , 2017, 7, 1116-1135.	7.7	637
3	Sestrins Activate Nrf2 by Promoting p62-Dependent Autophagic Degradation of Keap1 and Prevent Oxidative Liver Damage. <i>Cell Metabolism</i> , 2013, 17, 73-84.	7.2	415
4	Diagnostic value of HSP70, glypican 3, and glutamine synthetase in hepatocellular nodules in cirrhosis. <i>Hepatology</i> , 2007, 45, 725-734.	3.6	379
5	Varying Appearances of Cholangiocarcinoma: Radiologic-Pathologic Correlation. <i>Radiographics</i> , 2009, 29, 683-700.	1.4	376
6	Epigenetic Changes Induced by Reactive Oxygen Species in Hepatocellular Carcinoma: Methylation of the E-cadherin Promoter. <i>Gastroenterology</i> , 2008, 135, 2128-2140.e8.	0.6	338
7	Risk assessment of hepatitis B virus-related hepatocellular carcinoma development using liver stiffness measurement (FibroScan). <i>Hepatology</i> , 2011, 53, 885-894.	3.6	329
8	Human hepatocellular carcinomas with "Stemness"-related marker expression: keratin 19 expression and a poor prognosis. <i>Hepatology</i> , 2011, 54, 1707-1717.	3.6	291
9	Gene Expression Signature-Based Prognostic Risk Score in Gastric Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 1850-1857.	3.2	285
10	The application of markers (HSP70 GPC3 and GS) in liver biopsies is useful for detection of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2009, 50, 746-754.	1.8	280
11	Neovascularization and Sinusoidal "Capillarization" in Dysplastic Nodules of the Liver. <i>American Journal of Surgical Pathology</i> , 1998, 22, 656-662.	2.1	280
12	CHCC-CCA: Consensus terminology for primary liver carcinomas with both hepatocytic and cholangiocytic differentiation. <i>Hepatology</i> , 2018, 68, 113-126.	3.6	244
13	Validation of FIB-4 and comparison with other simple noninvasive indices for predicting liver fibrosis and cirrhosis in hepatitis B virus-infected patients. <i>Liver International</i> , 2010, 30, 546-553.	1.9	225
14	Increased Expression of Vascular Endothelial Growth Factor and Angiogenesis in the Early Stage of Multistep Hepatocarcinogenesis. <i>Archives of Pathology and Laboratory Medicine</i> , 2000, 124, 1061-1065.	1.2	220
15	Targeted Chemo-Photothermal Treatments of Rheumatoid Arthritis Using Gold Half-Shell Multifunctional Nanoparticles. <i>ACS Nano</i> , 2013, 7, 50-57.	7.3	217
16	Primary liver carcinoma of intermediate (hepatocyte-cholangiocyte) phenotype. <i>Journal of Hepatology</i> , 2004, 40, 298-304.	1.8	199
17	Long-term clinical and histological outcomes in patients with spontaneous hepatitis B surface antigen seroclearance. <i>Journal of Hepatology</i> , 2005, 42, 188-194.	1.8	191
18	Application of a new histological staging and grading system for primary biliary cirrhosis to liver biopsy specimens: Interobserver agreement. <i>Pathology International</i> , 2010, 60, 167-174.	0.6	177

#	ARTICLE	IF	CITATIONS
19	Epithelial cell adhesion molecule (EpCAM) marks hepatocytes newly derived from stem/progenitor cells in humans. <i>Hepatology</i> , 2011, 53, 964-973.	3.6	163
20	Can microvessel invasion of hepatocellular carcinoma be predicted by pre-operative MRI?. <i>European Radiology</i> , 2009, 19, 1744-1751.	2.3	158
21	Single Hepatocellular Carcinoma: Preoperative MR Imaging to Predict Early Recurrence after Curative Resection. <i>Radiology</i> , 2015, 276, 433-443.	3.6	154
22	Aberrant CpG island hypermethylation in dysplastic nodules and early HCC of hepatitis B virus-related human multistep hepatocarcinogenesis. <i>Journal of Hepatology</i> , 2011, 54, 939-947.	1.8	152
23	DNA methyltransferase expression and DNA methylation in human hepatocellular carcinoma and their clinicopathological correlation. <i>International Journal of Molecular Medicine</i> , 2007, 20, 65-73.	1.8	148
24	Controlled attenuation parameter (<scp>CAP</scp>) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. <i>Liver International</i> , 2014, 34, 102-109.	1.9	143
25	Up-Regulation of Telomere-Binding Proteins, TRF1, TRF2, and TIN2 Is Related to Telomere Shortening during Human Multistep Hepatocarcinogenesis. <i>American Journal of Pathology</i> , 2005, 166, 73-80.	1.9	137
26	Telomere shortening and inactivation of cell cycle checkpoints characterize human hepatocarcinogenesis. <i>Hepatology</i> , 2007, 45, 968-976.	3.6	133
27	Update on Precursor and Early Lesions of Hepatocellular Carcinomas. <i>Archives of Pathology and Laboratory Medicine</i> , 2011, 135, 704-715.	1.2	129
28	A fibrous stromal component in hepatocellular carcinoma reveals a cholangiocarcinoma-like gene expression trait and epithelial-mesenchymal transition. <i>Hepatology</i> , 2012, 55, 1776-1786.	3.6	127
29	Ductular reaction is helpful in defining early stromal invasion, small hepatocellular carcinomas, and dysplastic nodules. <i>Cancer</i> , 2007, 109, 915-923.	2.0	124
30	Usefulness of FibroScan for Detection of Early Compensated Liver Cirrhosis in Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2009, 54, 1758-1763.	1.1	122
31	The Laennec staging system for histological sub-classification of cirrhosis is useful for stratification of prognosis in patients with liver cirrhosis. <i>Journal of Hepatology</i> , 2012, 57, 556-563.	1.8	122
32	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. <i>Hepatology</i> , 2015, 61, 1851-1859.	3.6	121
33	Hepatic Precancerous Lesions and Small Hepatocellular Carcinoma. <i>Gastroenterology Clinics of North America</i> , 2007, 36, 867-887.	1.0	120
34	Vessels Encapsulating Tumor Clusters (VETC) Is a Powerful Predictor of Aggressive Hepatocellular Carcinoma. <i>Hepatology</i> , 2020, 71, 183-195.	3.6	119
35	Genomic Predictors for Recurrence Patterns of Hepatocellular Carcinoma: Model Derivation and Validation. <i>PLoS Medicine</i> , 2014, 11, e1001770.	3.9	117
36	Immunohistochemical evidence for hepatic progenitor cells in liver diseases. <i>Liver</i> , 2002, 22, 365-373.	0.1	116

#	ARTICLE	IF	CITATIONS
37	Yes-associated protein 1 and transcriptional coactivator with PDZ-binding motif activate the mammalian target of rapamycin complex 1 pathway by regulating amino acid transporters in hepatocellular carcinoma. <i>Hepatology</i> , 2016, 63, 159-172.	3.6	115
38	Sixty-five gene-based risk score classifier predicts overall survival in hepatocellular carcinoma. <i>Hepatology</i> , 2012, 55, 1443-1452.	3.6	110
39	Proposal of histological criteria for intraepithelial atypical/proliferative biliary epithelial lesions of the bile duct in hepatolithiasis with respect to cholangiocarcinoma: Preliminary report based on interobserver agreement. <i>Pathology International</i> , 2005, 55, 180-188.	0.6	104
40	Prediction of microvascular invasion before curative resection of hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2008, 97, 246-252.	0.8	104
41	Biliary Atresia: Color Doppler US Findings in Neonates and Infants. <i>Radiology</i> , 2009, 252, 282-289.	3.6	99
42	Accuracy of gadoxetic acid-enhanced magnetic resonance imaging for the diagnosis of sinusoidal obstruction syndrome in patients with chemotherapy-treated colorectal liver metastases. <i>European Radiology</i> , 2012, 22, 864-871.	2.3	97
43	Noninvasive models to predict liver cirrhosis in patients with chronic hepatitis B. <i>Liver International</i> , 2007, 27, 969-976.	1.9	96
44	How Can We Enhance the Performance of Liver Stiffness Measurement Using FibroScan in Diagnosing Liver Cirrhosis in Patients With Chronic Hepatitis B?. <i>Journal of Clinical Gastroenterology</i> , 2010, 44, 66-71.	1.1	94
45	Dysplastic nodules and hepatocarcinogenesis. <i>Clinics in Liver Disease</i> , 2002, 6, 497-512.	1.0	91
46	MicroRNA profiling of hepatocarcinogenesis identifies C19MC cluster as a novel prognostic biomarker in hepatocellular carcinoma. <i>Liver International</i> , 2012, 32, 772-782.	1.9	89
47	Clinical features and treatment outcomes of advanced stage primary hepatic angiosarcoma. <i>Annals of Oncology</i> , 2009, 20, 780-787.	0.6	87
48	Multifunctional Nanoparticles for Targeted Chemophotothermal Treatment of Cancer Cells. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 7581-7586.	7.2	87
49	A Small Molecule Inhibitor of ATPase Activity of HSP70 Induces Apoptosis and Has Antitumor Activities. <i>Chemistry and Biology</i> , 2015, 22, 391-403.	6.2	87
50	Sequential transcriptome analysis of human liver cancer indicates late stage acquisition of malignant traits. <i>Journal of Hepatology</i> , 2014, 60, 346-353.	1.8	85
51	High telomerase activity and long telomeres in advanced hepatocellular carcinomas with poor prognosis. <i>Laboratory Investigation</i> , 2008, 88, 144-152.	1.7	84
52	Autologous Bone Marrow Infusion Activates the Progenitor Cell Compartment in Patients with Advanced Liver Cirrhosis. <i>Cell Transplantation</i> , 2010, 19, 1237-1246.	1.2	84
53	Prediction of Liver-Related Events Using Fibroscan in Chronic Hepatitis B Patients Showing Advanced Liver Fibrosis. <i>PLoS ONE</i> , 2012, 7, e36676.	1.1	84
54	H-Ras is degraded by Wnt/ β -catenin signaling via β -TrCP-mediated polyubiquitylation. <i>Journal of Cell Science</i> , 2009, 122, 842-848.	1.2	83

#	ARTICLE	IF	CITATIONS
55	Outcome after curative resection for a huge (â%¥10 cm) hepatocellular carcinoma and prognostic significance of gross tumor classification. <i>American Journal of Surgery</i> , 2009, 198, 693-701.	0.9	82
56	New liver cancer biomarkers: PI3K/AKT/mTOR pathway members and eukaryotic translation initiation factors. <i>European Journal of Cancer</i> , 2017, 83, 56-70.	1.3	82
57	Effects and regulation of osteopontin in rat hepatic stellate cells. <i>Biochemical Pharmacology</i> , 2004, 68, 2367-2378.	2.0	80
58	The Clinicopathologic Significance of the Expression of Vascular Endothelial Growth Factor-C in Intrahepatic Cholangiocarcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006, 29, 138-142.	0.6	80
59	Analysis of gene expression profiles of hepatocellular carcinomas with regard to 18F-fluorodeoxyglucose uptake pattern on positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 1621-1630.	3.3	79
60	Long-term outcome of chronic hepatitis B based on histological grade and stage. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 383-388.	1.4	79
61	Biliary Atresia in Neonates and Infants: Triangular Area of High Signal Intensity in the Porta Hepatis at T2-weighted MR Cholangiography with US and Histopathologic Correlation. <i>Radiology</i> , 2000, 215, 395-401.	3.6	77
62	High prevalence of significant histology in asymptomatic chronic hepatitis B patients with genotype C and high serum HBV DNA levels. <i>Journal of Viral Hepatitis</i> , 2008, 15, 615-621.	1.0	74
63	Different glucose uptake and glycolytic mechanisms between hepatocellular carcinoma and intrahepatic mass-forming cholangiocarcinoma with increased (18)F-FDG uptake. <i>Journal of Nuclear Medicine</i> , 2005, 46, 1753-9.	2.8	73
64	Differentiation of Hepatic Hyperintense Lesions Seen on Gadoteric Acidâ€“Enhanced Hepatobiliary Phase MRI. <i>American Journal of Roentgenology</i> , 2011, 197, W44-W52.	1.0	72
65	Telomere shortening and telomerase reactivation in dysplastic nodules of human hepatocarcinogenesis. <i>Journal of Hepatology</i> , 2003, 39, 786-792.	1.8	71
66	Histopathological classification of hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2010, 42, S228-S234.	0.4	70
67	Prediction of Recurrence after Curative Resection of Hepatocellular Carcinoma using Liver Stiffness Measurement (FibroScan®). <i>Annals of Surgical Oncology</i> , 2012, 19, 4278-4286.	0.7	70
68	Large liver cell change in hepatitis B virus-related liver cirrhosis. <i>Hepatology</i> , 2009, 50, 752-762.	3.6	68
69	Accuracy in Differentiation of Mucinous and Nonmucinous Rectal Carcinoma on MR Imaging. <i>Journal of Computer Assisted Tomography</i> , 2003, 27, 48-55.	0.5	66
70	Liver Stiffness Measurement in Combination With Noninvasive Markers for the Improved Diagnosis of B-viral Liver Cirrhosis. <i>Journal of Clinical Gastroenterology</i> , 2009, 43, 267-271.	1.1	66
71	Hepatocellular Carcinoma with Irregular Rim-Like Arterial Phase Hyperenhancement: More Aggressive Pathologic Features. <i>Liver Cancer</i> , 2019, 8, 24-40.	4.2	66
72	The Differential Imaging Features of Fat-Containing Tumors in the Peritoneal Cavity and Retroperitoneum: the Radiologic-Pathologic Correlation. <i>Korean Journal of Radiology</i> , 2010, 11, 333.	1.5	64

#	ARTICLE	IF	CITATIONS
73	Prospective Validation of ELF Test in Comparison with Fibroscan and FibroTest to Predict Liver Fibrosis in Asian Subjects with Chronic Hepatitis B. <i>PLoS ONE</i> , 2012, 7, e41964.	1.1	64
74	Axin Inhibits Extracellular Signal-regulated Kinase Pathway by Ras Degradation via β -Catenin. <i>Journal of Biological Chemistry</i> , 2007, 282, 14482-14492.	1.6	63
75	Gadoxetic acid-enhanced MRI of macrotrabecular-massive hepatocellular carcinoma and its prognostic implications. <i>Journal of Hepatology</i> , 2021, 74, 109-121.	1.8	63
76	Hyperintense HCC on hepatobiliary phase images of gadoxetic acid-enhanced MRI: Correlation with clinical and pathological features. <i>European Journal of Radiology</i> , 2012, 81, 3877-3882.	1.2	62
77	Gadoxetate Disodium-Enhanced MRI of Mass-Forming Intrahepatic Cholangiocarcinomas: Imaging-Histologic Correlation. <i>American Journal of Roentgenology</i> , 2013, 201, W603-W611.	1.0	62
78	Keratin 19 Expression in Hepatocellular Carcinoma Is Regulated by Fibroblast-Derived HGF via a MET-ERK1/2-AP1 and SP1 Axis. <i>Cancer Research</i> , 2018, 78, 1619-1631.	0.4	60
79	Intrahepatic Cholangiocarcinoma With Predominant "Ductal Plate Malformation" Pattern. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1629-1635.	2.1	59
80	Solitary fibrous tumour of the thyroid. <i>Histopathology</i> , 1997, 30, 365-368.	1.6	57
81	Telomere length, TERT and shelterin complex proteins in hepatocellular carcinomas expressing "stemness"-related markers. <i>Journal of Hepatology</i> , 2013, 59, 746-752.	1.8	57
82	Prognostic significance of the worst grade in hepatocellular carcinoma with heterogeneous histologic grades of differentiation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 1384-1390.	1.4	57
83	Increased proliferation activities of vascular endothelial cells and tumour cells in residual hepatocellular carcinoma following transcatheter arterial embolization. <i>Histopathology</i> , 2001, 38, 160-166.	1.6	56
84	Apoptosis and proliferation in hepatocarcinogenesis related to cirrhosis. <i>Cancer</i> , 2001, 92, 2733-2738.	2.0	56
85	Staging of extrahepatic cholangiocarcinoma. <i>European Radiology</i> , 2008, 18, 2182-2195.	2.3	56
86	Large liver cell dysplasia: A controversial entity. <i>Journal of Hepatology</i> , 2006, 45, 734-743.	1.8	54
87	Gadoxetate Disodium-Enhanced Hepatobiliary Phase MRI of Hepatocellular Carcinoma: Correlation With Histological Characteristics. <i>American Journal of Roentgenology</i> , 2011, 197, 399-405.	1.0	54
88	Hepatocellular Carcinomas Expressing "Stemness"-Related Markers: Clinicopathological Characteristics. <i>Digestive Diseases</i> , 2014, 32, 778-785.	0.8	53
89	Poor outcome of hepatocellular carcinoma with stemness marker under hypoxia: resistance to transarterial chemoembolization. <i>Modern Pathology</i> , 2016, 29, 1038-1049.	2.9	52
90	Predominant Activation of JAK/STAT3 Pathway by Interleukin-6 Is Implicated in Hepatocarcinogenesis. <i>Neoplasia</i> , 2015, 17, 586-597.	2.3	51

#	ARTICLE	IF	CITATIONS
91	Discordance between Liver Biopsy and FibroScan® in Assessing Liver Fibrosis in Chronic Hepatitis B: Risk Factors and Influence of Necroinflammation. <i>PLoS ONE</i> , 2012, 7, e32233.	1.1	49
92	Molecular Characterization of Biliary Tract Cancer Predicts Chemotherapy and Programmed Death 1/Programmed Death-1 Blockade Responses. <i>Hepatology</i> , 2021, 74, 1914-1931.	3.6	48
93	Aberrant Hedgehog Ligands Induce Progressive Pancreatic Fibrosis by Paracrine Activation of Myofibroblasts and Ductular Cells in Transgenic Zebrafish. <i>PLoS ONE</i> , 2011, 6, e27941.	1.1	46
94	Advanced precancerous lesions in the liver. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2013, 27, 269-284.	1.0	46
95	In situ detection of hepatitis B, C, and G virus nucleic acids in human hepatocellular carcinoma tissues from different geographic regions. <i>Hepatology</i> , 1998, 28, 568-572.	3.6	45
96	Hepatocarcinogenesis: imaging-pathologic correlation. <i>Abdominal Imaging</i> , 2011, 36, 232-243.	2.0	45
97	A Comparative Analysis of Hepatocellular Carcinoma after Hepatic Resection in Young versus Elderly Patients. <i>Journal of Gastrointestinal Surgery</i> , 2012, 16, 1736-1743.	0.9	45
98	Prospective Validation of FibroTest in Comparison with Liver Stiffness for Predicting Liver Fibrosis in Asian Subjects with Chronic Hepatitis B. <i>PLoS ONE</i> , 2012, 7, e35825.	1.1	45
99	Transient Elastography and Sonography for Prediction of Liver Fibrosis in Infants With Biliary Atresia. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 853-864.	0.8	45
100	Increased Expression of Yes-Associated Protein 1 in Hepatocellular Carcinoma with Stemness and Combined Hepatocellular-Cholangiocarcinoma. <i>PLoS ONE</i> , 2013, 8, e75449.	1.1	45
101	Biliary cystadenoma of the liver. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 1998, 5, 348-352.	2.0	44
102	Hepatocellular Carcinoma Variants: Radiologic-Pathologic Correlation. <i>American Journal of Roentgenology</i> , 2009, 193, W7-W13.	1.0	44
103	Histological subclassification of cirrhosis can predict recurrence after curative resection of hepatocellular carcinoma. <i>Liver International</i> , 2014, 34, 1008-1017.	1.9	44
104	Transarterial Therapies for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2017, 6, 27-33.	4.2	44
105	Predictive factors for long-term survival in patients with clinically significant portal hypertension following resection of hepatocellular carcinoma. <i>Liver International</i> , 2011, 31, 485-493.	1.9	43
106	Regulation of <i>HK2</i> expression through alterations in CpG methylation of the <i>HK2</i> promoter during progression of hepatocellular carcinoma. <i>Oncotarget</i> , 0, 7, 41798-41810.	0.8	43
107	Chromosomal instability, telomere shortening, and inactivation of p21WAF1/CIP1 in dysplastic nodules of hepatitis B virus-associated multistep hepatocarcinogenesis. <i>Modern Pathology</i> , 2009, 22, 1121-1131.	2.9	42
108	Non-invasive assessment of changes in liver fibrosis via liver stiffness measurement in patients with chronic hepatitis B: impact of antiviral treatment on fibrosis regression. <i>Hepatology International</i> , 2010, 4, 673-680.	1.9	42

#	ARTICLE	IF	CITATIONS
109	The usefulness of liver stiffness measurement using FibroScan in chronic hepatitis C in South Korea: A multicenter, prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 171-178.	1.4	42
110	Invasion and EMT-associated genes are up-regulated in B viral hepatocellular carcinoma with high expression of CD133-human and cell culture study. <i>Experimental and Molecular Pathology</i> , 2011, 90, 66-73.	0.9	42
111	Gadoxetic acid-enhanced MRI findings of early hepatocellular carcinoma as defined by new histologic criteria. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 393-398.	1.9	42
112	Imaging features of small hepatocellular carcinomas with microvascular invasion on gadoxetic acid-enhanced MR imaging. <i>European Journal of Radiology</i> , 2012, 81, 2507-2512.	1.2	41
113	Added value of smooth hypointense rim in the hepatobiliary phase of gadoxetic acid-enhanced MRI in identifying tumour capsule and diagnosing hepatocellular carcinoma. <i>European Radiology</i> , 2017, 27, 2610-2618.	2.3	41
114	Interaction of hepatitis B virus X protein with PARP1 results in inhibition of DNA repair in hepatocellular carcinoma. <i>Oncogene</i> , 2016, 35, 5435-5445.	2.6	40
115	Peroxiredoxin II Is Essential for Maintaining Stemness by Redox Regulation in Liver Cancer Cells. <i>Stem Cells</i> , 2016, 34, 1188-1197.	1.4	40
116	Notch1 differentially regulates oncogenesis by wildtype p53 overexpression and p53 mutation in grade III hepatocellular carcinoma. <i>Hepatology</i> , 2011, 53, 1352-1362.	3.6	39
117	Living Donor Liver Transplantation for Advanced Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis after Concurrent Chemoradiation Therapy. <i>Yonsei Medical Journal</i> , 2016, 57, 1276.	0.9	39
118	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. <i>Hepatology</i> , 2014, 60, 1911-1919.	3.6	37
119	Focal eosinophilic infiltration of the liver: a mimick of hepatic metastasis. <i>Abdominal Imaging</i> , 1999, 24, 369-372.	2.0	36
120	<scp>MRI</scp> features of hepatocellular carcinoma expressing progenitor cell markers. <i>Liver International</i> , 2012, 32, 430-440.	1.9	36
121	Increased Expression of CCN2, Epithelial Membrane Antigen, and Fibroblast Activation Protein in Hepatocellular Carcinoma with Fibrous Stroma Showing Aggressive Behavior. <i>PLoS ONE</i> , 2014, 9, e105094.	1.1	36
122	Intrahepatic mass-forming cholangiocarcinoma: prognostic value of preoperative gadoxetic acid-enhanced MRI. <i>European Radiology</i> , 2016, 26, 407-416.	2.3	36
123	The mitochondrial hinge protein, <scp>UQCRH</scp>, is a novel prognostic factor for hepatocellular carcinoma. <i>Cancer Medicine</i> , 2017, 6, 749-760.	1.3	36
124	Clinical Significance of p16 Protein Expression Loss and Aberrant p53 Protein Expression in Pancreatic Cancer. <i>Yonsei Medical Journal</i> , 2005, 46, 519.	0.9	35
125	Mesenchymal Hamartomas of the Liver: Comparison of Clinicopathologic Features between Cystic and Solid Forms. <i>Journal of Korean Medical Science</i> , 2006, 21, 63.	1.1	35
126	Data set for the reporting of intrahepatic cholangiocarcinoma, perihilar cholangiocarcinoma and hepatocellular carcinoma: recommendations from the International Collaboration on Cancer Reporting (ICCR). <i>Histopathology</i> , 2018, 73, 369-385.	1.6	35

#	ARTICLE	IF	CITATIONS
127	Hepatic Splenosis Preoperatively Diagnosed as Hepatocellular Carcinoma in a Patient with Chronic Hepatitis B: A Case Report. <i>Journal of Korean Medical Science</i> , 2008, 23, 336.	1.1	34
128	Gross type of hepatocellular carcinoma reflects the tumor hypoxia, fibrosis, and stemness-related marker expression. <i>Hepatology International</i> , 2020, 14, 239-248.	1.9	34
129	Serum markers for necroinflammatory activity in patients with chronic viral hepatitis and normal or mildly elevated aminotransferase levels. <i>Liver International</i> , 2011, 31, 1352-1358.	1.9	33
130	RASSF1A-Mediated Regulation of AREG via the Hippo Pathway in Hepatocellular Carcinoma. <i>Molecular Cancer Research</i> , 2013, 11, 748-758.	1.5	33
131	Transcriptomic and histopathological analysis of cholangiolocellular differentiation trait in intrahepatic cholangiocarcinoma. <i>Liver International</i> , 2018, 38, 113-124.	1.9	33
132	Dynamics of Genomic, Epigenomic, and Transcriptomic Aberrations during Stepwise Hepatocarcinogenesis. <i>Cancer Research</i> , 2019, 79, 5500-5512.	0.4	33
133	Evidence for continuity of interstitial spaces across tissue and organ boundaries in humans. <i>Communications Biology</i> , 2021, 4, 436.	2.0	33
134	Factors Affecting the Accuracy of Controlled Attenuation Parameter (CAP) in Assessing Hepatic Steatosis in Patients with Chronic Liver Disease. <i>PLoS ONE</i> , 2014, 9, e98689.	1.1	33
135	Apoptosis of hepatic stellate cells in carbon tetrachloride induced acute liver injury of the rat: analysis of isolated hepatic stellate cells. <i>Journal of Hepatology</i> , 2003, 39, 960-966.	1.8	32
136	WDR76 is a RAS binding protein that functions as a tumor suppressor via RAS degradation. <i>Nature Communications</i> , 2019, 10, 295.	5.8	32
137	Tumor stroma with senescence-associated secretory phenotype in steatohepatic hepatocellular carcinoma. <i>PLoS ONE</i> , 2017, 12, e0171922.	1.1	32
138	Cytoplasmic expression of hepatitis B core antigen in chronic hepatitis B virus infection: role of precore stop mutants. <i>Liver International</i> , 1999, 19, 199-205.	1.9	31
139	A novel liver stiffness measurement-based prediction model for cirrhosis in hepatitis B patients. <i>Liver International</i> , 2010, 30, 1073-1081.	1.9	31
140	Frequent changes in subtelomeric DNA methylation patterns and its relevance to telomere regulation during human hepatocarcinogenesis. <i>International Journal of Cancer</i> , 2011, 128, 857-868.	2.3	31
141	Electro-hyperthermia inhibits glioma tumorigenicity through the induction of E2F1-mediated apoptosis. <i>International Journal of Hyperthermia</i> , 2015, 31, 784-792.	1.1	31
142	Tailgut Cyst: Multilocular Cystic Appearance on MRI. <i>Journal of Computer Assisted Tomography</i> , 1997, 21, 731.	0.5	31
143	Gallbladder adenomyomatosis: findings on MRI. <i>Abdominal Imaging</i> , 1999, 24, 410-413.	2.0	30
144	Predictive Value of Liver Cell Dysplasia for Development of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 738-743.	1.1	30

#	ARTICLE	IF	CITATIONS
145	Combined treatment with zingerone and its novel derivative synergistically inhibits TGF- β 1 induced epithelial-mesenchymal transition, migration and invasion of human hepatocellular carcinoma cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 1081-1088.	1.0	30
146	Histopathological Variants of Hepatocellular Carcinomas: an Update According to the 5th Edition of the WHO Classification of Digestive System Tumors. <i>Journal of Liver Cancer</i> , 2020, 20, 17-24.	0.3	30
147	IMP2/IGF2BP2 expression, but not IMP1 and IMP3, predicts poor outcome in patients and high tumor growth rate in xenograft models of gallbladder cancer. <i>Oncotarget</i> , 2017, 8, 89736-89745.	0.8	30
148	Expression of Transforming Growth Factor- β 1 and Transforming Growth Factor- β 2 Receptors in Hepatocellular Carcinoma and Dysplastic Nodules. <i>Modern Pathology</i> , 2003, 16, 86-96.	2.9	29
149	Increased Expression of Circulating Cancer Stem Cell Markers During the Perioperative Period Predicts Early Recurrence After Curative Resection of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1444-1452.	0.7	29
150	Red cell volume distribution width to platelet ratio in assessment of liver fibrosis in patients with chronic hepatitis B. <i>Liver International</i> , 2016, 36, 24-30.	1.9	29
151	Tumour epithelial and stromal characteristics of hepatocellular carcinomas with abundant fibrous stroma: fibrolamellar versus scirrhous hepatocellular carcinoma. <i>Histopathology</i> , 2017, 71, 217-226.	1.6	29
152	Updates in the diagnosis of combined hepatocellular-cholangiocarcinoma. <i>Human Pathology</i> , 2020, 96, 48-55.	1.1	29
153	Glioblastomas harboring gene fusions detected by next-generation sequencing. <i>Brain Tumor Pathology</i> , 2020, 37, 136-144.	1.1	29
154	Hepatic stellate cell activation in dysplastic nodules: evidence for an alternate hypothesis concerning human hepatocarcinogenesis. <i>Liver</i> , 1997, 17, 271-274.	0.1	28
155	Early on-treatment change in liver stiffness predicts development of liver-related events in chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2013, 33, 180-189.	1.9	28
156	Use of Wisteria Floribunda Agglutinin-Positive Human Mac-2 Binding Protein in Assessing Risk of Hepatocellular Carcinoma Due to Hepatitis B Virus. <i>Medicine (United States)</i> , 2016, 95, e3328.	0.4	28
157	Expression of Matrix Metalloproteinase-2 and -9 and Tissue Inhibitor of Metalloproteinase-1 and -2 in Intraductal and Nonintraductal Growth Type of Cholangiocarcinoma. <i>American Journal of Gastroenterology</i> , 2004, 99, 68-75.	0.2	27
158	Quantitative Assessment of hTERT mRNA Expression in Dysplastic Nodules of HBV-Related Hepatocarcinogenesis. <i>American Journal of Gastroenterology</i> , 2006, 101, 831-838.	0.2	27
159	The Efficacy of Hepatic Resection after Neoadjuvant Transarterial Chemoembolization (TACE) and Radiation Therapy in Hepatocellular Carcinoma Greater Than 5 cm in Size. <i>Journal of Korean Medical Science</i> , 2009, 24, 242.	1.1	27
160	Intraductal ultrasonography combined with percutaneous transhepatic cholangioscopy for the preoperative evaluation of longitudinal tumor extent in hilar cholangiocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 286-292.	1.4	27
161	Hepatocellular carcinoma during pregnancy: is hepatocellular carcinoma more aggressive in pregnant patients?. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011, 18, 422-431.	1.4	27
162	Histological characteristics of small hepatocellular carcinomas showing atypical enhancement patterns on gadoxetic acid-enhanced MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 1384-1391.	1.9	27

#	ARTICLE	IF	CITATIONS
163	A proposal of imaging classification of intrahepatic mass-forming cholangiocarcinoma into ductal and parenchymal types: clinicopathologic significance. <i>European Radiology</i> , 2019, 29, 3111-3121.	2.3	27
164	Clinico-Radio-Pathological and Molecular Features of Hepatocellular Carcinomas with Keratin 19 Expression. <i>Liver Cancer</i> , 2020, 9, 663-681.	4.2	27
165	Chromosomal imbalances in Korean intrahepatic cholangiocarcinoma by comparative genomic hybridization. <i>Cancer Genetics and Cytogenetics</i> , 2005, 157, 37-41.	1.0	26
166	Large Liver Cell Dysplasia in Hepatitis B Virus X Transgenic Mouse Liver and Human Chronic Hepatitis B Virus-Infected Liver. <i>Intervirology</i> , 2005, 48, 16-22.	1.2	26
167	Histogram Analysis of Gadoteric Acid-Enhanced MRI for Quantitative Hepatic Fibrosis Measurement. <i>PLoS ONE</i> , 2014, 9, e114224.	1.1	25
168	Ectopic Cushing's Syndrome Due to Concurrent Corticotropin-Releasing Hormone (CRH) and Adrenocorticotrophic Hormone (ACTH) Secreted by Malignant Gastrinoma. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2007, 115, 13-16.	0.6	24
169	Gene expression profiling of human hepatoblastoma using archived formalin-fixed and paraffin-embedded tissues. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 453-465.	1.4	24
170	Liver Stiffness Value-Based Risk Estimation of Late Recurrence after Curative Resection of Hepatocellular Carcinoma: Development and Validation of a Predictive Model. <i>PLoS ONE</i> , 2014, 9, e99167.	1.1	24
171	SALL4 Expression in Hepatocellular Carcinomas Is Associated with EpCAM-Positivity and a Poor Prognosis. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 373-381.	0.4	24
172	Preoperative Radiologic and Postoperative Pathologic Risk Factors for Early Intra-Hepatic Recurrence in Hepatocellular Carcinoma Patients Who Underwent Curative Resection. <i>Yonsei Medical Journal</i> , 2009, 50, 789.	0.9	23
173	Sarcomatoid cholangiocarcinoma with osteoclast-like giant cells associated with hepatolithiasis: A case report. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 309.	4.5	23
174	Up-to-Date Pathologic Classification and Molecular Characteristics of Intrahepatic Cholangiocarcinoma. <i>Frontiers in Medicine</i> , 2022, 9, 857140.	1.2	23
175	Expression of biliary antigen and its clinical significance in hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 1999, 40, 472.	0.9	22
176	Teratoid Hepatoblastoma: Multidirectional Differentiation of Stem Cell of the Liver. <i>Yonsei Medical Journal</i> , 2001, 42, 431.	0.9	22
177	Human PinX1 Mediates TRF1 Accumulation in Nucleolus and Enhances TRF1 Binding to Telomeres. <i>Journal of Molecular Biology</i> , 2009, 388, 928-940.	2.0	22
178	Intraductal papillary neoplasm of the bile duct: Assessment of invasive carcinoma and long-term outcomes using MRI. <i>Journal of Hepatology</i> , 2019, 70, 692-699.	1.8	22
179	Colorectal Mucinous Carcinoma: Findings on MRI. <i>Journal of Computer Assisted Tomography</i> , 1999, 23, 291-296.	0.5	22
180	Genetic Alterations in Intrahepatic Cholangiocarcinoma as revealed by Degenerate Oligonucleotide Primed PCR-Comparative Genomic Hybridization. <i>Journal of Korean Medical Science</i> , 2004, 19, 682.	1.1	21

#	ARTICLE	IF	CITATIONS
181	Clonality of large regenerative nodules in liver cirrhosis. <i>Liver</i> , 1997, 17, 251-256.	0.1	21
182	Hepatic progenitor cells in liver cancers from Asian children. <i>Liver International</i> , 2010, 30, 102-111.	1.9	21
183	Villous adenoma of the bile ducts: a case report and a review of the reported cases in Korea. <i>Yonsei Medical Journal</i> , 1999, 40, 84.	0.9	20
184	Rhabdoid Cholangiocarcinoma: A Variant of Cholangiocarcinoma with Aggressive Behavior. <i>Yonsei Medical Journal</i> , 2004, 45, 543.	0.9	20
185	Risk Assessment of Development of Hepatic Decompensation in Histologically Proven Hepatitis B Viral Cirrhosis Using Liver Stiffness Measurement. <i>Digestion</i> , 2012, 85, 219-227.	1.2	20
186	Optimal lexicon of gadoxetic acid-enhanced magnetic resonance imaging for the diagnosis of hepatocellular carcinoma modified from LI-RADS. <i>Abdominal Radiology</i> , 2019, 44, 3078-3088.	1.0	20
187	Subclassification of Microscopic Vascular Invasion in Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2021, 274, e1170-e1178.	2.1	20
188	Increased expression of stemness markers and altered tumor stroma in hepatocellular carcinoma under TACE-induced hypoxia: A biopsy and resection matched study. <i>Oncotarget</i> , 2017, 8, 99359-99371.	0.8	20
189	Serum <i>Wisteria floribunda</i> agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , 2020, 26, 33-44.	4.5	20
190	Alternative Usages of Multiple Promoters of the Acetyl-CoA Carboxylase β Gene Are Related to Differential Transcriptional Regulation in Human and Rodent Tissues. <i>Journal of Biological Chemistry</i> , 2005, 280, 5909-5916.	1.6	19
191	Lung and lymph node metastases from hepatocellular carcinoma: Comparison of pathological aspects. <i>Liver International</i> , 2022, 42, 199-209.	1.9	19
192	Increased Expression of the Matrix-Modifying Enzyme Lysyl Oxidase-Like 2 in Aggressive Hepatocellular Carcinoma with Poor Prognosis. <i>Gut and Liver</i> , 2019, 13, 83-92.	1.4	19
193	A case with sarcomatoid hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 1998, 39, 390.	0.9	18
194	Lethal hepatic injury by combined treatment of radiation plus chemotherapy in rats with thioacetamide-induced liver cirrhosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 57, 282-288.	0.4	18
195	Caspase-cleaved fragments of cytokeratin-18 as a marker of inflammatory activity in chronic hepatitis B virus infection. <i>Journal of Clinical Virology</i> , 2013, 58, 641-646.	1.6	18
196	Concurrent Chemoradiotherapy Shows Long-Term Survival after Conversion from Locally Advanced to Resectable Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2014, 55, 1489.	0.9	18
197	Role of biopsy sampling for diagnosis of early and progressed hepatocellular carcinoma. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2014, 28, 813-829.	1.0	18
198	Reappraisal of pathological features of intraductal papillary neoplasm of bile duct with respect to the type 1 and 2 subclassifications. <i>Human Pathology</i> , 2021, 111, 21-35.	1.1	18

#	ARTICLE	IF	CITATIONS
199	Expression of Smad7 in hepatocellular carcinoma and dysplastic nodules: resistance mechanism to transforming growth factor-beta. <i>Hepato-Gastroenterology</i> , 2004, 51, 396-400.	0.5	18
200	Nephroblastoma overexpressed gene (NOV) expression in rat hepatic stellate cells. <i>Biochemical Pharmacology</i> , 2004, 68, 1391-1400.	2.0	17
201	PinX1, a Telomere Repeat-binding Factor 1 (TRF1)-interacting Protein, Maintains Telomere Integrity by Modulating TRF1 Homeostasis, the Process in Which Human Telomerase Reverse Transcriptase (hTERT) Plays Dual Roles. <i>Journal of Biological Chemistry</i> , 2014, 289, 6886-6898.	1.6	17
202	Clinicopathological characteristics of intrahepatic cholangiocarcinoma according to gross morphologic type: cholangiolocellular differentiation traits and inflammation- and proliferation-phenotypes. <i>Hpb</i> , 2020, 22, 864-873.	0.1	17
203	Comparison of the current guidelines for diagnosing hepatocellular carcinoma using gadoxetic acid-enhanced magnetic resonance imaging. <i>European Radiology</i> , 2021, 31, 4492-4503.	2.3	17
204	Inflammatory Pseudotumor of the Liver Treated by Hepatic Resection: A Case Report. <i>Yonsei Medical Journal</i> , 2006, 47, 140.	0.9	17
205	Serum Hepatitis C Virus RNA Levels and Histologic Findings in Liver Allografts With Early Recurrent Hepatitis C. <i>Archives of Pathology and Laboratory Medicine</i> , 2000, 124, 1623-1627.	1.2	17
206	Behavior of Isolated Rat Oval Cells in Porous Collagen Scaffold. <i>Tissue Engineering</i> , 2003, 9, 411-420.	4.9	16
207	Effect of cetorelix acetate on apoptosis and apoptosis regulatory factors in cultured uterine leiomyoma cells. <i>Fertility and Sterility</i> , 2005, 84, 1526-1528.	0.5	16
208	Mangafodipir trisodium-enhanced MRI of hepatocellular carcinoma: correlation with histological characteristics. <i>Clinical Radiology</i> , 2008, 63, 1195-1204.	0.5	16
209	Tudor Domain-Containing Protein 4 as a Potential Cancer/Testis Antigen in Liver Cancer. <i>Tohoku Journal of Experimental Medicine</i> , 2011, 224, 41-46.	0.5	16
210	How Many Valid Measurements Are Necessary to Assess Liver Fibrosis Using FibroScan® in Patients with Chronic Viral Hepatitis? An Analysis of Subjects with at Least 10 Valid Measurements. <i>Yonsei Medical Journal</i> , 2012, 53, 337.	0.9	16
211	Rare Incidence of <i>ROS1</i> Rearrangement in Cholangiocarcinoma. <i>Cancer Research and Treatment</i> , 2017, 49, 185-192.	1.3	16
212	Cutaneous Metastasis from Cholangiocarcinoma as the First Clinical Sign: A Report of Two Cases. <i>Gut and Liver</i> , 2011, 5, 100-104.	1.4	16
213	Predicting Liver-Related Events Using Transient Elastography in Chronic Hepatitis C Patients with Sustained Virological Response. <i>Gut and Liver</i> , 2016, 10, 429-36.	1.4	16
214	Autoimmune Pancreatitis with Effective Steroid Therapy. <i>Yonsei Medical Journal</i> , 2003, 44, 534.	0.9	15
215	Transduodenal Local Resection for Low-Risk Group Ampulla of Vater Carcinoma. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2007, 17, 737-742.	0.5	15
216	Can preoperative diffusion-weighted MRI predict postoperative hepatic insufficiency after curative resection of HBV-related hepatocellular carcinoma? A pilot study. <i>Magnetic Resonance Imaging</i> , 2010, 28, 802-811.	1.0	15

#	ARTICLE	IF	CITATIONS
217	Identification of Proteins Indicating Radiation-induced Hepatic Toxicity in Cirrhotic Rats. <i>Journal of Radiation Research</i> , 2010, 51, 643-650.	0.8	15
218	Long-Term Follow-Up of Patients after Autologous Bone Marrow Cell Infusion for Decompensated Liver Cirrhosis. <i>Cell Transplantation</i> , 2017, 26, 1059-1066.	1.2	15
219	Eukaryotic translation initiation factor 6 overexpression plays a major role in the translational control of gallbladder cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2699-2711.	1.2	15
220	Budd-Chiari syndrome with multiple large regenerative nodules. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 89.	4.5	15
221	Primary carcinoid tumor of the testis: immunohistochemical, ultrastructural and DNA flow cytometric study of two cases. <i>Journal of Korean Medical Science</i> , 1999, 14, 57.	1.1	14
222	Hepatic Resection of Metastatic Tumor from Serous Cystadenocarcinoma of the Ovary. <i>Journal of Korean Medical Science</i> , 2002, 17, 415.	1.1	14
223	Caroli's Syndrome with Autosomal Recessive Polycystic Kidney Disease in a Two Month Old Infant. <i>Yonsei Medical Journal</i> , 2006, 47, 131.	0.9	14
224	MRI features of histologic subtypes of hepatocellular carcinoma: correlation with histologic, genetic, and molecular biologic classification. <i>European Radiology</i> , 2022, , 1.	2.3	14
225	EBV-elicited familial hemophagocytic lymphohistiocytosis. <i>Yonsei Medical Journal</i> , 1997, 38, 245.	0.9	13
226	Suppression of PROX1-mediated TERT expression in hepatitis B viral hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2018, 143, 3155-3168.	2.3	13
227	The efficacy of aspartate aminotransferase-to-platelet ratio index for assessing hepatic fibrosis in childhood nonalcoholic steatohepatitis for medical practice. <i>Korean Journal of Pediatrics</i> , 2013, 56, 19.	1.9	13
228	Molecular and radiopathologic spectrum between HCC and intrahepatic cholangiocarcinoma. <i>Hepatology</i> , 2023, 77, 92-108.	3.6	13
229	Cell proliferation index and the expression of p53 and Bcl-2 in tumorous and non-tumorous lesions of hepatocellular carcinoma and metastatic liver cancer. <i>Yonsei Medical Journal</i> , 1998, 39, 424.	0.9	12
230	Telomerase regulation and progressive telomere shortening of rat hepatic stem-like epithelial cells during in vitro aging. <i>Experimental Cell Research</i> , 2004, 298, 445-454.	1.2	12
231	Non-Invasive Index for Predicting Significant Liver Fibrosis: Comparison of Diagnostic Performances in Patients with Chronic Hepatitis B and C. <i>Digestive Diseases and Sciences</i> , 2011, 56, 555-563.	1.1	12
232	P16 Hypermethylation Predicts Surgical Outcome Following Curative Resection of Mid/Distal Bile Duct Cancer. <i>Annals of Surgical Oncology</i> , 2013, 20, 2511-2517.	0.7	12
233	Combined effects of an antioxidant and caspase inhibitor on the reversal of hepatic fibrosis in rats. Apoptosis: an International Journal on Programmed Cell Death, 2013, 18, 1481-1491.	2.2	12
234	Recapitulation of pharmacogenomic data reveals that invalidation of SULF2 enhance sorafenib susceptibility in liver cancer. <i>Oncogene</i> , 2018, 37, 4443-4454.	2.6	12

#	ARTICLE	IF	CITATIONS
235	Progressive Enrichment of Stemness Features and Tumor Stromal Alterations in Multistep Hepatocarcinogenesis. <i>PLoS ONE</i> , 2017, 12, e0170465.	1.1	12
236	Spontaneous rupture of hepatic metastasis from a thymoma: A case report. <i>World Journal of Gastroenterology</i> , 2016, 22, 9860.	1.4	12
237	Increased expression of O-acetyl disialoganglioside synthase during rat liver fibrogenesis relates to stellate cell activation. <i>Biochemical and Biophysical Research Communications</i> , 2003, 303, 954-961.	1.0	11
238	Rat homolog of PinX1 is a nucleolar protein involved in the regulation of telomere length. <i>Gene</i> , 2007, 400, 35-43.	1.0	11
239	What is the role of diagnostic laparoscopy in a gastroenterology unit?. <i>Journal of Gastroenterology</i> , 2007, 42, 881-886.	2.3	11
240	Pharmacologic IL-6R α inhibition in cholangiocarcinoma promotes cancer cell growth and survival. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 308-321.	1.8	11
241	Hepatocellular adenomas: recent updates. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 171-180.	0.4	11
242	<i>TPRG1</i> induces <i>RBM24</i> expression and inhibits liver cancer progression by sponging <i>miR-4691</i> and <i>miR-3659</i> . <i>Liver International</i> , 2021, 41, 2788-2800.	1.9	11
243	Living Donor Liver Transplantation in a Korean Child with Glycogen Storage Disease Type IV and a GBE1 Mutation. <i>Gut and Liver</i> , 2009, 3, 60-63.	1.4	11
244	A Case of Embryonal Sarcoma of the Liver Mimicking a Hydatid Cyst in an Adult. <i>Gut and Liver</i> , 2010, 4, 245-249.	1.4	11
245	Molecular analysis of PinX1 in human hepatocellular carcinoma. <i>Oncology Reports</i> , 2004, 12, 861-6.	1.2	11
246	Evaluation of liver fibrosis with T2 relaxation time in infants with cholestasis: comparison with normal controls. <i>Pediatric Radiology</i> , 2011, 41, 350-354.	1.1	10
247	Synchronous development of intrahepatic cholangiocarcinoma and hepatocellular carcinoma in different sites of the liver with chronic B-viral hepatitis: two case reports. <i>BMC Research Notes</i> , 2013, 6, 520.	0.6	10
248	Transforming acidic coiled-coil-containing protein 3 (TACC3) overexpression in hepatocellular carcinomas is associated with stemness and epithelial-mesenchymal transition-related marker expression and a poor prognosis. <i>Tumor Biology</i> , 2016, 37, 393-403.	0.8	10
249	Feasibility of Preoperative FDG PET/CT Total Hepatic Glycolysis in the Remnant Liver for the Prediction of Postoperative Liver Function. <i>American Journal of Roentgenology</i> , 2017, 208, 624-631.	1.0	10
250	<i>Diospyros kaki</i> leaves inhibit HGF/Met signaling-mediated EMT and stemness features in hepatocellular carcinoma. <i>Food and Chemical Toxicology</i> , 2020, 142, 111475.	1.8	10
251	Gastric subtype of intraductal papillary neoplasm of the bile duct: The pathologic spectrum. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 402-413.	1.4	10
252	Novel Sunitinib Strategy in Metastatic Renal Cell Carcinoma on Hemodialysis: Intermittent Dose of Sunitinib after Hemodialysis. <i>Cancer Research and Treatment</i> , 2010, 42, 180.	1.3	10

#	ARTICLE	IF	CITATIONS
253	Noninvasive surrogates are poor predictors of liver fibrosis in patients with Fontan circulation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 164, 1176-1185.e3.	0.4	10
254	A case of minute intraductal papillary mucinous tumor of the pancreas presenting with recurrent acute pancreatitis. <i>Yonsei Medical Journal</i> , 2000, 41, 528.	0.9	9
255	Total Necrosis of Hepatocellular Carcinoma Due to Spontaneous Occlusion of Feeding Artery. <i>Yonsei Medical Journal</i> , 2002, 43, 123.	0.9	9
256	Telomeric 3â€² overhangs in chronic HBVâ€­related hepatitis and hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2008, 123, 264-272.	2.3	9
257	MRI findings of uncommon non-hepatocyte origin primary liver tumours with pathological correlation. <i>British Journal of Radiology</i> , 2010, 83, 1080-1086.	1.0	9
258	CYP1A2 is a predictor of HCC recurrence in HCV-related chronic liver disease: A retrospective multicentric validation study. <i>Digestive and Liver Disease</i> , 2017, 49, 434-439.	0.4	9
259	Epigenetic modifications precede molecular alterations and drive human hepatocarcinogenesis. <i>JCI Insight</i> , 2021, 6, .	2.3	9
260	Peliosis hepatis presenting with massive hepatomegaly in a patient with idiopathic thrombocytopenic purpura. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 387.	4.5	9
261	Hepatogastric fistula caused by direct invasion of hepatocellular carcinoma after transarterial chemoembolization and radiotherapy. <i>The Korean Journal of Hepatology</i> , 2010, 16, 401.	1.5	9
262	Î²-Catenin Activated Hepatocellular Adenoma: A Report of Three Cases in Korea. <i>Gut and Liver</i> , 2014, 8, 452-458.	1.4	9
263	The Clinicopathological Significance of YAP/TAZ Expression in Hepatocellular Carcinoma with Relation to Hypoxia and Stemness. <i>Pathology and Oncology Research</i> , 2021, 27, 604600.	0.9	8
264	A case of isolated metastatic hepatocellular carcinoma arising from the pelvic bone. <i>The Korean Journal of Hepatology</i> , 2012, 18, 89.	1.5	8
265	Sclerosing Encapsulating Peritonitis (Abdominal Cocoon) after Abdominal Hysterectomy. <i>Korean Journal of Internal Medicine</i> , 2007, 22, 125.	0.7	8
266	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2018, 12, 190-200.	1.4	8
267	Prediction of Significant Fibrosis in Chronic Hepatitis C Patients with Normal ALT. <i>Hepato-Gastroenterology</i> , 2011, 58, 1321-1327.	0.5	8
268	Lymphoepitheliomaâ€­like neoplasm of the biliary tract with â€­probable low malignant potentialâ€­™. <i>Histopathology</i> , 2022, 80, 720-728.	1.6	8
269	Intestinal type cholangiocarcinoma of intrahepatic large bile duct associated with hepatolithiasis—a new histologic subtype for further investigation. <i>Hepato-Gastroenterology</i> , 2002, 49, 628-30.	0.5	8
270	Non-alcoholic duct-destructive chronic pancreatitis: recognition before definitive treatment. <i>Yonsei Medical Journal</i> , 1999, 40, 518.	0.9	7

#	ARTICLE	IF	CITATIONS
271	External Validation of P2/MS and Comparison with Other Simple Non-invasive Indices for Predicting Liver Fibrosis in HBV-Infected Patients. <i>Digestive Diseases and Sciences</i> , 2010, 55, 2636-2643.	1.1	7
272	Serum markers for predicting significant necroinflammatory activity in patients with chronic hepatitis B. <i>Clinical Biochemistry</i> , 2012, 45, 1564-1567.	0.8	7
273	Recurrence-associated pathways in hepatitis B virus-positive hepatocellular carcinoma. <i>BMC Genomics</i> , 2015, 16, 279.	1.2	7
274	Alpers-Huttenlocher Syndrome First Presented with Hepatic Failure: Can Liver Transplantation Be Considered as Treatment Option?. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2017, 20, 259.	0.4	7
275	Clinicopathologic and MRI features of combined hepatocellular-choleangiocarcinoma in patients with or without cirrhosis. <i>Liver International</i> , 2021, 41, 1641-1651.	1.9	7
276	GeTe Nanosheets as Theranostic Agents for Multimodal Imaging and Therapy of Inflammatory Bowel Disease. <i>Advanced Functional Materials</i> , 2022, 32, 2107433.	7.8	7
277	A practical scoring system for predicting cirrhosis in patients with chronic viral hepatitis. <i>Hepato-Gastroenterology</i> , 2012, 59, 2592-7.	0.5	7
278	The impact of steatosis on liver stiffness measurement in patients with chronic hepatitis B. <i>Hepato-Gastroenterology</i> , 2010, 57, 832-8.	0.5	7
279	Lower gastrointestinal bleeding due to cytomegalovirus ileal ulcers in an immunocompetent man. <i>Yonsei Medical Journal</i> , 2001, 42, 147.	0.9	6
280	Induction of telomerase activity during an early burst of proliferation in pancreatic regeneration. <i>Cancer Letters</i> , 2002, 186, 93-98.	3.2	6
281	Efficacy and Long-Term Follow Up of Combination Therapy with Interferon Alpha and Ribavirin for Chronic Hepatitis C in Korea. <i>Yonsei Medical Journal</i> , 2006, 47, 793.	0.9	6
282	Traumatic neuroma of the right hepatic duct undertaken right hemihepatectomy. <i>ANZ Journal of Surgery</i> , 2009, 79, 91-92.	0.3	6
283	Solitary Extrahepatic Intraabdominal Metastasis from Hepatocellular Carcinoma after Liver Transplantation. <i>Yonsei Medical Journal</i> , 2011, 52, 199.	0.9	6
284	Less Fibrotic Burden Differently Affects the Long-Term Outcomes of Hepatocellular Carcinoma after Curative Resection. <i>Oncology</i> , 2017, 93, 224-232.	0.9	6
285	Clinical and survival outcomes after hepatectomy in patients with non-alcoholic fatty liver and hepatitis B-related hepatocellular carcinoma. <i>Hpb</i> , 2021, 23, 1113-1122.	0.1	6
286	Subcentimeter hepatocellular carcinoma in treatment-naïve patients: noninvasive diagnostic criteria and tumor staging on gadoteric acid-enhanced MRI. <i>European Radiology</i> , 2021, 31, 2321-2331.	2.3	6
287	YAP inactivation in estrogen receptor alpha-positive hepatocellular carcinoma with less aggressive behavior. <i>Experimental and Molecular Medicine</i> , 2021, 53, 1055-1067.	3.2	6
288	Genetic, Clinicopathological, and Radiological Features of Intrahepatic Cholangiocarcinoma with Ductal Plate Malformation Pattern. <i>Gut and Liver</i> , 2022, 16, 613-624.	1.4	6

#	ARTICLE	IF	CITATIONS
289	Histopathological and immunohistochemical studies of polymorphic reticulosis. <i>Yonsei Medical Journal</i> , 1990, 31, 212.	0.9	5
290	“Vascular profiles” of regenerative and dysplastic nodules. <i>Hepatology</i> , 2000, 31, 1380a-1380a.	3.6	5
291	A Case of Hypervascular Hyperplastic Nodules in a Patient with Alcoholic Liver Cirrhosis. <i>Yonsei Medical Journal</i> , 2006, 47, 881.	0.9	5
292	Relationship between severity of liver dysfunction and the relative ratio of liver to aortic enhancement (RE) on MRI using hepatocyte-specific contrast. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 24-30.	1.9	5
293	Increased expression of stathmin and elongation factor 1 β in precancerous nodules with telomere dysfunction in hepatitis B viral cirrhotic patients. <i>Journal of Translational Medicine</i> , 2014, 12, 154.	1.8	5
294	Circulating Cancer Stem Cells Expressing EpCAM/CD90 in Hepatocellular Carcinoma: A Pilot Study for Predicting Tumor Recurrence after Living Donor Liver Transplantation. <i>Gut and Liver</i> , 2022, 16, 443-455.	1.4	5
295	Synchronous double primary cancers associated with a choledochal cyst and anomalous pancreaticobiliary ductal union. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2011, 81, 281.	1.1	4
296	Transitional features of histologic type of non-alcoholic fatty liver disease in Korean young men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 142-148.	1.4	4
297	Hepatocellular dysplasia: large and small cell changes. <i>Pathology</i> , 2014, 46, S23.	0.3	4
298	Radiological “pathological correlation study of hepatocellular carcinoma undergoing local chemoradiotherapy and surgery. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1619-1627.	1.4	4
299	Dielectric imaging for differentiation between cancer and inflammation in vivo. <i>Scientific Reports</i> , 2017, 7, 13137.	1.6	4
300	THU-453-Dissecting the landscape of (epi-)genetic alterations during sequential evolution of liver cancer. <i>Journal of Hepatology</i> , 2019, 70, e358-e359.	1.8	4
301	Predictive validation of qualitative fibrosis staging in patients with chronic hepatitis B on antiviral therapy. <i>Scientific Reports</i> , 2019, 9, 15628.	1.6	4
302	Double primary mucoepidermoid carcinoma and hepatocellular carcinoma of the liver—a case report. <i>Hepato-Gastroenterology</i> , 2003, 50, 238-41.	0.5	4
303	Infantile myofibromatosis. <i>Yonsei Medical Journal</i> , 1989, 30, 376.	0.9	3
304	The effect of deferoxamine on the preneoplastic lesions in the chemically induced hepatocarcinogenesis. <i>Yonsei Medical Journal</i> , 1994, 35, 388.	0.9	3
305	Obstructive jaundice and acute cholangitis due to papillary stenosis. <i>Yonsei Medical Journal</i> , 1999, 40, 191.	0.9	3
306	Embryonal sarcoma of the liver: Multiple recurrences and histologic dedifferentiation. , 1999, 32, 386-388.		3

#	ARTICLE	IF	CITATIONS
307	Identification of prognostic biomarker in predicting hepatocarcinogenesis from cirrhotic liver using protein and gene signatures. <i>Experimental and Molecular Pathology</i> , 2019, 111, 104319.	0.9	3
308	Pathological predictive factors for late recurrence of hepatocellular carcinoma in chronic liver disease. <i>Liver International</i> , 2021, 41, 1662-1674.	1.9	3
309	Kasai Operation for Extrahepatic Biliary Atresia - Survival and Prognostic Factors. <i>Journal of the Korean Association of Pediatric Surgeons</i> , 2006, 12, 202.	0.1	3
310	Massive hepatic necrosis with large regenerative nodules. <i>The Korean Journal of Hepatology</i> , 2010, 16, 334.	1.5	3
311	Aberrant breast tissue of the perineum: a report on two cases. <i>Yonsei Medical Journal</i> , 1990, 31, 182.	0.9	2
312	Hepatitis B virus mutants in hepatocellular carcinoma patients with coexisting HBsAg and anti-HBs. <i>Hepatology Research</i> , 1997, 8, 52-62.	1.8	2
313	Life-Threatening Lower Gastrointestinal Hemorrhage in Pediatric Crohn's Disease. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2013, 16, 53.	0.4	2
314	A Case of Lymphocyte-Rich Hepatocellular Carcinoma in a Patient Who Was Treated for Colon Cancer. <i>Journal of Liver Cancer</i> , 2021, 21, 69-75.	0.3	2
315	Update on Pathologic and Radiologic Diagnosis of Combined Hepatocellular-Cholangiocarcinoma. <i>Journal of Liver Cancer</i> , 2021, 21, 12-24.	0.3	2
316	USO1 isoforms differentially promote liver cancer progression by dysregulating the ER-Golgi network. <i>Carcinogenesis</i> , 2021, 42, 1208-1220.	1.3	2
317	Combined tumor epithelial and stromal histopathology with keratin 81 expression predicts prognosis for pancreatic ductal adenocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, , .	1.4	2
318	A case of autoimmune cholangitis associated with Sjogren's syndrome and arthropathy. <i>Journal of Korean Medical Science</i> , 1998, 13, 85.	1.1	1
319	Electronic Clinical Challenges and Images in GI. <i>Gastroenterology</i> , 2008, 135, e3-e4.	0.6	1
320	A Case of Squamous Cell Carcinomatous Lung Abscess with Multiple Metastatic Abscesses. <i>Tuberculosis and Respiratory Diseases</i> , 2009, 66, 390.	0.7	1
321	Premalignant and Early Malignant Hepatocellular Lesions in Chronic Hepatitis/Cirrhosis. , 2018, , 487-505.		1
322	A Case Report of Cholangiocarcinoma Arising from a Biliary Adenofibroma: Radiologic Findings and Review of Literature. <i>Journal of the Korean Society of Radiology</i> , 2021, 82, 721.	0.1	1
323	Loss of Liver Fatty Acid Binding Protein Expression in Hepatocellular Carcinomas is Associated with a Decreased Recurrence-Free Survival. <i>Journal of Liver Cancer</i> , 2015, 15, 30-35.	0.3	1
324	MR Evaluation of Rectal Carcinoma: Pelvic Phased-Array Coil versus Endorectal-Pelvic Phased-Array Coil. <i>Journal of the Korean Radiological Society</i> , 1998, 39, 733.	0.0	1

#	ARTICLE	IF	CITATIONS
325	A Case of Erythropoietic Protoporphyrinemia with Severe Liver Dysfunction and Neurological Symptoms. Korean Journal of Pediatric Gastroenterology and Nutrition, 2005, 8, 263.	0.2	1
326	Clinicopathologic Characteristics of Left-Sided Colon Cancers with High Microsatellite Instability. Korean Journal of Pathology, 2009, 43, 428.	1.2	1
327	p53 and p21WAF1/CIP1 in hepatitis B virus related hepatocarcinogenesis. Hepato-Gastroenterology, 2003, 50, 1292-6.	0.5	1
328	Transferrin receptor expression of the hyperplastic lesions of hepatocyte in experimental hepatocarcinogenesis. Journal of Korean Medical Science, 1995, 10, 183.	1.1	0
329	Large Cell Calcifying Sertoli Cell Tumor of the Testis. International Journal of Surgical Pathology, 1999, 7, 109-114.	0.4	0
330	Giant cell tumor of a tendon sheath mimicking an axillary lymph node. Journal of Clinical Ultrasound, 2010, 38, 271-273.	0.4	0
331	Histological Sub-classification of Cirrhosis Is Useful for Predicting Recurrence and Survival After Curative Resection of HBV-related Hepatocellular Carcinoma. Clinical Gastroenterology and Hepatology, 2014, 12, 156-157.	2.4	0
332	Gadoxetic Acid-Enhanced and Diffusion-Weighted Magnetic Resonance Imaging of Histologically Defined Early Hepatocellular Carcinoma. Korean Journal of Abdominal Radiology, 2021, 5, 17-31.	0.0	0
333	A Case of Alagille Syndrome. Korean Journal of Pediatric Gastroenterology and Nutrition, 2002, 5, 192.	0.2	0
334	A Case of Metastatic Hemangiopericytoma in Lung. Tuberculosis and Respiratory Diseases, 2005, 59, 551.	0.7	0
335	A Case of Alagille Syndrome with Atresia of the Hepatic Duct. Korean Journal of Pediatric Gastroenterology and Nutrition, 2008, 11, 65.	0.2	0
336	Premalignant Hepatocellular Lesions. , 2011, , 457-472.		0
337	Mixed Hepatobiliary Carcinoma. , 2011, , 513-519.		0
338	A study to identify incidence of ROS1 rearrangement in lung adenocarcinoma, cholangiocarcinoma and glioblastoma multiforme.. Journal of Clinical Oncology, 2015, 33, e22203-e22203.	0.8	0
339	Response to Comment on "Subclassification of Microscopic Vascular Invasion in Hepatocellular Carcinoma" Annals of Surgery, 2021, 274, e748.	2.1	0
340	Lymphoepithelial Cyst of the Pancreas: A Case Report. Journal of the Korean Radiological Society, 2005, 53, 431.	0.0	0
341	The dual role of transforming growth factor-beta signatures in human B viral multistep hepatocarcinogenesis: early and late responsive genes. Journal of Liver Cancer, 0, , .	0.3	0