

Young Nyun Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7351900/young-nyun-park-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

336
papers

13,260
citations

63
h-index

101
g-index

354
ext. papers

15,159
ext. citations

5.3
avg, IF

6.13
L-index

#	Paper	IF	Citations
336	Nomenclature of the finer branches of the biliary tree: canals, ductules, and ductular reactions in human livers. <i>Hepatology</i> , 2004 , 39, 1739-45	11.2	563
335	Whole-Genome and Epigenomic Landscapes of Etiologically Distinct Subtypes of Cholangiocarcinoma. <i>Cancer Discovery</i> , 2017 , 7, 1116-1135	24.4	368
334	Sestrins activate Nrf2 by promoting p62-dependent autophagic degradation of Keap1 and prevent oxidative liver damage. <i>Cell Metabolism</i> , 2013 , 17, 73-84	24.6	334
333	Diagnostic value of HSP70, glypican 3, and glutamine synthetase in hepatocellular nodules in cirrhosis. <i>Hepatology</i> , 2007 , 45, 725-34	11.2	318
332	Epigenetic changes induced by reactive oxygen species in hepatocellular carcinoma: methylation of the E-cadherin promoter. <i>Gastroenterology</i> , 2008 , 135, 2128-40, 2140.e1-8	13.3	294
331	Risk assessment of hepatitis B virus-related hepatocellular carcinoma development using liver stiffness measurement (FibroScan). <i>Hepatology</i> , 2011 , 53, 885-94	11.2	285
330	Varying appearances of cholangiocarcinoma: radiologic-pathologic correlation. <i>Radiographics</i> , 2009 , 29, 683-700	5.4	285
329	Human hepatocellular carcinomas with "Stemness"-related marker expression: keratin 19 expression and a poor prognosis. <i>Hepatology</i> , 2011 , 54, 1707-17	11.2	248
328	Neoangiogenesis and sinusoidal "capillarization" in dysplastic nodules of the liver. <i>American Journal of Surgical Pathology</i> , 1998 , 22, 656-62	6.7	236
327	Gene expression signature-based prognostic risk score in gastric cancer. <i>Clinical Cancer Research</i> , 2011 , 17, 1850-7	12.9	232
326	The application of markers (HSP70 GPC3 and GS) in liver biopsies is useful for detection of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2009 , 50, 746-54	13.4	228
325	Increased expression of vascular endothelial growth factor and angiogenesis in the early stage of multistep hepatocarcinogenesis. <i>Archives of Pathology and Laboratory Medicine</i> , 2000 , 124, 1061-5	5	205
324	Primary liver carcinoma of intermediate (hepatocyte-cholangiocyte) phenotype. <i>Journal of Hepatology</i> , 2004 , 40, 298-304	13.4	183
323	Targeted chemo-photothermal treatments of rheumatoid arthritis using gold half-shell multifunctional nanoparticles. <i>ACS Nano</i> , 2013 , 7, 50-7	16.7	181
322	Validation of FIB-4 and comparison with other simple noninvasive indices for predicting liver fibrosis and cirrhosis in hepatitis B virus-infected patients. <i>Liver International</i> , 2010 , 30, 546-53	7.9	167
321	CHCC-CCA: Consensus terminology for primary liver carcinomas with both hepatocytic and cholangiocytic differentiation. <i>Hepatology</i> , 2018 , 68, 113-126	11.2	164
320	Long-term clinical and histological outcomes in patients with spontaneous hepatitis B surface antigen seroclearance. <i>Journal of Hepatology</i> , 2005 , 42, 188-94	13.4	151

3 ¹⁹	DNA methyltransferase expression and DNA methylation in human hepatocellular carcinoma and their clinicopathological correlation. <i>International Journal of Molecular Medicine</i> , 2007 , 20, 65-73	4.4	137
3 ¹⁸	Aberrant CpG island hypermethylation in dysplastic nodules and early HCC of hepatitis B virus-related human multistep hepatocarcinogenesis. <i>Journal of Hepatology</i> , 2011 , 54, 939-47	13.4	134
3 ¹⁷	Epithelial cell adhesion molecule (EpCAM) marks hepatocytes newly derived from stem/progenitor cells in humans. <i>Hepatology</i> , 2011 , 53, 964-73	11.2	131
3 ¹⁶	Application of a new histological staging and grading system for primary biliary cirrhosis to liver biopsy specimens: Interobserver agreement. <i>Pathology International</i> , 2010 , 60, 167-74	1.8	128
3 ¹⁵	Up-regulation of telomere-binding proteins, TRF1, TRF2, and TIN2 is related to telomere shortening during human multistep hepatocarcinogenesis. <i>American Journal of Pathology</i> , 2005 , 166, 73-80	5.8	121
3 ¹⁴	Telomere shortening and inactivation of cell cycle checkpoints characterize human hepatocarcinogenesis. <i>Hepatology</i> , 2007 , 45, 968-76	11.2	120
3 ¹³	Can microvessel invasion of hepatocellular carcinoma be predicted by pre-operative MRI?. <i>European Radiology</i> , 2009 , 19, 1744-51	8	118
3 ¹²	Usefulness of FibroScan for detection of early compensated liver cirrhosis in chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1758-63	4	115
3 ¹¹	Update on precursor and early lesions of hepatocellular carcinomas. <i>Archives of Pathology and Laboratory Medicine</i> , 2011 , 135, 704-15	5	114
3 ¹⁰	Controlled attenuation parameter (CAP) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. <i>Liver International</i> , 2014 , 34, 102-9	7.9	113
3 ⁰⁹	Immunohistochemical evidence for hepatic progenitor cells in liver diseases. <i>Liver</i> , 2002 , 22, 365-73		106
3 ⁰⁸	The Laennec staging system for histological sub-classification of cirrhosis is useful for stratification of prognosis in patients with liver cirrhosis. <i>Journal of Hepatology</i> , 2012 , 57, 556-63	13.4	101
3 ⁰⁷	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. <i>Hepatology</i> , 2015 , 61, 1851-9	11.2	100
3 ⁰⁶	Ductular reaction is helpful in defining early stromal invasion, small hepatocellular carcinomas, and dysplastic nodules. <i>Cancer</i> , 2007 , 109, 915-23	6.4	97
3 ⁰⁵	A fibrous stromal component in hepatocellular carcinoma reveals a cholangiocarcinoma-like gene expression trait and epithelial-mesenchymal transition. <i>Hepatology</i> , 2012 , 55, 1776-86	11.2	95
3 ⁰⁴	Hepatic precancerous lesions and small hepatocellular carcinoma. <i>Gastroenterology Clinics of North America</i> , 2007 , 36, 867-87, vii	4.4	94
3 ⁰³	Prediction of microvascular invasion before curative resection of hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2008 , 97, 246-52	2.8	94
3 ⁰²	Proposal of histological criteria for intraepithelial atypical/proliferative biliary epithelial lesions of the bile duct in hepatolithiasis with respect to cholangiocarcinoma: preliminary report based on interobserver agreement. <i>Pathology International</i> , 2005 , 55, 180-8	1.8	92

301	Single Hepatocellular Carcinoma: Preoperative MR Imaging to Predict Early Recurrence after Curative Resection. <i>Radiology</i> , 2015 , 276, 433-43	20.5	91
300	Sixty-five gene-based risk score classifier predicts overall survival in hepatocellular carcinoma. <i>Hepatology</i> , 2012 , 55, 1443-52	11.2	88
299	How can we enhance the performance of liver stiffness measurement using FibroScan in diagnosing liver cirrhosis in patients with chronic hepatitis B?. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 66-71	3	88
298	Biliary atresia: color doppler US findings in neonates and infants. <i>Radiology</i> , 2009 , 252, 282-9	20.5	86
297	Accuracy of gadoxetic acid-enhanced magnetic resonance imaging for the diagnosis of sinusoidal obstruction syndrome in patients with chemotherapy-treated colorectal liver metastases. <i>European Radiology</i> , 2012 , 22, 864-71	8	85
296	Multifunctional nanoparticles for targeted chemophothermal treatment of cancer cells. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 7581-6	16.4	83
295	Noninvasive models to predict liver cirrhosis in patients with chronic hepatitis B. <i>Liver International</i> , 2007 , 27, 969-76	7.9	80
294	Yes-associated protein 1 and transcriptional coactivator with PDZ-binding motif activate the mammalian target of rapamycin complex 1 pathway by regulating amino acid transporters in hepatocellular carcinoma. <i>Hepatology</i> , 2016 , 63, 159-72	11.2	80
293	Effects and regulation of osteopontin in rat hepatic stellate cells. <i>Biochemical Pharmacology</i> , 2004 , 68, 2367-78	6	78
292	Dysplastic nodules and hepatocarcinogenesis. <i>Clinics in Liver Disease</i> , 2002 , 6, 497-512	4.6	78
291	Outcome after curative resection for a huge (≥ 10 cm) hepatocellular carcinoma and prognostic significance of gross tumor classification. <i>American Journal of Surgery</i> , 2009 , 198, 693-701	2.7	77
290	MicroRNA profiling of hepatocarcinogenesis identifies C19MC cluster as a novel prognostic biomarker in hepatocellular carcinoma. <i>Liver International</i> , 2012 , 32, 772-82	7.9	76
289	Prediction of liver-related events using fibroscan in chronic hepatitis B patients showing advanced liver fibrosis. <i>PLoS ONE</i> , 2012 , 7, e36676	3.7	76
288	High telomerase activity and long telomeres in advanced hepatocellular carcinomas with poor prognosis. <i>Laboratory Investigation</i> , 2008 , 88, 144-52	5.9	75
287	Genomic predictors for recurrence patterns of hepatocellular carcinoma: model derivation and validation. <i>PLoS Medicine</i> , 2014 , 11, e1001770	11.6	73
286	H-Ras is degraded by Wnt/beta-catenin signaling via beta-TrCP-mediated polyubiquitylation. <i>Journal of Cell Science</i> , 2009 , 122, 842-8	5.3	72
285	Autologous bone marrow infusion activates the progenitor cell compartment in patients with advanced liver cirrhosis. <i>Cell Transplantation</i> , 2010 , 19, 1237-46	4	71
284	Different glucose uptake and glycolytic mechanisms between hepatocellular carcinoma and intrahepatic mass-forming cholangiocarcinoma with increased (18 F)-FDG uptake. <i>Journal of Nuclear Medicine</i> , 2005 , 46, 1753-9	8.9	70

283	A small molecule inhibitor of ATPase activity of HSP70 induces apoptosis and has antitumor activities. <i>Chemistry and Biology</i> , 2015 , 22, 391-403		69
282	Clinical features and treatment outcomes of advanced stage primary hepatic angiosarcoma. <i>Annals of Oncology</i> , 2009 , 20, 780-7	10.3	68
281	The clinicopathologic significance of the expression of vascular endothelial growth factor-C in intrahepatic cholangiocarcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006 , 29, 138-42	2.7	67
280	Analysis of gene expression profiles of hepatocellular carcinomas with regard to 18F-fluorodeoxyglucose uptake pattern on positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004 , 31, 1621-30	8.8	67
279	Biliary atresia in neonates and infants: triangular area of high signal intensity in the porta hepatis at T2-weighted MR cholangiography with US and histopathologic correlation. <i>Radiology</i> , 2000 , 215, 395-401 ^{20.5}		67
278	Long-term outcome of chronic hepatitis B based on histological grade and stage. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 383-8	4	66
277	New liver cancer biomarkers: PI3K/AKT/mTOR pathway members and eukaryotic translation initiation factors. <i>European Journal of Cancer</i> , 2017 , 83, 56-70	7.5	64
276	Differentiation of hepatic hyperintense lesions seen on gadoxetic acid-enhanced hepatobiliary phase MRI. <i>American Journal of Roentgenology</i> , 2011 , 197, W44-52	5.4	64
275	Sequential transcriptome analysis of human liver cancer indicates late stage acquisition of malignant traits. <i>Journal of Hepatology</i> , 2014 , 60, 346-353	13.4	63
274	Liver stiffness measurement in combination with noninvasive markers for the improved diagnosis of B-viral liver cirrhosis. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 267-71	3	63
273	Telomere shortening and telomerase reactivation in dysplastic nodules of human hepatocarcinogenesis. <i>Journal of Hepatology</i> , 2003 , 39, 786-92	13.4	62
272	High prevalence of significant histology in asymptomatic chronic hepatitis B patients with genotype C and high serum HBV DNA levels. <i>Journal of Viral Hepatitis</i> , 2008 , 15, 615-21	3.4	61
271	Accuracy in differentiation of mucinous and nonmucinous rectal carcinoma on MR imaging. <i>Journal of Computer Assisted Tomography</i> , 2003 , 27, 48-55	2.2	61
270	Prospective validation of ELF test in comparison with Fibroscan and FibroTest to predict liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , 2012 , 7, e41964	3.7	59
269	Axin inhibits extracellular signal-regulated kinase pathway by Ras degradation via beta-catenin. <i>Journal of Biological Chemistry</i> , 2007 , 282, 14482-92	5.4	58
268	Histopathological classification of hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2010 , 42 Suppl 3, S228-34	3.3	56
267	Large liver cell change in hepatitis B virus-related liver cirrhosis. <i>Hepatology</i> , 2009 , 50, 752-62	11.2	56
266	Prediction of recurrence after curative resection of hepatocellular carcinoma using liver stiffness measurement (FibroScan®). <i>Annals of Surgical Oncology</i> , 2012 , 19, 4278-86	3.1	54

265	Gadoxetate disodium-enhanced MRI of mass-forming intrahepatic cholangiocarcinomas: imaging-histologic correlation. <i>American Journal of Roentgenology</i> , 2013 , 201, W603-11	5.4	53
264	Hyperintense HCC on hepatobiliary phase images of gadoxetic acid-enhanced MRI: correlation with clinical and pathological features. <i>European Journal of Radiology</i> , 2012 , 81, 3877-82	4.7	52
263	Solitary fibrous tumour of the thyroid. <i>Histopathology</i> , 1997 , 30, 365-8	7.3	51
262	Apoptosis and proliferation in hepatocarcinogenesis related to cirrhosis. <i>Cancer</i> , 2001 , 92, 2733-8	6.4	51
261	Telomere length, TERT and shelterin complex proteins in hepatocellular carcinomas expressing "stemness"-related markers. <i>Journal of Hepatology</i> , 2013 , 59, 746-52	13.4	50
260	Gadoxetate disodium-enhanced hepatobiliary phase MRI of hepatocellular carcinoma: correlation with histological characteristics. <i>American Journal of Roentgenology</i> , 2011 , 197, 399-405	5.4	50
259	Increased proliferation activities of vascular endothelial cells and tumour cells in residual hepatocellular carcinoma following transcatheter arterial embolization. <i>Histopathology</i> , 2001 , 38, 160-6	7.3	49
258	The differential imaging features of fat-containing tumors in the peritoneal cavity and retroperitoneum: the radiologic-pathologic correlation. <i>Korean Journal of Radiology</i> , 2010 , 11, 333-45	6.9	48
257	Hepatocellular carcinomas expressing stemness-related markers: clinicopathological characteristics. <i>Digestive Diseases</i> , 2014 , 32, 778-85	3.2	47
256	Large liver cell dysplasia: a controversial entity. <i>Journal of Hepatology</i> , 2006 , 45, 734-43	13.4	45
255	Predominant Activation of JAK/STAT3 Pathway by Interleukin-6 Is Implicated in Hepatocarcinogenesis. <i>Neoplasia</i> , 2015 , 17, 586-97	6.4	44
254	Prospective validation of FibroTest in comparison with liver stiffness for predicting liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , 2012 , 7, e35825	3.7	44
253	Intrahepatic cholangiocarcinoma with predominant "ductal plate malformation" pattern: a new subtype. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1629-35	6.7	44
252	Vessels Encapsulating Tumor Clusters (VETC) Is a Powerful Predictor of Aggressive Hepatocellular Carcinoma. <i>Hepatology</i> , 2020 , 71, 183-195	11.2	44
251	Discordance between liver biopsy and Fibroscan in assessing liver fibrosis in chronic hepatitis b: risk factors and influence of necroinflammation. <i>PLoS ONE</i> , 2012 , 7, e32233	3.7	43
250	Advanced precancerous lesions in the liver. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2013 , 27, 269-84	2.5	42
249	Invasion and EMT-associated genes are up-regulated in B viral hepatocellular carcinoma with high expression of CD133-human and cell culture study. <i>Experimental and Molecular Pathology</i> , 2011 , 90, 66-73	4.4	42
248	Staging of extrahepatic cholangiocarcinoma. <i>European Radiology</i> , 2008 , 18, 2182-95	8	42

247	Prognostic significance of the worst grade in hepatocellular carcinoma with heterogeneous histologic grades of differentiation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1384-90	4	41
246	A comparative analysis of hepatocellular carcinoma after hepatic resection in young versus elderly patients. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 1736-43	3.3	40
245	Hepatocarcinogenesis: imaging-pathologic correlation. <i>Abdominal Imaging</i> , 2011 , 36, 232-43		40
244	Imaging features of small hepatocellular carcinomas with microvascular invasion on gadoxetic acid-enhanced MR imaging. <i>European Journal of Radiology</i> , 2012 , 81, 2507-12	4.7	39
243	Aberrant Hedgehog ligands induce progressive pancreatic fibrosis by paracrine activation of myofibroblasts and ductular cells in transgenic zebrafish. <i>PLoS ONE</i> , 2011 , 6, e27941	3.7	39
242	Chromosomal instability, telomere shortening, and inactivation of p21(WAF1/CIP1) in dysplastic nodules of hepatitis B virus-associated multistep hepatocarcinogenesis. <i>Modern Pathology</i> , 2009 , 22, 1121-31	9.8	39
241	Increased expression of Yes-associated protein 1 in hepatocellular carcinoma with stemness and combined hepatocellular-cholangiocarcinoma. <i>PLoS ONE</i> , 2013 , 8, e75449	3.7	39
240	Keratin 19 Expression in Hepatocellular Carcinoma Is Regulated by Fibroblast-Derived HGF via a MET-ERK1/2-AP1 and SP1 Axis. <i>Cancer Research</i> , 2018 , 78, 1619-1631	10.1	38
239	Notch1 differentially regulates oncogenesis by wildtype p53 overexpression and p53 mutation in grade III hepatocellular carcinoma. <i>Hepatology</i> , 2011 , 53, 1352-62	11.2	37
238	Non-invasive assessment of changes in liver fibrosis via liver stiffness measurement in patients with chronic hepatitis B: impact of antiviral treatment on fibrosis regression. <i>Hepatology International</i> , 2010 , 4, 673-80	8.8	37
237	In situ detection of hepatitis B, C, and G virus nucleic acids in human hepatocellular carcinoma tissues from different geographic regions. <i>Hepatology</i> , 1998 , 28, 568-72	11.2	37
236	Biliary cystadenoma of the liver. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 1998 , 5, 348-52		37
235	Peroxiredoxin II Is Essential for Maintaining Stemness by Redox Regulation in Liver Cancer Cells. <i>Stem Cells</i> , 2016 , 34, 1188-97	5.8	36
234	Gadoxetic acid-enhanced MRI findings of early hepatocellular carcinoma as defined by new histologic criteria. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 35, 393-8	5.6	36
233	Histological subclassification of cirrhosis can predict recurrence after curative resection of hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 1008-17	7.9	35
232	Transarterial Therapies for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2016 , 6, 27-33	9.1	34
231	Hepatocellular carcinoma variants: radiologic-pathologic correlation. <i>American Journal of Roentgenology</i> , 2009 , 193, W7-13	5.4	34
230	Added value of smooth hypointense rim in the hepatobiliary phase of gadoxetic acid-enhanced MRI in identifying tumour capsule and diagnosing hepatocellular carcinoma. <i>European Radiology</i> , 2017 , 27, 2610-2618	8	33

229	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. <i>Hepatology</i> , 2014 , 60, 1911-9	11.2	33
228	The usefulness of liver stiffness measurement using FibroScan in chronic hepatitis C in South Korea: a multicenter, prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 171-8 ⁴		33
227	Predictive factors for long-term survival in patients with clinically significant portal hypertension following resection of hepatocellular carcinoma. <i>Liver International</i> , 2011 , 31, 485-93	7.9	33
226	Focal eosinophilic infiltration of the liver: a mimick of hepatic metastasis. <i>Abdominal Imaging</i> , 1999 , 24, 369-72		33
225	Regulation of HK2 expression through alterations in CpG methylation of the HK2 promoter during progression of hepatocellular carcinoma. <i>Oncotarget</i> , 2016 , 7, 41798-41810	3.3	32
224	Interaction of hepatitis B virus X protein with PARP1 results in inhibition of DNA repair in hepatocellular carcinoma. <i>Oncogene</i> , 2016 , 35, 5435-5445	9.2	32
223	RASSF1A-mediated regulation of AREG via the Hippo pathway in hepatocellular carcinoma. <i>Molecular Cancer Research</i> , 2013 , 11, 748-58	6.6	31
222	Transient elastography and sonography for prediction of liver fibrosis in infants with biliary atresia. <i>Journal of Ultrasound in Medicine</i> , 2014 , 33, 853-64	2.9	30
221	Mesenchymal hamartomas of the liver: comparison of clinicopathologic features between cystic and solid forms. <i>Journal of Korean Medical Science</i> , 2006 , 21, 63-8	4.7	30
220	Apoptosis of hepatic stellate cells in carbon tetrachloride induced acute liver injury of the rat: analysis of isolated hepatic stellate cells. <i>Journal of Hepatology</i> , 2003 , 39, 960-6	13.4	30
219	Factors affecting the accuracy of controlled attenuation parameter (CAP) in assessing hepatic steatosis in patients with chronic liver disease. <i>PLoS ONE</i> , 2014 , 9, e98689	3.7	30
218	A novel liver stiffness measurement-based prediction model for cirrhosis in hepatitis B patients. <i>Liver International</i> , 2010 , 30, 1073-81	7.9	29
217	Intrahepatic mass-forming cholangiocarcinoma: prognostic value of preoperative gadoxetic acid-enhanced MRI. <i>European Radiology</i> , 2016 , 26, 407-16	8	28
216	Increased expression of CCN2, epithelial membrane antigen, and fibroblast activation protein in hepatocellular carcinoma with fibrous stroma showing aggressive behavior. <i>PLoS ONE</i> , 2014 , 9, e105094 ^{3.7}		28
215	Expression of transforming growth factor-beta1 and transforming growth factor-beta receptors in hepatocellular carcinoma and dysplastic nodules. <i>Modern Pathology</i> , 2003 , 16, 86-96	9.8	28
214	Electro-hyperthermia inhibits glioma tumorigenicity through the induction of E2F1-mediated apoptosis. <i>International Journal of Hyperthermia</i> , 2015 , 31, 784-92	3.7	27
213	Hepatocellular Carcinoma with Irregular Rim-Like Arterial Phase Hyperenhancement: More Aggressive Pathologic Features. <i>Liver Cancer</i> , 2019 , 8, 24-40	9.1	27
212	Clinical significance of p16 protein expression loss and aberrant p53 protein expression in pancreatic cancer. <i>Yonsei Medical Journal</i> , 2005 , 46, 519-25	3	27

211	Cytoplasmic expression of hepatitis B core antigen in chronic hepatitis B virus infection: role of precore stop mutants. <i>Liver International</i> , 1999 , 19, 199-205	7.9	27
210	Gallbladder adenomyomatosis: findings on MRI. <i>Abdominal Imaging</i> , 1999 , 24, 410-3		27
209	Tailgut cyst: multilocular cystic appearance on MRI. <i>Journal of Computer Assisted Tomography</i> , 1997 , 21, 731-2	2.2	27
208	Data set for the reporting of intrahepatic cholangiocarcinoma, perihilar cholangiocarcinoma and hepatocellular carcinoma: recommendations from the International Collaboration on Cancer Reporting (ICCR). <i>Histopathology</i> , 2018 , 73, 369-385	7.3	26
207	Transcriptomic and histopathological analysis of cholangiolocellular differentiation trait in intrahepatic cholangiocarcinoma. <i>Liver International</i> , 2018 , 38, 113-124	7.9	26
206	Poor outcome of hepatocellular carcinoma with stemness marker under hypoxia: resistance to transarterial chemoembolization. <i>Modern Pathology</i> , 2016 , 29, 1038-49	9.8	26
205	MRI features of hepatocellular carcinoma expressing progenitor cell markers. <i>Liver International</i> , 2012 , 32, 430-40	7.9	26
204	Serum markers for necroinflammatory activity in patients with chronic viral hepatitis and normal or mildly elevated aminotransferase levels. <i>Liver International</i> , 2011 , 31, 1352-8	7.9	26
203	Hepatic splenosis preoperatively diagnosed as hepatocellular carcinoma in a patient with chronic hepatitis B: a case report. <i>Journal of Korean Medical Science</i> , 2008 , 23, 336-41	4.7	26
202	Expression of matrix metalloproteinase-2 and -9 and tissue inhibitor of metalloproteinase-1 and -2 in intraductal and nonintraductal growth type of cholangiocarcinoma. <i>American Journal of Gastroenterology</i> , 2004 , 99, 68-75	0.7	26
201	Histological characteristics of small hepatocellular carcinomas showing atypical enhancement patterns on gadoxetic acid-enhanced MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 37, 1384-91	5.6	25
200	Predictive value of liver cell dysplasia for development of hepatocellular carcinoma in patients with chronic hepatitis B. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42, 738-43	3	25
199	Quantitative assessment of hTERT mRNA expression in dysplastic nodules of HBV-related hepatocarcinogenesis. <i>American Journal of Gastroenterology</i> , 2006 , 101, 831-8	0.7	25
198	Living Donor Liver Transplantation for Advanced Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis after Concurrent Chemoradiation Therapy. <i>Yonsei Medical Journal</i> , 2016 , 57, 1276-81	3	25
197	Combined treatment with zingerone and its novel derivative synergistically inhibits TGF- β induced epithelial-mesenchymal transition, migration and invasion of human hepatocellular carcinoma cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 1081-1088	2.9	24
196	Early on-treatment change in liver stiffness predicts development of liver-related events in chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2013 , 33, 180-9	7.9	24
195	Chromosomal imbalances in Korean intrahepatic cholangiocarcinoma by comparative genomic hybridization. <i>Cancer Genetics and Cytogenetics</i> , 2005 , 157, 37-41		24
194	Use of Wisteria Floribunda Agglutinin-Positive Human Mac-2 Binding Protein in Assessing Risk of Hepatocellular Carcinoma Due to Hepatitis B Virus. <i>Medicine (United States)</i> , 2016 , 95, e3328	1.8	24

193	Hepatic stellate cell activation in dysplastic nodules: evidence for an alternate hypothesis concerning human hepatocarcinogenesis. <i>Liver</i> , 1997 , 17, 271-4		23
192	Large liver cell dysplasia in hepatitis B virus x transgenic mouse liver and human chronic hepatitis B virus-infected liver. <i>Intervirolgy</i> , 2005 , 48, 16-22	2.5	23
191	IMP2/IGF2BP2 expression, but not IMP1 and IMP3, predicts poor outcome in patients and high tumor growth rate in xenograft models of gallbladder cancer. <i>Oncotarget</i> , 2017 , 8, 89736-89745	3.3	23
190	The mitochondrial hinge protein, UQCRH, is a novel prognostic factor for hepatocellular carcinoma. <i>Cancer Medicine</i> , 2017 , 6, 749-760	4.8	22
189	Increased Expression of Circulating Cancer Stem Cell Markers During the Perioperative Period Predicts Early Recurrence After Curative Resection of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S1444-52	3.1	22
188	Red cell volume distribution width-to-platelet ratio in assessment of liver fibrosis in patients with chronic hepatitis B. <i>Liver International</i> , 2016 , 36, 24-30	7.9	22
187	Frequent changes in subtelomeric DNA methylation patterns and its relevance to telomere regulation during human hepatocarcinogenesis. <i>International Journal of Cancer</i> , 2011 , 128, 857-68	7.5	22
186	Intraductal ultrasonography combined with percutaneous transhepatic cholangioscopy for the preoperative evaluation of longitudinal tumor extent in hilar cholangiocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 286-92	4	22
185	Preoperative radiologic and postoperative pathologic risk factors for early intra-hepatic recurrence in hepatocellular carcinoma patients who underwent curative resection. <i>Yonsei Medical Journal</i> , 2009 , 50, 789-95	3	22
184	The efficacy of hepatic resection after neoadjuvant transarterial chemoembolization (TACE) and radiation therapy in hepatocellular carcinoma greater than 5 cm in size. <i>Journal of Korean Medical Science</i> , 2009 , 24, 242-7	4.7	22
183	Human PinX1 mediates TRF1 accumulation in nucleolus and enhances TRF1 binding to telomeres. <i>Journal of Molecular Biology</i> , 2009 , 388, 928-40	6.5	22
182	Histogram analysis of gadoxetic acid-enhanced MRI for quantitative hepatic fibrosis measurement. <i>PLoS ONE</i> , 2014 , 9, e114224	3.7	22
181	Dynamics of Genomic, Epigenomic, and Transcriptomic Aberrations during Stepwise Hepatocarcinogenesis. <i>Cancer Research</i> , 2019 , 79, 5500-5512	10.1	21
180	Hepatocellular carcinoma during pregnancy: is hepatocellular carcinoma more aggressive in pregnant patients?. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011 , 18, 422-31	2.8	21
179	Clonality of large regenerative nodules in liver cirrhosis. <i>Liver</i> , 1997 , 17, 251-6		21
178	Tumor stroma with senescence-associated secretory phenotype in steatohepatic hepatocellular carcinoma. <i>PLoS ONE</i> , 2017 , 12, e0171922	3.7	21
177	Tumour epithelial and stromal characteristics of hepatocellular carcinomas with abundant fibrous stroma: fibrolamellar versus scirrhous hepatocellular carcinoma. <i>Histopathology</i> , 2017 , 71, 217-226	7.3	20
176	Hepatic progenitor cells in liver cancers from Asian children. <i>Liver International</i> , 2010 , 30, 102-11	7.9	20

175	Ectopic Cushing β syndrome due to concurrent corticotropin-releasing hormone (CRH) and adrenocorticotrophic hormone (ACTH) secreted by malignant gastrinoma. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2007 , 115, 13-6	2.3	20
174	Expression of biliary antigen and its clinical significance in hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 1999 , 40, 472-7	3	20
173	SALL4 Expression in Hepatocellular Carcinomas Is Associated with EpCAM-Positivity and a Poor Prognosis. <i>Journal of Pathology and Translational Medicine</i> , 2015 , 49, 373-81	2.9	20
172	Gene expression profiling of human hepatoblastoma using archived formalin-fixed and paraffin-embedded tissues. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011 , 458, 453-65	5.1	19
171	Villous adenoma of the bile ducts: a case report and a review of the reported cases in Korea. <i>Yonsei Medical Journal</i> , 1999 , 40, 84-9	3	19
170	Liver stiffness value-based risk estimation of late recurrence after curative resection of hepatocellular carcinoma: development and validation of a predictive model. <i>PLoS ONE</i> , 2014 , 9, e99167 ³⁻⁷		18
169	Genetic alterations in intrahepatic cholangiocarcinoma as revealed by degenerate oligonucleotide primed PCR-comparative genomic hybridization. <i>Journal of Korean Medical Science</i> , 2004 , 19, 682-7	4.7	18
168	Alternative usages of multiple promoters of the acetyl-CoA carboxylase beta gene are related to differential transcriptional regulation in human and rodent tissues. <i>Journal of Biological Chemistry</i> , 2005 , 280, 5909-16	5.4	18
167	Teratoid hepatoblastoma: multidirectional differentiation of stem cell of the liver. <i>Yonsei Medical Journal</i> , 2001 , 42, 431-5	3	18
166	Role of biopsy sampling for diagnosis of early and progressed hepatocellular carcinoma. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2014 , 28, 813-29	2.5	17
165	Caspase-cleaved fragments of cytokeratin-18 as a marker of inflammatory activity in chronic hepatitis B virus infection. <i>Journal of Clinical Virology</i> , 2013 , 58, 641-6	14.5	17
164	Risk assessment of development of hepatic decompensation in histologically proven hepatitis B viral cirrhosis using liver stiffness measurement. <i>Digestion</i> , 2012 , 85, 219-27	3.6	17
163	Colorectal mucinous carcinoma: findings on MRI. <i>Journal of Computer Assisted Tomography</i> , 1999 , 23, 291-6	2.2	17
162	Evidence for continuity of interstitial spaces across tissue and organ boundaries in humans. <i>Communications Biology</i> , 2021 , 4, 436	6.7	17
161	Expression of Smad7 in hepatocellular carcinoma and dysplastic nodules: resistance mechanism to transforming growth factor-beta. <i>Hepato-Gastroenterology</i> , 2004 , 51, 396-400		17
160	WDR76 is a RAS binding protein that functions as a tumor suppressor via RAS degradation. <i>Nature Communications</i> , 2019 , 10, 295	17.4	16
159	Multifunctional Nanoparticles for Targeted Chemophotothermal Treatment of Cancer Cells. <i>Angewandte Chemie</i> , 2011 , 123, 7723-7728	3.6	16
158	Mangafodipir trisodium-enhanced MRI of hepatocellular carcinoma: correlation with histological characteristics. <i>Clinical Radiology</i> , 2008 , 63, 1195-204	2.9	16

157	Nephroblastoma overexpressed gene (NOV) expression in rat hepatic stellate cells. <i>Biochemical Pharmacology</i> , 2004 , 68, 1391-400	6	16
156	Increased expression of stemness markers and altered tumor stroma in hepatocellular carcinoma under TACE-induced hypoxia: A biopsy and resection matched study. <i>Oncotarget</i> , 2017 , 8, 99359-99371	3.3	16
155	Serum hepatitis C virus RNA levels and histologic findings in liver allografts with early recurrent hepatitis C. <i>Archives of Pathology and Laboratory Medicine</i> , 2000 , 124, 1623-7	5	16
154	Concurrent chemoradiotherapy shows long-term survival after conversion from locally advanced to resectable hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 1489-97	3	15
153	Tudor domain-containing protein 4 as a potential cancer/testis antigen in liver cancer. <i>Tohoku Journal of Experimental Medicine</i> , 2011 , 224, 41-6	2.4	15
152	Rhabdoid cholangiocarcinoma: a variant of cholangiocarcinoma with aggressive behavior. <i>Yonsei Medical Journal</i> , 2004 , 45, 543-6	3	15
151	Inflammatory pseudotumor of the liver treated by hepatic resection: a case report. <i>Yonsei Medical Journal</i> , 2006 , 47, 140-3	3	15
150	Sarcomatoid cholangiocarcinoma with osteoclast-like giant cells associated with hepatolithiasis: A case report. <i>Clinical and Molecular Hepatology</i> , 2015 , 21, 309-13	6.9	15
149	Rare Incidence of Rearrangement in Cholangiocarcinoma. <i>Cancer Research and Treatment</i> , 2017 , 49, 185-192	3.2	15
148	Glioblastomas harboring gene fusions detected by next-generation sequencing. <i>Brain Tumor Pathology</i> , 2020 , 37, 136-144	3.2	15
147	Gadoxetic acid-enhanced MRI of macrotrabecular-massive hepatocellular carcinoma and its prognostic implications. <i>Journal of Hepatology</i> , 2021 , 74, 109-121	13.4	15
146	PinX1, a telomere repeat-binding factor 1 (TRF1)-interacting protein, maintains telomere integrity by modulating TRF1 homeostasis, the process in which human telomerase reverse Transcriptase (hTERT) plays dual roles. <i>Journal of Biological Chemistry</i> , 2014 , 289, 6886-6898	5.4	14
145	Can preoperative diffusion-weighted MRI predict postoperative hepatic insufficiency after curative resection of HBV-related hepatocellular carcinoma? A pilot study. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 802-11	3.3	14
144	Behavior of isolated rat oval cells in porous collagen scaffold. <i>Tissue Engineering</i> , 2003 , 9, 411-20		14
143	A case with sarcomatoid hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 1998 , 39, 390-4	3	14
142	Histopathological Variants of Hepatocellular Carcinomas: an Update According to the 5th Edition of the WHO Classification of Digestive System Tumors. <i>Journal of Liver Cancer</i> , 2020 , 20, 17-24	0.7	14
141	Effect of cetrorelix acetate on apoptosis and apoptosis regulatory factors in cultured uterine leiomyoma cells. <i>Fertility and Sterility</i> , 2005 , 84, 1526-8	4.8	13
140	Autoimmune pancreatitis with effective steroid therapy. <i>Yonsei Medical Journal</i> , 2003 , 44, 534-8	3	13

139	Hepatic resection of metastatic tumor from serous cystadenocarcinoma of the ovary. <i>Journal of Korean Medical Science</i> , 2002 , 17, 415-8	4.7	13
138	Lethal hepatic injury by combined treatment of radiation plus chemotherapy in rats with thioacetamide-induced liver cirrhosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 57, 282-8	4	13
137	Increased Expression of the Matrix-Modifying Enzyme Lysyl Oxidase-Like 2 in Aggressive Hepatocellular Carcinoma with Poor Prognosis. <i>Gut and Liver</i> , 2019 , 13, 83-92	4.8	13
136	Combined effects of an antioxidant and caspase inhibitor on the reversal of hepatic fibrosis in rats. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2013 , 18, 1481-91	5.4	12
135	Identification of proteins indicating radiation-induced hepatic toxicity in cirrhotic rats. <i>Journal of Radiation Research</i> , 2010 , 51, 643-50	2.4	12
134	EBV-elicited familial hemophagocytic lymphohistiocytosis. <i>Yonsei Medical Journal</i> , 1997 , 38, 245-8	3	12
133	Transduodenal local resection for low-risk group ampulla of Vater carcinoma. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2007 , 17, 737-42	2.1	12
132	Telomerase regulation and progressive telomere shortening of rat hepatic stem-like epithelial cells during in vitro aging. <i>Experimental Cell Research</i> , 2004 , 298, 445-54	4.2	12
131	Gross type of hepatocellular carcinoma reflects the tumor hypoxia, fibrosis, and stemness-related marker expression. <i>Hepatology International</i> , 2020 , 14, 239-248	8.8	11
130	How many valid measurements are necessary to assess liver fibrosis using FibroScan [®] in patients with chronic viral hepatitis? An analysis of subjects with at least 10 valid measurements. <i>Yonsei Medical Journal</i> , 2012 , 53, 337-45	3	11
129	Primary carcinoid tumor of the testis: immunohistochemical, ultrastructural and DNA flow cytometric study of two cases. <i>Journal of Korean Medical Science</i> , 1999 , 14, 57-62	4.7	11
128	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 33-44	6.9	11
127	Living Donor Liver Transplantation in a Korean Child with Glycogen Storage Disease Type IV and a GBE1 Mutation. <i>Gut and Liver</i> , 2009 , 3, 60-3	4.8	11
126	Cutaneous metastasis from cholangiocarcinoma as the first clinical sign: a report of two cases. <i>Gut and Liver</i> , 2011 , 5, 100-4	4.8	11
125	Predicting Liver-Related Events Using Transient Elastography in Chronic Hepatitis C Patients with Sustained Virological Response. <i>Gut and Liver</i> , 2016 , 10, 429-36	4.8	11
124	Updates in the diagnosis of combined hepatocellular-cholangiocarcinoma. <i>Human Pathology</i> , 2020 , 96, 48-55	3.7	11
123	Molecular analysis of PinX1 in human hepatocellular carcinoma. <i>Oncology Reports</i> , 2004 , 12, 861-6	3.5	11
122	Caroli β syndrome with autosomal recessive polycystic kidney disease in a two month old infant. <i>Yonsei Medical Journal</i> , 2006 , 47, 131-4	3	10

121	Increased expression of O-acetyl disialoganglioside synthase during rat liver fibrogenesis relates to stellate cell activation. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 303, 954-61	3.4	10
120	A case of embryonal sarcoma of the liver mimicking a hydatid cyst in an adult. <i>Gut and Liver</i> , 2010 , 4, 245-48	4.8	10
119	Intraductal papillary neoplasm of the bile duct: Assessment of invasive carcinoma and long-term outcomes using MRI. <i>Journal of Hepatology</i> , 2019 , 70, 692-699	13.4	10
118	Eukaryotic translation initiation factor 6 overexpression plays a major role in the translational control of gallbladder cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 2699-2711	4.9	9
117	Optimal lexicon of gadoxetic acid-enhanced magnetic resonance imaging for the diagnosis of hepatocellular carcinoma modified from LI-RADS. <i>Abdominal Radiology</i> , 2019 , 44, 3078-3088	3	9
116	Recapitulation of pharmacogenomic data reveals that invalidation of SULF2 enhance sorafenib susceptibility in liver cancer. <i>Oncogene</i> , 2018 , 37, 4443-4454	9.2	9
115	Suppression of PROX1-mediated TERT expression in hepatitis B viral hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2018 , 143, 3155-3168	7.5	9
114	P16 hypermethylation predicts surgical outcome following curative resection of mid/distal bile duct cancer. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2511-7	3.1	9
113	Synchronous development of intrahepatic cholangiocarcinoma and hepatocellular carcinoma in different sites of the liver with chronic B-viral hepatitis: two case reports. <i>BMC Research Notes</i> , 2013 , 6, 520	2.3	9
112	Long-Term Follow-Up of Patients After Autologous Bone Marrow Cell Infusion for Decompensated Liver Cirrhosis. <i>Cell Transplantation</i> , 2017 , 26, 1059-1066	4	9
111	Non-invasive index for predicting significant liver fibrosis: comparison of diagnostic performances in patients with chronic hepatitis B and C. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 555-63	4	9
110	Evaluation of liver fibrosis with T2 relaxation time in infants with cholestasis: comparison with normal controls. <i>Pediatric Radiology</i> , 2011 , 41, 350-4	2.8	9
109	MRI findings of uncommon non-hepatocyte origin primary liver tumours with pathological correlation. <i>British Journal of Radiology</i> , 2010 , 83, 1080-6	3.4	9
108	Telomeric 3Poverhangs in chronic HBV-related hepatitis and hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2008 , 123, 264-272	7.5	9
107	Rat homolog of PinX1 is a nucleolar protein involved in the regulation of telomere length. <i>Gene</i> , 2007 , 400, 35-43	3.8	9
106	Total necrosis of hepatocellular carcinoma due to spontaneous occlusion of feeding artery. <i>Yonsei Medical Journal</i> , 2002 , 43, 123-7	3	9
105	Cell proliferation index and the expression of p53 and Bcl-2 in tumorous and non-tumorous lesions of hepatocellular carcinoma and metastatic liver cancer. <i>Yonsei Medical Journal</i> , 1998 , 39, 424-9	3	9
104	The efficacy of aspartate aminotransferase-to-platelet ratio index for assessing hepatic fibrosis in childhood nonalcoholic steatohepatitis for medical practice. <i>Korean Journal of Pediatrics</i> , 2013 , 56, 19-25 ^{2.4}	2.4	9

103	Budd-Chiari syndrome with multiple large regenerative nodules. <i>Clinical and Molecular Hepatology</i> , 2015 , 21, 89-94	6.9	9
102	Spontaneous rupture of hepatic metastasis from a thymoma: A case report. <i>World Journal of Gastroenterology</i> , 2016 , 22, 9860-9864	5.6	9
101	Novel sunitinib strategy in metastatic renal cell carcinoma on hemodialysis: intermittent dose of sunitinib after hemodialysis. <i>Cancer Research and Treatment</i> , 2010 , 42, 180-4	5.2	9
100	Feasibility of Preoperative FDG PET/CT Total Hepatic Glycolysis in the Remnant Liver for the Prediction of Postoperative Liver Function. <i>American Journal of Roentgenology</i> , 2017 , 208, 624-631	5.4	8
99	Transforming acidic coiled-coil-containing protein 3 (TACC3) overexpression in hepatocellular carcinomas is associated with "stemness" and epithelial-mesenchymal transition-related marker expression and a poor prognosis. <i>Tumor Biology</i> , 2016 , 37, 393-403	2.9	8
98	What is the role of diagnostic laparoscopy in a gastroenterology unit?. <i>Journal of Gastroenterology</i> , 2007 , 42, 881-6	6.9	8
97	Progressive Enrichment of Stemness Features and Tumor Stromal Alterations in Multistep Hepatocarcinogenesis. <i>PLoS ONE</i> , 2017 , 12, e0170465	3.7	8
96	Hepatogastric fistula caused by direct invasion of hepatocellular carcinoma after transarterial chemoembolization and radiotherapy. <i>The Korean Journal of Hepatology</i> , 2010 , 16, 401-4		8
95	β-Catenin activated hepatocellular adenoma: a report of three cases in Korea. <i>Gut and Liver</i> , 2014 , 8, 452-8	4.8	8
94	Subclassification of Microscopic Vascular Invasion in Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2021 , 274, e1170-e1178	7.8	8
93	Clinicopathological characteristics of intrahepatic cholangiocarcinoma according to gross morphologic type: cholangiolocellular differentiation traits and inflammation- and proliferation-phenotypes. <i>Hpb</i> , 2020 , 22, 864-873	3.8	8
92	Reappraisal of pathological features of intraductal papillary neoplasm of bile duct with respect to the type 1 and 2 subclassifications. <i>Human Pathology</i> , 2021 , 111, 21-35	3.7	8
91	A proposal of imaging classification of intrahepatic mass-forming cholangiocarcinoma into ductal and parenchymal types: clinicopathologic significance. <i>European Radiology</i> , 2019 , 29, 3111-3121	8	8
90	Pharmacologic IL-6R inhibition in cholangiocarcinoma promotes cancer cell growth and survival. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 308-321	6.9	8
89	CYP1A2 is a predictor of HCC recurrence in HCV-related chronic liver disease: A retrospective multicentric validation study. <i>Digestive and Liver Disease</i> , 2017 , 49, 434-439	3.3	7
88	Recurrence-associated pathways in hepatitis B virus-positive hepatocellular carcinoma. <i>BMC Genomics</i> , 2015 , 16, 279	4.5	7
87	Serum markers for predicting significant necroinflammatory activity in patients with chronic hepatitis B. <i>Clinical Biochemistry</i> , 2012 , 45, 1564-7	3.5	7
86	Non-alcoholic duct-destructive chronic pancreatitis: recognition before definitive treatment. <i>Yonsei Medical Journal</i> , 1999 , 40, 518-22	3	7

85	Peliosis hepatis presenting with massive hepatomegaly in a patient with idiopathic thrombocytopenic purpura. <i>Clinical and Molecular Hepatology</i> , 2015 , 21, 387-92	6.9	7
84	A case of isolated metastatic hepatocellular carcinoma arising from the pelvic bone. <i>The Korean Journal of Hepatology</i> , 2012 , 18, 89-93		7
83	Intestinal type cholangiocarcinoma of intrahepatic large bile duct associated with hepatolithiasis--a new histologic subtype for further investigation. <i>Hepato-Gastroenterology</i> , 2002 , 49, 628-30		7
82	The impact of steatosis on liver stiffness measurement in patients with chronic hepatitis B. <i>Hepato-Gastroenterology</i> , 2010 , 57, 832-8		7
81	Clinico-Radio-Pathological and Molecular Features of Hepatocellular Carcinomas with Keratin 19 Expression. <i>Liver Cancer</i> , 2020 , 9, 663-681	9.1	6
80	Efficacy and long-term follow up of combination therapy with interferon alpha and ribavirin for chronic hepatitis C in Korea. <i>Yonsei Medical Journal</i> , 2006 , 47, 793-8	3	6
79	Induction of telomerase activity during an early burst of proliferation in pancreatic regeneration. <i>Cancer Letters</i> , 2002 , 186, 93-8	9.9	6
78	A case of minute intraductal papillary mucinous tumor of the pancreas presenting with recurrent acute pancreatitis. <i>Yonsei Medical Journal</i> , 2000 , 41, 528-32	3	6
77	Sclerosing encapsulating peritonitis (abdominal cocoon) after abdominal hysterectomy. <i>Korean Journal of Internal Medicine</i> , 2007 , 22, 125-9	2.5	6
76	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2018 , 12, 190-200	4.8	6
75	Prediction of significant fibrosis in chronic hepatitis C patients with normal ALT. <i>Hepato-Gastroenterology</i> , 2011 , 58, 1321-7		6
74	Diospyros kaki leaves inhibit HGF/Met signaling-mediated EMT and stemness features in hepatocellular carcinoma. <i>Food and Chemical Toxicology</i> , 2020 , 142, 111475	4.7	5
73	Alpers-Huttenlocher Syndrome First Presented with Hepatic Failure: Can Liver Transplantation Be Considered as Treatment Option?. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2017 , 20, 259-262 ³	2.3	5
72	Solitary extrahepatic intraabdominal metastasis from hepatocellular carcinoma after liver transplantation. <i>Yonsei Medical Journal</i> , 2011 , 52, 199-203	3	5
71	External validation of P2/MS and comparison with other simple non-invasive indices for predicting liver fibrosis in HBV-infected patients. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2636-43	4	5
70	Lower gastrointestinal bleeding due to cytomegalovirus ileal ulcers in an immunocompetent man. <i>Yonsei Medical Journal</i> , 2001 , 42, 147-51	3	5
69	Molecular Characterization of Biliary Tract Cancer Predicts Chemotherapy and Programmed Death 1/Programmed Death-Ligand 1 Blockade Responses. <i>Hepatology</i> , 2021 , 74, 1914-1931	11.2	5
68	THU-453-Dissecting the landscape of (epi-)genetic alterations during sequential evolution of liver cancer. <i>Journal of Hepatology</i> , 2019 , 70, e358-e359	13.4	4

67	Clinical and survival outcomes after hepatectomy in patients with non-alcoholic fatty liver and hepatitis B-related hepatocellular carcinoma. <i>Hpb</i> , 2021 , 23, 1113-1122	3.8	4
66	Gastric subtype of intraductal papillary neoplasm of the bile duct: The pathologic spectrum. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 402-413	2.8	4
65	Radiological-pathological correlation study of hepatocellular carcinoma undergoing local chemoradiotherapy and surgery. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1619-17	4	4
64	Increased expression of stathmin and elongation factor 1 α in precancerous nodules with telomere dysfunction in hepatitis B viral cirrhotic patients. <i>Journal of Translational Medicine</i> , 2014 , 12, 154	8.5	4
63	Hepatocellular dysplasia: large and small cell changes. <i>Pathology</i> , 2014 , 46, S23	1.6	4
62	Relationship between severity of liver dysfunction and the relative ratio of liver to aortic enhancement (RE) on MRI using hepatocyte-specific contrast. <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 39, 24-30	5.6	4
61	"Vascular profiles" of regenerative and dysplastic nodules. <i>Hepatology</i> , 2000 , 31, 1380-1	11.2	4
60	Histopathological and immunohistochemical studies of polymorphic reticulosis. <i>Yonsei Medical Journal</i> , 1990 , 31, 212-8	3	4
59	A practical scoring system for predicting cirrhosis in patients with chronic viral hepatitis. <i>Hepato-Gastroenterology</i> , 2012 , 59, 2592-7		4
58	Comparison of the current guidelines for diagnosing hepatocellular carcinoma using gadoxetic acid-enhanced magnetic resonance imaging. <i>European Radiology</i> , 2021 , 31, 4492-4503	8	4
57	Lung and lymph node metastases from hepatocellular carcinoma: Comparison of pathological aspects. <i>Liver International</i> , 2021 ,	7.9	4
56	Double primary mucoepidermoid carcinoma and hepatocellular carcinoma of the liver--a case report. <i>Hepato-Gastroenterology</i> , 2003 , 50, 238-41		4
55	Less Fibrotic Burden Differently Affects the Long-Term Outcomes of Hepatocellular Carcinoma after Curative Resection. <i>Oncology</i> , 2017 , 93, 224-232	3.6	3
54	Traumatic neuroma of the right hepatic duct undertaken right hemihepatectomy. <i>ANZ Journal of Surgery</i> , 2009 , 79, 91-2	1	3
53	A case of hypervascular hyperplastic nodules in a patient with alcoholic liver cirrhosis. <i>Yonsei Medical Journal</i> , 2006 , 47, 881-6	3	3
52	Infantile myofibromatosis. <i>Yonsei Medical Journal</i> , 1989 , 30, 376-82	3	3
51	Kasai Operation for Extrahepatic Biliary Atresia - Survival and Prognostic Factors. <i>Journal of the Korean Association of Pediatric Surgeons</i> , 2006 , 12, 202		3
50	Massive hepatic necrosis with large regenerative nodules. <i>The Korean Journal of Hepatology</i> , 2010 , 16, 334-7		3

49	Predictive validation of qualitative fibrosis staging in patients with chronic hepatitis B on antiviral therapy. <i>Scientific Reports</i> , 2019 , 9, 15628	4.9	3
48	Dielectric imaging for differentiation between cancer and inflammation in vivo. <i>Scientific Reports</i> , 2017 , 7, 13137	4.9	2
47	Identification of prognostic biomarker in predicting hepatocarcinogenesis from cirrhotic liver using protein and gene signatures. <i>Experimental and Molecular Pathology</i> , 2019 , 111, 104319	4.4	2
46	Life-threatening lower gastrointestinal hemorrhage in pediatric Crohn's disease. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2013 , 16, 53-60	2.3	2
45	Synchronous double primary cancers associated with a choledochal cyst and anomalous pancreaticobiliary ductal union. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2011 , 81, 281-6		2
44	Obstructive jaundice and acute cholangitis due to papillary stenosis. <i>Yonsei Medical Journal</i> , 1999 , 40, 191-4	3	2
43	Embryonal sarcoma of the liver: multiple recurrences and histologic dedifferentiation. <i>Medical and Pediatric Oncology</i> , 1999 , 32, 386-8		2
42	The effect of deferoxamine on the preneoplastic lesions in the chemically induced hepatocarcinogenesis. <i>Yonsei Medical Journal</i> , 1994 , 35, 388-95	3	2
41	Molecular and radio-pathologic spectrum between hepatocellular carcinoma and intrahepatic cholangiocarcinoma.. <i>Hepatology</i> , 2022 ,	11.2	2
40	Hepatocellular adenomas: recent updates. <i>Journal of Pathology and Translational Medicine</i> , 2021 , 55, 171-180	2.9	2
39	Epigenetic modifications precede molecular alterations and drive human hepatocarcinogenesis. <i>JCI Insight</i> , 2021 , 6,	9.9	2
38	Up-to-Date Pathologic Classification and Molecular Characteristics of Intrahepatic Cholangiocarcinoma.. <i>Frontiers in Medicine</i> , 2022 , 9, 857140	4.9	2
37	Premalignant and Early Malignant Hepatocellular Lesions in Chronic Hepatitis/Cirrhosis 2018 , 487-505		1
36	Transitional features of histologic type of non-alcoholic fatty liver disease in Korean young men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 142-8	4	1
35	Hepatitis B virus mutants in hepatocellular carcinoma patients with coexisting HBsAg and anti-HBs. <i>Hepatology Research</i> , 1997 , 8, 52-62	5.1	1
34	Electronic clinical challenges and images in GI. Hepatic venoocclusive disease. <i>Gastroenterology</i> , 2008 , 135, e3-4	13.3	1
33	A Case of Squamous Cell Carcinomatous Lung Abscess with Multiple Metastatic Abscesses. <i>Tuberculosis and Respiratory Diseases</i> , 2009 , 66, 390	3.2	1
32	A case of autoimmune cholangitis associated with Sjögren's syndrome and arthropathy. <i>Journal of Korean Medical Science</i> , 1998 , 13, 85-8	4.7	1

31	Aberrant breast tissue of the perineum--a report on two cases. <i>Yonsei Medical Journal</i> , 1990 , 31, 182-6	3	1
30	MR Evaluation of Rectal Carcinoma: Pelvic Phased-Array Coil versus Endorectal-Pelvic Phased-Array Coil. <i>Journal of the Korean Radiological Society</i> , 1998 , 39, 733		1
29	Lymphoepithelioma-like neoplasm of the biliary tract with probable low malignant potential. <i>Histopathology</i> , 2021 ,	7.3	1
28	GeTe Nanosheets as Theranostic Agents for Multimodal Imaging and Therapy of Inflammatory Bowel Disease. <i>Advanced Functional Materials</i> , 2107433	15.6	1
27	A Case of Erythropoietic Protoporphyrinemia with Severe Liver Dysfunction and Neurological Symptoms. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 8, 263		1
26	Clinicopathologic Characteristics of Left-Sided Colon Cancers with High Microsatellite Instability. <i>Korean Journal of Pathology</i> , 2009 , 43, 428		1
25	Pathological predictive factors for late recurrence of hepatocellular carcinoma in chronic liver disease. <i>Liver International</i> , 2021 , 41, 1662-1674	7.9	1
24	The Clinicopathological Significance of YAP/TAZ Expression in Hepatocellular Carcinoma with Relation to Hypoxia and Stemness. <i>Pathology and Oncology Research</i> , 2021 , 27, 604600	2.6	1
23	YAP inactivation in estrogen receptor alpha-positive hepatocellular carcinoma with less aggressive behavior. <i>Experimental and Molecular Medicine</i> , 2021 , 53, 1055-1067	12.8	1
22	USO1 isoforms differentially promote liver cancer progression by dysregulating the ER-Golgi network. <i>Carcinogenesis</i> , 2021 , 42, 1208-1220	4.6	1
21	Clinicopathologic and MRI features of combined hepatocellular-cholangiocarcinoma in patients with or without cirrhosis. <i>Liver International</i> , 2021 , 41, 1641-1651	7.9	1
20	A Case of Lymphocyte-Rich Hepatocellular Carcinoma in a Patient Who Was Treated for Colon Cancer. <i>Journal of Liver Cancer</i> , 2021 , 21, 69-75	0.7	1
19	TPRG1-AS1 induces RBM24 expression and inhibits liver cancer progression by sponging miR-4691-5p and miR-3659. <i>Liver International</i> , 2021 , 41, 2788-2800	7.9	1
18	Combined tumor epithelial and stromal histopathology with keratin 81 expression predicts prognosis for pancreatic ductal adenocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	1
17	p53 and p21WAF1/CIP1 in hepatitis B virus related hepatocarcinogenesis. <i>Hepato-Gastroenterology</i> , 2003 , 50, 1292-6		1
16	MRI features of histologic subtypes of hepatocellular carcinoma: correlation with histologic, genetic, and molecular biologic classification.. <i>European Radiology</i> , 2022 , 1	8	1
15	Update on Pathologic and Radiologic Diagnosis of Combined Hepatocellular-Cholangiocarcinoma. <i>Journal of Liver Cancer</i> , 2021 , 21, 12-24	0.7	0
14	Subcentimeter hepatocellular carcinoma in treatment-naïve patients: noninvasive diagnostic criteria and tumor staging on gadoteric acid-enhanced MRI. <i>European Radiology</i> , 2021 , 31, 2321-2331	8	0

13	A Case Report of Cholangiocarcinoma Arising from a Biliary Adenofibroma: Radiologic Findings and Review of Literature. <i>Journal of the Korean Society of Radiology</i> , 2021 , 82, 721	0.2	○
12	Noninvasive surrogates are poor predictors of liver fibrosis in patients with Fontan circulation.. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 ,	1.5	○
11	Giant cell tumor of a tendon sheath mimicking an axillary lymph node. <i>Journal of Clinical Ultrasound</i> , 2010 , 38, 271-3	1	
10	Large Cell Calcifying Sertoli Cell Tumor of the Testis: Case Report with Ultrastructural Study. <i>International Journal of Surgical Pathology</i> , 1999 , 7, 109-114	1.2	
9	Transferrin receptor expression of the hyperplastic lesions of hepatocyte in experimental hepatocarcinogenesis. <i>Journal of Korean Medical Science</i> , 1995 , 10, 183-8	4.7	
8	Response to Comment on "Subclassification of Microscopic Vascular Invasion in Hepatocellular Carcinoma". <i>Annals of Surgery</i> , 2021 , 274, e748	7.8	
7	A Case of Alagille Syndrome. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 5, 192		
6	A Case of Metastatic Hemangiopericytoma in Lung. <i>Tuberculosis and Respiratory Diseases</i> , 2005 , 59, 551	3.2	
5	A Case of Alagille Syndrome with Atresia of the Hepatic Duct. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 11, 65		
4	A study to identify incidence of ROS1 rearrangement in lung adenocarcinoma, cholangiocarcinoma and glioblastoma multiforme.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e22203-e22203	2.2	
3	Premalignant Hepatocellular Lesions 2011 , 457-472		
2	Mixed Hepatobiliary Carcinoma 2011 , 513-519		
1	Gadoxetic Acid-Enhanced and Diffusion-Weighted Magnetic Resonance Imaging of Histologically Defined Early Hepatocellular Carcinoma. <i>Korean Journal of Abdominal Radiology</i> , 2021 , 5, 17-31		