Conor P Woods

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7352243/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Hyperglycaemic crisis secondary to emphysematous pyelonephritis. BMJ Case Reports, 2021, 14, e242617.	0.5	0
2	Peripheral Inflammation and Cognitive Performance in Middle-Aged Adults With and Without Type 2 Diabetes: Results From the ENBIND Study. Frontiers in Aging Neuroscience, 2020, 12, 605878.	3.4	21
3	Co-administration of 5α-reductase Inhibitors Worsens the Adverse Metabolic Effects of Prescribed Glucocorticoids. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e3316-e3328.	3.6	9
4	Case report: adult onset diabetes with partial pancreatic agenesis and congenital heart disease due to a de novo GATA6 mutation. BMC Medical Genetics, 2020, 21, 70.	2.1	4
5	Increased central adiposity and decreased subcutaneous adipose tissue 11βâ€hydroxysteroid dehydrogenase type 1 are associated with deterioration in glucose tolerance—A longitudinal cohort study. Clinical Endocrinology, 2019, 91, 72-81.	2.4	9
6	Author's Reply: Does increased 11 β HSDâ€1 activity induce adverse metabolic phenotype only in lean?. Clinical Endocrinology, 2019, 90, 849-850.	2.4	0
7	The Short Synacthen (Corticotropin) Test Can Be Used to Predict Recovery of Hypothalamo-Pituitary-Adrenal Axis Function. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 3050-3059.	3.6	48
8	Baseline morning cortisol level as a predictor of pituitary–adrenal reserve: a comparison across three assays. Clinical Endocrinology, 2017, 86, 177-184.	2.4	53
9	Non-alcoholic fatty liver disease and diabetes. Metabolism: Clinical and Experimental, 2016, 65, 1096-1108.	3.4	396
10	Glucocorticoids and non-alcoholic fatty liver disease. Journal of Steroid Biochemistry and Molecular Biology, 2015, 154, 94-103.	2.5	137
11	The Dehydrogenase Hypothesis. Advances in Experimental Medicine and Biology, 2015, 872, 353-380.	1.6	19
12	Adrenal suppression in patients taking inhaled glucocorticoids is highly prevalent and management can be guided by morning cortisol. European Journal of Endocrinology, 2015, 173, 633-642.	3.7	116
13	Glucagon-like peptide 1 analogue therapy directly modulates innate immune-mediated inflammation in in individuals with type 2 diabetes mellitus. Diabetologia, 2014, 57, 781-784.	6.3	153
14	Medical therapy in acromegaly. Nature Reviews Endocrinology, 2011, 7, 291-300.	9.6	72
15	The natural history of surgically treated but radiotherapyâ€naÃ⁻ve nonfunctioning pituitary adenomas. Clinical Endocrinology, 2009, 71, 709-714.	2.4	120
16	Risk of diabetes insipidus after pituitary surgery. Expert Review of Endocrinology and Metabolism, 2008, 3, 23-27.	2.4	12
17	Using a morning cortisol to predict adrenal reserve and guide management. Endocrine Abstracts, 0, , .	0.0	0
18	Longitudinal changes in adipose tissue gene expression profile are asociated with deteriorating glucose tolerance. Endocrine Abstracts, 0, , .	0.0	0

#	Article	IF	CITATIONS
19	The adverse effects of prescribed glucocorticoids are worsened by co-administration of 5[alpha]-reductase inhibitors. Endocrine Abstracts, 0, , .	0.0	0
20	Co-administration of 5[alpha]-reductase inhibitors worsens the adverse metabolic effects of prescribed glucocorticoids. Endocrine Abstracts, 0, , .	0.0	0