

Conor P Woods

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7352243/publications.pdf>

Version: 2024-02-01

20
papers

1,169
citations

932766

10
h-index

1058022

14
g-index

20
all docs

20
docs citations

20
times ranked

2189
citing authors

#	ARTICLE	IF	CITATIONS
1	Hyperglycaemic crisis secondary to emphysematous pyelonephritis. <i>BMJ Case Reports</i> , 2021, 14, e242617.	0.2	0
2	Peripheral Inflammation and Cognitive Performance in Middle-Aged Adults With and Without Type 2 Diabetes: Results From the ENBIND Study. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 605878.	1.7	21
3	Co-administration of 5 α -reductase Inhibitors Worsens the Adverse Metabolic Effects of Prescribed Glucocorticoids. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3316-e3328.	1.8	9
4	Case report: adult onset diabetes with partial pancreatic agenesis and congenital heart disease due to a de novo GATA6 mutation. <i>BMC Medical Genetics</i> , 2020, 21, 70.	2.1	4
5	Increased central adiposity and decreased subcutaneous adipose tissue 11 β -hydroxysteroid dehydrogenase type 1 are associated with deterioration in glucose tolerance: A longitudinal cohort study. <i>Clinical Endocrinology</i> , 2019, 91, 72-81.	1.2	9
6	Author's Reply: Does increased 11 β HSD activity induce adverse metabolic phenotype only in lean?. <i>Clinical Endocrinology</i> , 2019, 90, 849-850.	1.2	0
7	The Short Synacthen (Corticotropin) Test Can Be Used to Predict Recovery of Hypothalamo-Pituitary-Adrenal Axis Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3050-3059.	1.8	48
8	Baseline morning cortisol level as a predictor of pituitary-adrenal reserve: a comparison across three assays. <i>Clinical Endocrinology</i> , 2017, 86, 177-184.	1.2	53
9	Non-alcoholic fatty liver disease and diabetes. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1096-1108.	1.5	396
10	Glucocorticoids and non-alcoholic fatty liver disease. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 154, 94-103.	1.2	137
11	The Dehydrogenase Hypothesis. <i>Advances in Experimental Medicine and Biology</i> , 2015, 872, 353-380.	0.8	19
12	Adrenal suppression in patients taking inhaled glucocorticoids is highly prevalent and management can be guided by morning cortisol. <i>European Journal of Endocrinology</i> , 2015, 173, 633-642.	1.9	116
13	Glucagon-like peptide 1 analogue therapy directly modulates innate immune-mediated inflammation in individuals with type 2 diabetes mellitus. <i>Diabetologia</i> , 2014, 57, 781-784.	2.9	153
14	Medical therapy in acromegaly. <i>Nature Reviews Endocrinology</i> , 2011, 7, 291-300.	4.3	72
15	The natural history of surgically treated but radiotherapy-naïve nonfunctioning pituitary adenomas. <i>Clinical Endocrinology</i> , 2009, 71, 709-714.	1.2	120
16	Risk of diabetes insipidus after pituitary surgery. <i>Expert Review of Endocrinology and Metabolism</i> , 2008, 3, 23-27.	1.2	12
17	Using a morning cortisol to predict adrenal reserve and guide management. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
18	Longitudinal changes in adipose tissue gene expression profile are associated with deteriorating glucose tolerance. <i>Endocrine Abstracts</i> , 0, , .	0.0	0

#	ARTICLE	IF	CITATIONS
19	The adverse effects of prescribed glucocorticoids are worsened by co-administration of 5[alpha]-reductase inhibitors. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
20	Co-administration of 5[alpha]-reductase inhibitors worsens the adverse metabolic effects of prescribed glucocorticoids. <i>Endocrine Abstracts</i> , 0, , .	0.0	0