

Uwe Schulz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7354291/publications.pdf>

Version: 2024-02-01

120
papers

4,627
citations

126708

33
h-index

106150

65
g-index

125
all docs

125
docs citations

125
times ranked

2055
citing authors

#	ARTICLE	IF	CITATIONS
1	Study of CMAS infiltration and evaporation behaviour under water vapour/sulphur oxide conditions in EB-PVD 7YSZ. <i>Corrosion Science</i> , 2022, 198, 110123.	3.0	6
2	Contemporary Materials Issues for Advanced EB-PVD Thermal Barrier Coating Systems. <i>International Journal of Materials Research</i> , 2022, 92, 762-772.	0.1	4
3	Reaction Products from High Temperature Treatments of $(\text{La}_x\text{Gd}_{1-x})_2\text{Zr}_2\text{O}_7$ System and Volcanic Ash Powder Mixtures. <i>Jom</i> , 2022, 74, 2791-2808.	0.9	4
4	Factors affecting cyclic lifetime of EB-PVD thermal barrier coatings with various bond coats. <i>International Journal of Materials Research</i> , 2022, 94, 649-654.	0.1	0
5	Impedance spectroscopy of thermal barrier coatings as non-destructive evaluation tool for failure detection. <i>International Journal of Materials Research</i> , 2022, 96, 725-730.	0.1	0
6	Interface reactions of magnetron sputtered Si-based dual layer coating systems as oxidation protection for Mo-Si-Ti alloys. <i>Surface and Coatings Technology</i> , 2022, 444, 128620.	2.2	4
7	Erosion behavior of CMAS/VA infiltrated EB-PVD $\text{Gd}_2\text{Zr}_2\text{O}_7$ TBCs: Special emphasis on the effect of mechanical properties of the reaction products. <i>Wear</i> , 2022, 506-507, 204450.	1.5	1
8	Detrimental effects of sand ingress in jet engine ceramic coatings captured with Raman-based 3D rendering. <i>Journal of the European Ceramic Society</i> , 2021, 41, 1664-1671.	2.8	7
9	Lifetime improvement of EB-PVD 7YSZ TBCs by doping of Hf or Zr in NiCoCrAlY bond coats. <i>Corrosion Science</i> , 2021, 181, 109205.	3.0	16
10	Oxidation behavior of dense Yttrium doped B2-NiAl bulk material fabricated by ball milling self-propagating high-temperature synthesis and densified by spark plasma sintering. <i>Surface and Coatings Technology</i> , 2021, 421, 127448.	2.2	3
11	Graded PVD Mo-Si interlayer between Si coating and Mo-Si-B alloys: Investigation of oxidation behaviour. <i>Corrosion Science</i> , 2021, 192, 109843.	3.0	8
12	Comparative study of EB-PVD gadolinium-zirconate and yttria-rich zirconia coatings performance against Fe-containing calcium-magnesium-aluminosilicate (CMAS) infiltration. <i>Corrosion Science</i> , 2021, 190, 109660.	3.0	26
13	Hafnia-doped silicon bond coats manufactured by PVD for SiC/SiC CMCs. <i>Acta Materialia</i> , 2020, 183, 471-483.	3.8	62
14	Effect of processing and interface on the durability of single and bilayer 7YSZ / gadolinium zirconate EB-PVD thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2020, 381, 125107.	2.2	16
15	Investigation of CMAS Resistance of Sacrificial Suspension Sprayed Alumina Topcoats on EB-PVD 7YSZ Layers. <i>Journal of Thermal Spray Technology</i> , 2020, 29, 90-104.	1.6	8
16	Effects of yttria content on the CMAS infiltration resistance of yttria stabilized thermal barrier coatings system. <i>Journal of Materials Science and Technology</i> , 2020, 43, 74-83.	5.6	26
17	Microstructural analysis after furnace cyclic testing of pre-oxidized ReneN5/(Ni,Pt)Al/7YSZ thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2020, 403, 126376.	2.2	6
18	Microstructure and cyclic oxidation resistance of Si-aluminide coatings on Ti-3TiAl at 850°C . <i>Surface and Coatings Technology</i> , 2020, 403, 126361.	2.2	22

#	ARTICLE	IF	CITATIONS
19	High-energy X-ray phase analysis of CMAS-infiltrated 7YSZ thermal barrier coatings: Effect of time and temperature. <i>Journal of Materials Research</i> , 2020, 35, 2300-2310.	1.2	6
20	Magnetron Sputtered Silicon Coatings as Oxidation Protection for Mo-Based Alloys. <i>Advanced Engineering Materials</i> , 2020, 22, 2000218.	1.6	8
21	Oxidation-induced microstructural changes of the TiAl/TiN-B1 alloy after exposure at 900°C in air. <i>Intermetallics</i> , 2020, 123, 106830.	1.8	27
22	Nanoindentation dataset of silicon and hafnia doped silicon coatings produced by magnetron sputtering. <i>Data in Brief</i> , 2020, 31, 105800.	0.5	0
23	Synchrotron X-Ray Diffraction Study of Phase Transformation in CMAS Ingressed EB-PVD Thermal Barrier Coatings. , 2020, , .		0
24	High temperature interaction of volcanic ashes with 7YSZ TBC's produced by APS: Infiltration behavior and phase stability. <i>Surface and Coatings Technology</i> , 2019, 378, 124915.	2.2	21
25	Flow Kinetics of Molten Silicates through Thermal Barrier Coating: A Numerical Study. <i>Coatings</i> , 2019, 9, 332.	1.2	16
26	Estimation of CMAS infiltration depth in EB-PVD TBCs: A new constraint model supported with experimental approach. <i>Journal of the European Ceramic Society</i> , 2019, 39, 2936-2945.	2.8	35
27	Erosion resistance of CMAS infiltrated sacrificial suspension sprayed alumina top layer on EB-PVD 7YSZ coatings. <i>Wear</i> , 2019, 438-439, 203064.	1.5	7
28	Microstructure and lifetime of Hf or Zr doped sputtered NiAlCr bond coat/7YSZ EB-PVD TBC systems. <i>Surface and Coatings Technology</i> , 2018, 335, 41-51.	2.2	13
29	Integrated testing approach using a customized micro turbine for a volcanic ash and CMAS related degradation study of thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2018, 337, 198-208.	2.2	21
30	Environmental protection of Nb/Nb5Si3-based alloys by E/TBC systems. <i>Intermetallics</i> , 2018, 93, 169-179.	1.8	3
31	Investigation of the Effects of CMAS-infiltration in EB-PVD 7% Yttria-Stabilized Zirconia via Raman Spectroscopy. , 2018, , .		3
32	PVD thermal barrier coating systems for Mo-Si-B alloys. <i>Materials at High Temperatures</i> , 2018, 35, 195-203.	0.5	5
33	EB-PVD alumina (Al ₂ O ₃) as a top coat on 7YSZ TBCs against CMAS/VA infiltration: Deposition and reaction mechanisms. <i>Journal of the European Ceramic Society</i> , 2018, 38, 3333-3346.	2.8	51
34	Microstructural analysis of Ta-containing NiCoCrAlY bond coats deposited by HVOF on different Ni-based superalloys. <i>Surface and Coatings Technology</i> , 2018, 354, 214-225.	2.2	26
35	Erosion behavior of EB-PVD 7YSZ coatings under corrosion/erosion regime: Effect of TBC microstructure and the CMAS chemistry. <i>Journal of the European Ceramic Society</i> , 2018, 38, 5101-5112.	2.8	29
36	Effect of intermetallic coatings on the tensile properties of a β -TiAl based TNM alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 699, 118-127.	2.6	20

#	ARTICLE	IF	CITATIONS
37	Interaction and infiltration behavior of Eyjafjallajökull, Sakurajima volcanic ashes and a synthetic CMAS containing FeO with/in EB-PVD ZrO ₂ -65wt% Y ₂ O ₃ coating at high temperature. Acta Materialia, 2017, 136, 164-180.	3.8	56
38	Tailoring the EB-PVD columnar microstructure to mitigate the infiltration of CMAS in 7YSZ thermal barrier coatings. Journal of the European Ceramic Society, 2017, 37, 261-270.	2.8	82
39	The Accelerating Effect of CaSO ₄ Within CMAS (CaO-MgO-Al ₂ O ₃ -SiO ₂) and Its Effect on the Infiltration Behavior in EB-PVD 7YSZ. Journal of the American Ceramic Society, 2016, 99, 1398-1403.	1.9	27
40	Mechanical Properties of Shark-Skin Like Structured Surfaces for High-Temperature Applications. Advanced Engineering Materials, 2016, 18, 688-702.	1.6	7
41	Microstructure and lifetime of EB-PVD TBCs with Hf-doped bond coat and Gd-zirconate ceramic top coat on CMSX-4 substrates. Surface and Coatings Technology, 2016, 299, 104-112.	2.2	27
42	Adherence and Failure of an EBPVD 7YSZ Coating on a Î²/Î³-NiCrAl Substrate: A Pilot Study. Oxidation of Metals, 2016, 86, 279-298.	1.0	4
43	Lifetime of environmental/thermal barrier coatings deposited on a niobium silicide composite with boron containing M ₇ Si ₆ -based bond coat. Materials and Corrosion - Werkstoffe Und Korrosion, 2016, 67, 1252-1260.	0.8	10
44	Protective coatings on stainless steel bipolar plates for proton exchange membrane (PEM) electrolyzers. Journal of Power Sources, 2016, 307, 815-825.	4.0	131
45	Y ₂ SiO ₅ environmental barrier coatings for niobium silicide based materials. Materials at High Temperatures, 2015, 32, 74-80.	0.5	13
46	Environmental/thermal barrier coating systems deposited on Nb/Nb ₅ Si ₃ -based alloy. Materials at High Temperatures, 2015, 32, 50-56.	0.5	8
47	High Temperature Oxidation Stability of Aerodynamically Optimised Riblets for Blades of Aero-engine Applications. Oxidation of Metals, 2015, 83, 133-150.	1.0	3
48	Substrate Effect on the Lifetime of EB-PVD TBC Systems With 7YSZ and GDZ as Ceramic Top Coat Materials. , 2014, , .		2
49	High temperature oxidation of EB-PVD TBCs on Pt-diffused single crystal Ni superalloy. Surface and Coatings Technology, 2014, 260, 2-8.	2.2	14
50	Solid particle erosion of thick PVD coatings on CFRP. Wear, 2014, 317, 246-253.	1.5	36
51	Microstructure and cyclic lifetime of Gd and Dy-containing EB-PVD TBCs deposited as single and double-layer on various bond coats. Surface and Coatings Technology, 2014, 245, 92-101.	2.2	45
52	Degradation study of 7 wt.% yttria stabilised zirconia (7YSZ) thermal barrier coatings on aero-engine combustion chamber parts due to infiltration by different CaO-MgO-Al ₂ O ₃ -SiO ₂ variants. Surface and Coatings Technology, 2014, 260, 73-81.	2.2	56
53	Degradation of La ₂ Zr ₂ O ₇ and other novel EB-PVD thermal barrier coatings by CMAS (CaO-MgO-Al ₂ O ₃ -SiO ₂) and volcanic ash deposits. Surface and Coatings Technology, 2013, 235, 165-173.	2.2	125
54	Assessment of Cyclic Lifetime of NiCoCrAlY/ZrO ₂ -Based EB-PVD TBC Systems via Reactive Element Enrichment in the Mixed Zone of the TGO Scale. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2013, 44, 2070-2082.	1.1	9

#	ARTICLE	IF	CITATIONS
55	Erosion resistant titanium based PVD coatings on CFRP. <i>Wear</i> , 2013, 302, 937-945.	1.5	48
56	Microstructural Evolution of GdZ and DySZ Based EB-PVD TBC Systems After Thermal Cycling at High Temperature. <i>Journal of Engineering for Gas Turbines and Power</i> , 2013, 135, .	0.5	3
57	Microstructural Evolution of GdZ and DySZ Based EB-PVD TBC Systems After Thermal Cycling at High Temperature. , 2013, , .		0
58	Processing science of advanced thermal-barrier systems. <i>MRS Bulletin</i> , 2012, 37, 903-910.	1.7	244
59	Short-time Oxidation of Cast $\text{Ni}^{3+}\text{-Ni}^{2+}\text{-Cr-Al-Ta-Re}$ Alloys at 1,000°C. <i>Oxidation of Metals</i> , 2012, 78, 68-82.		3
60	Shark skin inspired riblet structures as aerodynamically optimized high temperature coatings for blades of aeroengines. <i>Smart Materials and Structures</i> , 2011, 20, 094016.	1.8	33
61	High-Temperature Corrosion of EB-PVD Ytria Partially Stabilized Zirconia Thermal Barrier Coatings with an Artificial Volcanic Ash Overlay. <i>Journal of the American Ceramic Society</i> , 2011, 94, 925-931.	1.9	94
62	Shark Skin Inspired Riblet Coatings for Aerodynamically Optimized High Temperature Applications in Aeroengines. <i>Advanced Engineering Materials</i> , 2011, 13, 288-295.	1.6	13
63	Oxidation and fatigue behaviour of TiAl coated with HIPIMS CrAlN/CrN nanoscale multilayer coatings and EB-PVD thermal barrier coatings. <i>International Journal of Materials Research</i> , 2010, 101, 648-656.	0.1	15
64	Infrared-optical properties and heat transfer coefficients of semitransparent thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2009, 203, 1059-1068.	2.2	88
65	Gas flow sputtering – An approach to coat complex geometries and Non Line of Sight areas. <i>Surface and Coatings Technology</i> , 2009, 204, 1087-1091.	2.2	15
66	Thermal Conductivity of Nanoporous YSZ Thermal Barrier Coatings Fabricated by EB-PVD. , 2009, , 115-123.		0
67	Thermal and Mechanical Properties of Zirconia Coatings Produced by Electrophoretic Deposition. , 2009, , 1-10.		0
68	Cyclic behavior of EB-PVD thermal barrier coating systems with modified bond coats. <i>Surface and Coatings Technology</i> , 2008, 203, 449-455.	2.2	76
69	Improvement of EB-PVD thermal barrier coatings by treatments of a vacuum plasma-sprayed bond coat. <i>Surface and Coatings Technology</i> , 2008, 203, 160-170.	2.2	50
70	Developments in Processing of Ceramic Top Coats of EB-PVD Thermal Barrier Coatings. <i>Key Engineering Materials</i> , 2007, 333, 137-146.	0.4	6
71	Thermal conductivity issues of EB-PVD thermal barrier coatings. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2007, 38, 659-666.	0.5	27
72	Lifetime-determining spalling mechanisms of NiCoCrAlRE / EB-PVD zirconia TBC systems. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2007, 38, 734-746.	0.5	9

#	ARTICLE	IF	CITATIONS
73	The effects of heat treatment and gas atmosphere on the thermal conductivity of APS and EB-PVD PYSZ thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2007, 201, 7880-7888.	2.2	86
74	The effect of coating thickness on the thermal conductivity of EB-PVD PYSZ thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2006, 200, 5636-5644.	2.2	87
75	Effect of morphology on thermal conductivity of EB-PVD PYSZ TBCs. <i>Surface and Coatings Technology</i> , 2006, 201, 2611-2620.	2.2	114
76	Life time dependency on the pre-coating treatment of a thermal barrier coating under thermal cycling. <i>Surface and Coatings Technology</i> , 2006, 201, 2667-2675.	2.2	17
77	Analytical electron microscopy of the mixed zone in NiCoCrAlY-based EB-PVD thermal barrier coatings: as-coated condition versus late stages of TBC lifetime. <i>Materials at High Temperatures</i> , 2005, 22, 393-401.	0.5	8
78	Fabrication of TBC-armored rocket combustion chambers by EB-PVD methods and TLP assembling. <i>Science and Technology of Advanced Materials</i> , 2005, 6, 103-110.	2.8	12
79	Impedance spectroscopy of thermal barrier coatings as non-destructive evaluation tool for failure detection. <i>International Journal of Materials Research</i> , 2005, 96, 725-730.	0.8	1
80	Analytical electron microscopy of the mixed zone in NiCoCrAlY-based EB-PVD thermal barrier coatings: as-coated condition versus late stages of TBC lifetime. <i>Materials at High Temperatures</i> , 2005, 22, 393-401.	0.5	11
81	Nucleation and Growth of Oxide Constituents on NiCoCrAlY Bond Coats during the Different Stages of EB-PVD TBC Deposition and Upon Thermal Loading. <i>Materials Science Forum</i> , 2004, 461-464, 899-906.	0.3	20
82	EB-PVD processing of pyrochlore-structured La ₂ Zr ₂ O ₇ -based TBCs. <i>Surface and Coatings Technology</i> , 2004, 182, 175-183.	2.2	173
83	Investigation of an as-sprayed NiCoCrAlY overlay coating. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 369, 144-150.	2.6	12
84	Review on Advanced EB-PVD Ceramic Topcoats for TBC Applications. <i>International Journal of Applied Ceramic Technology</i> , 2004, 1, 302-315.	1.1	230
85	Influence of bondcoat pre-treatment and surface topology on the lifetime of EB-PVD TBCs. <i>Surface and Coatings Technology</i> , 2003, 165, 217-223.	2.2	66
86	Microstructure and texture of EB-PVD TBCs grown under different rotation modes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 360, 319-329.	2.6	126
87	Graded coatings for thermal, wear and corrosion barriers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 362, 61-80.	2.6	191
88	Some recent trends in research and technology of advanced thermal barrier coatings. <i>Aerospace Science and Technology</i> , 2003, 7, 73-80.	2.5	406
89	Oxidation and lifetime of PYSZ and CeSZ coated Ni-base substrates with MCrAlY bond layers. <i>Materials at High Temperatures</i> , 2003, 20, 475-480.	0.5	7
90	Oxidation and lifetime of PYSZ and CeSZ coated Ni-base substrates with MCrAlY bond layers. <i>Materials at High Temperatures</i> , 2003, 20, 475-479.	0.5	3

#	ARTICLE	IF	CITATIONS
91	Influence of Processing on Microstructure and Performance of Electron Beam Physical Vapor Deposition (EB-PVD) Thermal Barrier Coatings. Journal of Engineering for Gas Turbines and Power, 2002, 124, 229-234.	0.5	30
92	EB-PVD Thermal Barrier Coatings for Aeroengines and Gas Turbines. Advanced Engineering Materials, 2001, 3, 193-204.	1.6	149
93	Influence of substrate material on oxidation behavior and cyclic lifetime of EB-PVD TBC systems. Surface and Coatings Technology, 2001, 146-147, 117-123.	2.2	172
94	Influence of Processing on Microstructure and Performance of EB-PVD Thermal Barrier Coatings. , 2000, , .		1
95	R&D Status and Needs for Improved EB-PVD Thermal Barrier Coating Performance. Materials Research Society Symposia Proceedings, 2000, 645, 1011.	0.1	2
96	Microstructure of ZrO ₂ thermal barrier coatings applied by EB-PVD. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2000, 276, 1-8.	2.6	142
97	Two-source jumping beam evaporation for advanced EB-PVD TBC systems. Surface and Coatings Technology, 2000, 133-134, 40-48.	2.2	39
98	Phase Transformation in EB-PVD Yttria Partially Stabilized Zirconia Thermal Barrier Coatings during Annealing. Journal of the American Ceramic Society, 2000, 83, 904-910.	1.9	189
99	Emissance of Y ₂ O ₃ stabilised ZrO ₂ thermal barrier coatings prepared by electron-beam physical-vapour deposition. High Temperatures - High Pressures, 2000, 32, 361-368.	0.3	17
100	Influence of electron beam physical vapor deposited thermal barrier coating microstructure on thermal barrier coating system performance under cyclic oxidation conditions. Surface and Coatings Technology, 1999, 120-121, 68-76.	2.2	62
101	Graded EB-PVD Alumina-Zirconia Thermal Barrier Coatings-An Experimental Approach. Materials Science Forum, 1999, 308-311, 396-401.	0.3	12
102	Thermocyclic Behaviour of Microstructurally Modified EB-PVD Thermal Barrier Coatings. Materials Science Forum, 1997, 251-254, 957-964.	0.3	33
103	TEM Investigation on the Adhesion of YPSZ EB-PVD TBCs. Materials Science Forum, 1997, 251-254, 965-972.	0.3	7
104	Thermocyclic Behavior of Variously Stabilized EB-PVD Thermal Barrier Coatings. Journal of Engineering for Gas Turbines and Power, 1997, 119, 917-921.	0.5	14
105	Al ₂ O ₃ - ZrO ₂ Graded Thermal Barrier Coatings by EB-PVD - Concept, Microstructure and Phase Stability. , 1997, , 263-268.		1
106	Microstructure and phase stability of EB-PVD alumina and alumina/zirconia for thermal barrier coating applications. Surface and Coatings Technology, 1997, 94-95, 131-136.	2.2	41
107	Design and Properties of Thermal Barrier Coatings for advanced turbine engines. Materialwissenschaft Und Werkstofftechnik, 1997, 28, 357-362.	0.5	22
108	Thermocyclic Behavior of Differently Stabilized and structured EB-PVD thermal barrier coatings. Materialwissenschaft Und Werkstofftechnik, 1997, 28, 370-376.	0.5	25

#	ARTICLE	IF	CITATIONS
109	EB-PVD Y ₂ O ₃ - and -stabilized zirconia thermal barrier coatings " crystal habit and phase composition. Surface and Coatings Technology, 1996, 82, 259-269.	2.2	98
110	Thermocyclic Behavior of Variously Stabilized EB-PVD Thermal Barrier Coatings. , 1996, , .		1
111	Texture of EB-PVD Thermal Barrier Coatings Under Variable Deposition Conditions / Textur von EB-PVD WÄrmedÄmmschichten bei unterschiedlichen Aufdampfbedingungen. International Journal of Materials Research, 1996, 87, 488-492.	0.1	5
112	Evaluation of Two New Thermal Barrier Coating Materials Produced by APS and EB-PVD. Ceramic Engineering and Science Proceedings, 0, , 363-373.	0.1	6
113	Low Thermal Conductivity Ceramics for Turbine Blade Thermal Barrier Coating Application. Ceramic Engineering and Science Proceedings, 0, , 375-380.	0.1	12
114	High-Temperature Aging of Eb-Pvd Thermal Barrier Coatings. Ceramic Engineering and Science Proceedings, 0, , 347-356.	0.1	17
115	Impact of Thermal Exposure of EB" PVD TBCs on Youngs Modulus and Sintering. Ceramic Engineering and Science Proceedings, 0, , 341-352.	0.1	15
116	Influence of Deposition Conditions on Density and Microstructure of EB" PVD TBCs. Ceramic Engineering and Science Proceedings, 0, , 353-360.	0.1	24
117	Y-Doped La ₂ Zr ₂ O ₇ Pyrochlore Eb-Pvd Thermal Barrier Coatings. , 0, , 491-496.		8
118	Simulating Thermal Response of Eb-Pvd Thermal Barrier Coating Microstructures. , 0, , 549-554.		7
119	Developments in Processing of Ceramic Top Coats of EB-PVD Thermal Barrier Coatings. Key Engineering Materials, 0, , 137-146.	0.4	2
120	Elastic and Inelastic Deformation Properties of Free Standing Ceramic EB-PVD Coatings. , 0, , 11-18.		0