

# Francisco Wandosell

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/735458/francisco-wandosell-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85  
papers

3,229  
citations

36  
h-index

54  
g-index

90  
ext. papers

3,584  
ext. citations

6.1  
avg, IF

5.2  
L-index

#	Paper	IF	Citations
85	Cancer cell development, migratory response, and the role of the tumor microenvironment in invasion and metastasis <b>2022</b> , 245-270		
84	Diets with Higher E6/EB Ratios Show Differences in Ceramides and Fatty Acid Levels Accompanied by Increased Amyloid-Beta in the Brains of Male APP/PS1 Transgenic Mice. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
83	WIP, YAP/TAZ and Actin Connections Orchestrate Development and Transformation in the Central Nervous System. <i>Frontiers in Cell and Developmental Biology</i> , <b>2021</b> , 9, 673986	5.7	2
82	AMPK activation does not enhance autophagy in neurons in contrast to MTORC1 inhibition: different impact on Eamyloid clearance. <i>Autophagy</i> , <b>2021</b> , 17, 656-671	10.2	4
81	Absence of R-Ras1 and R-Ras2 causes mitochondrial alterations that trigger axonal degeneration in a hypomyelinating disease model. <i>Glia</i> , <b>2021</b> , 69, 619-637	9	2
80	Nanoliposomes as a Therapeutic Tool for Alzheimer's Disease. <i>Frontiers in Synaptic Neuroscience</i> , <b>2020</b> , 12, 20	3.5	10
79	WIP Modulates Oxidative Stress through NRF2/KEAP1 in Glioblastoma Cells. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	2
78	R-Ras GTPases Signaling Role in Myelin Neurodegenerative Diseases. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	3
77	Crosstalk between WIP and Rho family GTPases. <i>Small GTPases</i> , <b>2020</b> , 11, 160-166	2.7	5
76	Botulinum Neurotoxin Light Chains Expressed by Defective Herpes Simplex Virus Type-1 Vectors Cleave SNARE Proteins and Inhibit CGRP Release in Rat Sensory Neurons. <i>Toxins</i> , <b>2019</b> , 11,	4.9	8
75	Energy-Sensing Pathways in Ischemia: The Counterbalance Between AMPK and mTORC. <i>Current Pharmaceutical Design</i> , <b>2019</b> , 25, 4763-4770	3.3	3
74	Ovarian Hormone-Dependent Effects of Dietary Lipids on APP/PS1 Mouse Brain. <i>Frontiers in Aging Neuroscience</i> , <b>2019</b> , 11, 346	5.3	3
73	Sex steroid hormones as neuroprotective elements in ischemia models. <i>Journal of Endocrinology</i> , <b>2018</b> , 237, R65-R81	4.7	22
72	Dihydroceramide Desaturase 1 Inhibitors Reduce Amyloid- $\beta$ Levels in Primary Neurons from an Alzheimer's Disease Transgenic Model. <i>Pharmaceutical Research</i> , <b>2018</b> , 35, 49	4.5	9
71	R-Ras1 and R-Ras2 Are Essential for Oligodendrocyte Differentiation and Survival for Correct Myelination in the Central Nervous System. <i>Journal of Neuroscience</i> , <b>2018</b> , 38, 5096-5110	6.6	17
70	Role of mTORC1 Controlling Proteostasis after Brain Ischemia. <i>Frontiers in Neuroscience</i> , <b>2018</b> , 12, 60	5.1	27
69	WIP-YAP/TAZ as A New Pro-Oncogenic Pathway in Glioma. <i>Cancers</i> , <b>2018</b> , 10,	6.6	12

68	Role of Akt Isoforms Controlling Cancer Stem Cell Survival, Phenotype and Self-Renewal. <i>Biomedicines</i> , <b>2018</b> , 6,	4.8	27
67	Antibody-functionalized polymer nanoparticle leading to memory recovery in Alzheimer's disease-like transgenic mouse model. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , <b>2018</b> , 14, 609-618	6	67
66	Mutant p53 oncogenic functions in cancer stem cells are regulated by WIP through YAP/TAZ. <i>Oncogene</i> , <b>2017</b> , 36, 3515-3527	9.2	54
65	ImmunoPEGliposome-mediated reduction of blood and brain amyloid levels in a mouse model of Alzheimer's disease is restricted to aged animals. <i>Biomaterials</i> , <b>2017</b> , 112, 141-152	15.6	24
64	Assessment of Autophagy in Neurons and Brain Tissue. <i>Cells</i> , <b>2017</b> , 6,	7.9	28
63	Class I PI3-kinase or Akt inhibition do not impair axonal polarization, but slow down axonal elongation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2016</b> , 1863, 2574-2583	4.9	6
62	WIP Drives Tumor Progression through YAP/TAZ-Dependent Autonomous Cell Growth. <i>Cell Reports</i> , <b>2016</b> , 17, 1962-1977	10.6	34
61	Reticulon-4B/Nogo-B acts as a molecular linker between microtubules and actin cytoskeleton in vascular smooth muscle cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2016</b> , 1863, 1985-993	4.9	8
60	PTEN recruitment controls synaptic and cognitive function in Alzheimer's models. <i>Nature Neuroscience</i> , <b>2016</b> , 19, 443-53	25.5	91
59	The hunt for brain Aβ oligomers by peripherally circulating multi-functional nanoparticles: Potential therapeutic approach for Alzheimer disease. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , <b>2016</b> , 12, 43-52	6	40
58	Stroke and Neuroinflammation: Role of Sexual Hormones. <i>Current Pharmaceutical Design</i> , <b>2016</b> , 22, 1334-493	4.9	23
57	Secreted herpes simplex virus-2 glycoprotein G alters thermal pain sensitivity by modifying NGF effects on TRPV1. <i>Journal of Neuroinflammation</i> , <b>2016</b> , 13, 210	10.1	7
56	APP/PS1 Transgenic Mice Show Sex Differences in the Cerebellum Associated with Aging. <i>Journal of Alzheimer's Disease</i> , <b>2016</b> , 54, 645-56	4.3	19
55	Angiotensin II type-2 receptor stimulation induces neuronal VEGF synthesis after cerebral ischemia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2016</b> , 1862, 1297-308	6.9	31
54	Oncogene-mediated tumor transformation sensitizes cells to autophagy induction. <i>Oncology Reports</i> , <b>2016</b> , 35, 3689-95	3.5	6
53	Increased migration of olfactory ensheathing cells secreting the Nogo receptor ectodomain over inhibitory substrates and lesioned spinal cord. <i>Cellular and Molecular Life Sciences</i> , <b>2015</b> , 72, 2719-37	10.3	22
52	Estradiol and Progesterone Administration After pMCAO Stimulates the Neurological Recovery and Reduces the Detrimental Effect of Ischemia Mainly in Hippocampus. <i>Molecular Neurobiology</i> , <b>2015</b> , 52, 1690-1703	6.2	19
51	Secreted herpes simplex virus-2 glycoprotein G modifies NGF-TrkA signaling to attract free nerve endings to the site of infection. <i>PLoS Pathogens</i> , <b>2015</b> , 11, e1004571	7.6	17

50	Repeated intraperitoneal injections of liposomes containing phosphatidic acid and cardiolipin reduce amyloid- $\beta$ levels in APP/PS1 transgenic mice. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , <b>2015</b> , 11, 421-30	6	51
49	Cancer stem cell-like phenotype and survival are coordinately regulated by Akt/FoxO/Bim pathway. <i>Stem Cells</i> , <b>2015</b> , 33, 646-60	5.8	55
48	ATP-P2X7 Receptor Modulates Axon Initial Segment Composition and Function in Physiological Conditions and Brain Injury. <i>Cerebral Cortex</i> , <b>2015</b> , 25, 2282-94	5.1	39
47	Neuritic complexity of hippocampal neurons depends on WIP-mediated mTORC1 and Abl family kinases activities. <i>Brain and Behavior</i> , <b>2015</b> , 5, e00359	3.4	4
46	Peripheral amyloid levels present gender differences associated with aging in APP/PS1 mice. <i>Journal of Alzheimer's Disease</i> , <b>2015</b> , 44, 1063-8	4.3	28
45	P1-071: Synergistic effect between chronic estrogen treatment and dha-enriched diet on A $\beta$ burden in APP <sup>swe</sup> /PSEN1 <sup>E9</sup> mice <b>2015</b> , 11, P365-P365		
44	GSK3 and $\beta$ catenin determines functional expression of sodium channels at the axon initial segment. <i>Cellular and Molecular Life Sciences</i> , <b>2013</b> , 70, 105-20	10.3	30
43	Neurogenic effects of $\beta$ amyloid in the choroid plexus epithelial cells in Alzheimer's disease. <i>Cellular and Molecular Life Sciences</i> , <b>2013</b> , 70, 2787-97	10.3	14
42	Cellular prion protein modulates $\beta$ amyloid deposition in aged APP/PS1 transgenic mice. <i>Neurobiology of Aging</i> , <b>2013</b> , 34, 2793-804	5.6	15
41	WIP regulates persistence of cell migration and ruffle formation in both mesenchymal and amoeboid modes of motility. <i>PLoS ONE</i> , <b>2013</b> , 8, e70364	3.7	21
40	Neuronal and glial purinergic receptors functions in neuron development and brain disease. <i>Frontiers in Cellular Neuroscience</i> , <b>2013</b> , 7, 197	6.1	54
39	Post-ischemic estradiol treatment reduced glial response and triggers distinct cortical and hippocampal signaling in a rat model of cerebral ischemia. <i>Journal of Neuroinflammation</i> , <b>2012</b> , 9, 157	10.1	49
38	Adenylate cyclase 5 coordinates the action of ADP, P2Y1, P2Y13 and ATP-gated P2X7 receptors on axonal elongation. <i>Journal of Cell Science</i> , <b>2012</b> , 125, 176-88	5.3	59
37	Specific roles of Akt iso forms in apoptosis and axon growth regulation in neurons. <i>PLoS ONE</i> , <b>2012</b> , 7, e32715	3.7	55
36	Myelin-associated proteins block the migration of olfactory ensheathing cells: an in vitro study using single-cell tracking and traction force microscopy. <i>Cellular and Molecular Life Sciences</i> , <b>2012</b> , 69, 1689-703	10.3	15
35	Deconstructing GSK-3: The Fine Regulation of Its Activity. <i>International Journal of Alzheimer's Disease</i> , <b>2011</b> , 2011, 479249	3.7	97
34	Impaired function of HDAC6 slows down axonal growth and interferes with axon initial segment development. <i>PLoS ONE</i> , <b>2010</b> , 5, e12908	3.7	74
33	Centro de Biología Molecular "Severo Ochoa": a center for basic research into Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 21, 325-35	4.3	

32	Interaction of estrogen receptors with insulin-like growth factor-I and Wnt signaling in the nervous system. <i>Steroids</i> , <b>2010</b> , 75, 565-9	2.8	59
31	Role of glycogen synthase kinase-3 in Alzheimer's disease pathogenesis and glycogen synthase kinase-3 inhibitors. <i>Expert Review of Neurotherapeutics</i> , <b>2010</b> , 10, 703-10	4.3	90
30	Thienylhalomethylketones: Irreversible glycogen synthase kinase 3 inhibitors as useful pharmacological tools. <i>Bioorganic and Medicinal Chemistry</i> , <b>2009</b> , 17, 6914-25	3.4	44
29	Estradiol activates beta-catenin dependent transcription in neurons. <i>PLoS ONE</i> , <b>2009</b> , 4, e5153	3.7	61
28	WASP-interacting protein (WIP): working in polymerisation and much more. <i>Trends in Cell Biology</i> , <b>2007</b> , 17, 555-62	18.3	77
27	Functional recovery in a Friedreich's ataxia mouse model by frataxin gene transfer using an HSV-1 amplicon vector. <i>Molecular Therapy</i> , <b>2007</b> , 15, 1072-8	11.7	46
26	BDNF production by olfactory ensheathing cells contributes to axonal regeneration of cultured adult CNS neurons. <i>Neurochemistry International</i> , <b>2007</b> , 50, 491-8	4.4	52
25	GSK3 alpha and GSK3 beta are necessary for axon formation. <i>FEBS Letters</i> , <b>2007</b> , 581, 1579-86	3.8	86
24	Cross-talk between estrogen receptors and insulin-like growth factor-I receptor in the brain: cellular and molecular mechanisms. <i>Frontiers in Neuroendocrinology</i> , <b>2006</b> , 27, 391-403	8.9	90
23	A clonal cell line from immortalized olfactory ensheathing glia promotes functional recovery in the injured spinal cord. <i>Molecular Therapy</i> , <b>2006</b> , 13, 598-608	11.7	47
22	Genes associated with adult axon regeneration promoted by olfactory ensheathing cells: a new role for matrix metalloproteinase 2. <i>Journal of Neuroscience</i> , <b>2006</b> , 26, 5347-59	6.6	85
21	Binding of microtubule-associated protein 1B to LIS1 affects the interaction between dynein and LIS1. <i>Biochemical Journal</i> , <b>2005</b> , 389, 333-41	3.8	33
20	A role of MAP1B in Reelin-dependent neuronal migration. <i>Cerebral Cortex</i> , <b>2005</b> , 15, 1134-45	5.1	92
19	MAP1B is required for Netrin 1 signaling in neuronal migration and axonal guidance. <i>Current Biology</i> , <b>2004</b> , 14, 840-50	6.3	106
18	Microtubule-associated protein 1B function during normal development, regeneration, and pathological conditions in the nervous system. <i>Journal of Neurobiology</i> , <b>2004</b> , 58, 48-59		87
17	Prion peptide induces neuronal cell death through a pathway involving glycogen synthase kinase 3. <i>Biochemical Journal</i> , <b>2003</b> , 372, 129-36	3.8	100
16	High level of amyloid precursor protein expression in neurite-promoting olfactory ensheathing glia (OEG) and OEG-derived cell lines. <i>Journal of Neuroscience Research</i> , <b>2003</b> , 71, 871-81	4.4	16
15	Immortalized olfactory ensheathing glia promote axonal regeneration of rat retinal ganglion neurons. <i>Journal of Neurochemistry</i> , <b>2003</b> , 85, 861-71	6	37

14	Glycogen synthase kinase-3 is activated in neuronal cells by Galpha12 and Galpha13 by Rho-independent and Rho-dependent mechanisms. <i>Journal of Neuroscience</i> , <b>2002</b> , 22, 6863-75	6.6	71
13	Olfactory Ensheathing Glia: Drivers of Axonal Regeneration in the Central Nervous System?. <i>Journal of Biomedicine and Biotechnology</i> , <b>2002</b> , 2, 37-43		37
12	Highly efficient and specific gene transfer to Purkinje cells in vivo using a herpes simplex virus I amplicon. <i>Human Gene Therapy</i> , <b>2002</b> , 13, 665-74	4.8	26
11	Ephrin-B1 promotes dendrite outgrowth on cerebellar granule neurons. <i>Molecular and Cellular Neurosciences</i> , <b>2002</b> , 20, 429-46	4.8	18
10	Glycosaminoglycans and beta-amyloid, prion and tau peptides in neurodegenerative diseases. <i>Peptides</i> , <b>2002</b> , 23, 1323-32	3.8	111
9	Integrating retroviral cassette extends gene delivery of HSV-1 expression vectors to dividing cells. <i>BioTechniques</i> , <b>2001</b> , 31, 394-402, 404-5	2.5	8
8	Increasing neurite outgrowth capacity of beta-amyloid precursor protein proteoglycan in Alzheimer's disease. <i>Journal of Neuroscience Research</i> , <b>2000</b> , 60, 87-97	4.4	27
7	Perinatal lethality of microtubule-associated protein 1B-deficient mice expressing alternative isoforms of the protein at low levels. <i>Molecular and Cellular Neurosciences</i> , <b>2000</b> , 16, 408-21	4.8	67
6	The neurite retraction induced by lysophosphatidic acid increases Alzheimer's disease-like Tau phosphorylation. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 37046-52	5.4	132
5	Expression of Presenilin 1 in nervous system during rat development. <i>Journal of Comparative Neurology</i> , <b>1999</b> , 410, 556-570	3.4	36
4	Amyloid precursor protein proteoglycan is increased after brain damage. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>1998</b> , 1406, 237-50	6.9	8
3	Sulphated glycosaminoglycans prevent the neurotoxicity of a human prion protein fragment. <i>Biochemical Journal</i> , <b>1998</b> , 335 ( Pt 2), 369-74	3.8	58
2	Characterization of a neurite outgrowth inhibitor expressed after CNS injury. <i>European Journal of Neuroscience</i> , <b>1993</b> , 5, 454-65	3.5	108
1	Role of GSK-3/Shaggy in Neuronal Cell Biology45-60		