

Jean-Charles Grivel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7355481/jean-charles-grivel-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

4,509
citations

40
h-index

65
g-index

101
ext. papers

5,149
ext. citations

8.4
avg, IF

5.09
L-index

#	Paper	IF	Citations
98	Dromedary camels as a natural source of neutralizing nanobodies against SARS-CoV-2. <i>JCI Insight</i> , 2021 , 6,	9.9	5
97	2D MXenes with antiviral and immunomodulatory properties: A pilot study against SARS-CoV-2. <i>Nano Today</i> , 2021 , 38, 101136	17.9	23
96	X-Linked Agammaglobulinemia Case with TH Domain Missense Mutation in Bruton Tyrosine Kinase. <i>Journal of Clinical Immunology</i> , 2021 , 41, 825-828	5.7	
95	Cytokine-chemokine network driven metastasis in esophageal cancer; promising avenue for targeted therapy. <i>Molecular Cancer</i> , 2021 , 20, 2	42.1	29
94	Paracrine Mechanisms of Mesenchymal Stromal Cells in Angiogenesis. <i>Stem Cells International</i> , 2020 , 2020, 4356359	5	75
93	Accessible Source of Stem Cells: Expansion of CD34+ Cells in Bulk Peripheral Blood Mononuclear Cells Using UM171. <i>Blood</i> , 2020 , 136, 14-15	2.2	
92	Large-Scale Proteomic Analysis of Soluble Compartment in Pediatric Acute Lymphoblastic Leukemia. <i>Blood</i> , 2020 , 136, 6-7	2.2	
91	B-T Cell Interactions in GRAFT-Versus-Host Disease. <i>Blood</i> , 2020 , 136, 38-38	2.2	
90	Flow-Cytometry Platform for Intracellular Detection of FVIII in Blood Cells: A New Tool to Assess Gene Therapy Efficiency for Hemophilia A. <i>Molecular Therapy - Methods and Clinical Development</i> , 2020 , 17, 1-12	6.4	1
89	Productive Cytomegalovirus Infection Is Associated With Impaired Endothelial Function in ST-Elevation Myocardial Infarction. <i>American Journal of Medicine</i> , 2020 , 133, 133-142	2.4	4
88	Extracellular vesicles-mediated intercellular communication: roles in the tumor microenvironment and anti-cancer drug resistance. <i>Molecular Cancer</i> , 2019 , 18, 55	42.1	145
87	Towards a Standardization and Characterization of Clinical Grade Adipose-Derived Stromal Cells. <i>Blood</i> , 2019 , 134, 5013-5013	2.2	
86	Flow virometry analysis of envelope glycoprotein conformations on individual HIV virions. <i>Scientific Reports</i> , 2017 , 7, 948	4.9	16
85	Analysis of RBC-microparticles in stored whole blood bags - a promising marker to detect blood doping in sports?. <i>Drug Testing and Analysis</i> , 2017 , 9, 1794-1798	3.5	6
84	The cytokine network in women with an asymptomatic short cervix and the risk of preterm delivery. <i>American Journal of Reproductive Immunology</i> , 2017 , 78, e12686	3.8	21
83	Systematic evaluation of immune regulation and modulation 2017 , 5, 21		15
82	Flow Virometry to Analyze Antigenic Spectra of Virions and Extracellular Vesicles. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	3

81	Flow analysis of individual blood extracellular vesicles in acute coronary syndrome. <i>Platelets</i> , 2017 , 28, 165-173	3.6	11
80	Cytomegalovirus-Productive Infection Is Associated With Acute Coronary Syndrome. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	32
79	Addition of thrombin reduces the recovery of extracellular vesicles from blood plasma. <i>Journal of Circulating Biomarkers</i> , 2016 , 5, 1849454416663648	3.3	4
78	Systemic inflammation and liver damage in HIV/hepatitis C virus coinfection. <i>HIV Medicine</i> , 2016 , 17, 581-97	2.7	44
77	Analysis of Extracellular Vesicles Using Magnetic Nanoparticles in Blood of Patients with Acute Coronary Syndrome. <i>Biochemistry (Moscow)</i> , 2016 , 81, 382-391	2.9	5
76	Standardization of a cytometric p24-capture bead-assay for the detection of main HIV-1 subtypes. <i>Journal of Virological Methods</i> , 2016 , 230, 45-52	2.6	1
75	Evaluation of the maturation of individual Dengue virions with flow virometry. <i>Virology</i> , 2016 , 488, 20-7	3.6	23
74	Modulation of Immune Responses by Extracellular Vesicles From Retinal Pigment Epithelium 2016 , 57, 4101-7		40
73	Evidence of perturbations of the cytokine network in preterm labor. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 836.e1-836.e18	6.4	101
72	Revving up Natural Killer Cells and Cytokine-Induced Killer Cells Against Hematological Malignancies. <i>Frontiers in Immunology</i> , 2015 , 6, 230	8.4	56
71	Valacyclovir Decreases Plasma HIV-1 RNA in HSV-2 Seronegative Individuals: A Randomized Placebo-Controlled Crossover Trial. <i>Clinical Infectious Diseases</i> , 2015 , 60, 1708-14	11.6	8
70	Antigenic composition of single nano-sized extracellular blood vesicles. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2015 , 11, 489-98	6	22
69	An Model of HIV-1 Infection in Human Lymphoid Tissue and Cervico-vaginal Tissue. <i>Bio-protocol</i> , 2014 , 4,	0.9	10
68	Histocultures (tissue explants) in human retrovirology. <i>Methods in Molecular Biology</i> , 2014 , 1087, 233-48	1.4	6
67	A universal nanoparticle cell secretion capture assay. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2013 , 83, 205-11	4.6	8
66	Productive HIV-1 infection of human cervical tissue ex vivo is associated with the secretory phase of the menstrual cycle. <i>Mucosal Immunology</i> , 2013 , 6, 1081-90	9.2	63
65	Interleukin-7 facilitates HIV-1 transmission to cervico-vaginal tissue ex vivo. <i>PLoS Pathogens</i> , 2013 , 9, e1003148	7.6	42
64	Nanoparticle-based flow virometry for the analysis of individual virions. <i>Journal of Clinical Investigation</i> , 2013 , 123, 3716-27	15.9	51

63	HIV-1 imposes rigidity on blood and semen cytokine networks. <i>American Journal of Reproductive Immunology</i> , 2012 , 68, 515-21	3.8	24
62	HIV-1 expressing the envelopes of transmitted/founder or control/reference viruses have similar infection patterns of CD4 T-cells in human cervical tissue ex vivo. <i>PLoS ONE</i> , 2012 , 7, e50839	3.7	15
61	Semen of HIV-1-infected individuals: local shedding of herpesviruses and reprogrammed cytokine network. <i>Journal of Infectious Diseases</i> , 2012 , 205, 97-105	7	60
60	Exploiting the anti-HIV-1 activity of acyclovir: suppression of primary and drug-resistant HIV isolates and potentiation of the activity by ribavirin. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 2604-11	5.9	13
59	Cervico-vaginal tissue ex vivo as a model to study early events in HIV-1 infection. <i>American Journal of Reproductive Immunology</i> , 2011 , 65, 268-78	3.8	32
58	Activation of T lymphocytes in atherosclerotic plaques. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2929-37	9.4	59
57	Protein kinase A regulates caspase-1 via Ets-1 in bone stromal cell-derived lesions: a link between cyclic AMP and pro-inflammatory pathways in osteoblast progenitors. <i>Human Molecular Genetics</i> , 2011 , 20, 165-75	5.6	29
56	Selective transmission of R5 HIV-1 variants: where is the gatekeeper?. <i>Journal of Translational Medicine</i> , 2011 , 9 Suppl 1, S6	8.5	85
55	Contrasting roles for TLR ligands in HIV-1 pathogenesis. <i>PLoS ONE</i> , 2010 , 5, e12831	3.7	30
54	A new class of dual-targeted antivirals: monophosphorylated acyclovir prodrug derivatives suppress both human immunodeficiency virus type 1 and herpes simplex virus type 2. <i>Journal of Infectious Diseases</i> , 2010 , 201, 635-43	7	31
53	HIV-1 sexual transmission: early events of HIV-1 infection of human cervico-vaginal tissue in an optimized ex vivo model. <i>Mucosal Immunology</i> , 2010 , 3, 280-90	9.2	102
52	Multisite comparison of anti-human immunodeficiency virus microbicide activity in explant assays using a novel endpoint analysis. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 3530-9	9.7	40
51	A highly sensitive and dynamic immunofluorescent cytometric bead assay for the detection of HIV-1 p24. <i>Journal of Virological Methods</i> , 2009 , 157, 98-101	2.6	47
50	Immune suppression of human lymphoid tissues and cells in rotating suspension culture and onboard the International Space Station. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2009 , 45, 622-32	2.6	23
49	Toxoplasma gondii inhibits R5 HIV-1 replication in human lymphoid tissues ex vivo. <i>Microbes and Infection</i> , 2009 , 11, 1106-13	9.3	3
48	Evolution of SIV toward RANTES resistance in macaques rapidly progressing to AIDS upon coinfection with HHV-6A. <i>Retrovirology</i> , 2009 , 6, 61	3.6	14
47	Use of human tissue explants to study human infectious agents. <i>Nature Protocols</i> , 2009 , 4, 256-69	18.8	122
46	Acyclovir is activated into a HIV-1 reverse transcriptase inhibitor in herpesvirus-infected human tissues. <i>Cell Host and Microbe</i> , 2008 , 4, 260-270	23.4	102

45	Biological and technical variables affecting immunoassay recovery of cytokines from human serum and simulated vaginal fluid: a multicenter study. <i>Analytical Chemistry</i> , 2008 , 80, 4741-51	7.8	136
44	Upregulation of human cytomegalovirus by HIV type 1 in human lymphoid tissue ex vivo. <i>AIDS Research and Human Retroviruses</i> , 2008 , 24, 453-62	1.6	14
43	HIV-1 induced activation of CD4+ T cells creates new targets for HIV-1 infection in human lymphoid tissue ex vivo. <i>Blood</i> , 2008 , 111, 699-704	2.2	76
42	Design and cellular kinetics of dansyl-labeled CADA derivatives with anti-HIV and CD4 receptor down-modulating activity. <i>Biochemical Pharmacology</i> , 2007 , 74, 566-78	6	11
41	Viral interactions in human lymphoid tissue: Human herpesvirus 7 suppresses the replication of CCR5-tropic human immunodeficiency virus type 1 via CD4 modulation. <i>Journal of Virology</i> , 2007 , 81, 708-17	6.6	45
40	Measles virus vaccine attenuation: suboptimal infection of lymphatic tissue and tropism alteration. <i>Journal of Infectious Diseases</i> , 2007 , 196, 541-9	7	57
39	Abnormal activation and cytokine spectra in lymph nodes of people chronically infected with HIV-1. <i>Blood</i> , 2007 , 109, 4272-9	2.2	166
38	HIV-1 pathogenesis differs in rectosigmoid and tonsillar tissues infected ex vivo with CCR5- and CXCR4-tropic HIV-1. <i>Aids</i> , 2007 , 21, 1263-72	3.5	53
37	Semen-derived amyloid fibrils drastically enhance HIV infection. <i>Cell</i> , 2007 , 131, 1059-71	56.2	424
36	Sustained secretion of immunoglobulin by long-lived human tonsil plasma cells. <i>American Journal of Pathology</i> , 2007 , 171, 917-27	5.8	23
35	Ex vivo culture of human colorectal tissue for the evaluation of candidate microbicides. <i>Aids</i> , 2006 , 20, 1237-45	3.5	108
34	Pertussis toxin B-oligomer dissociates T cell activation and HIV replication in CD4 T cells released from infected lymphoid tissue. <i>Aids</i> , 2005 , 19, 1007-14	3.5	19
33	TNF-related apoptosis-inducing ligand (TRAIL) in HIV-1-infected patients and its in vitro production by antigen-presenting cells. <i>Blood</i> , 2005 , 105, 2458-64	2.2	131
32	CD4+ T-cell death induced by infectious and noninfectious HIV-1: role of type 1 interferon-dependent, TRAIL/DR5-mediated apoptosis. <i>Blood</i> , 2005 , 106, 3524-31	2.2	170
31	Differential pathogenesis of primary CCR5-using human immunodeficiency virus type 1 isolates in ex vivo human lymphoid tissue. <i>Journal of Virology</i> , 2005 , 79, 11151-60	6.6	20
30	Inhibition of HIV-1 replication in human lymphoid tissues ex vivo by measles virus. <i>Journal of Infectious Diseases</i> , 2005 , 192, 71-8	7	64
29	CXCR4-tropic HIV-1 suppresses replication of CCR5-tropic HIV-1 in human lymphoid tissue by selective induction of CC-chemokines. <i>Journal of Infectious Diseases</i> , 2004 , 189, 506-14	7	16
28	Vpr and Vpu are important for efficient human immunodeficiency virus type 1 replication and CD4+ T-cell depletion in human lymphoid tissue ex vivo. <i>Journal of Virology</i> , 2004 , 78, 12689-93	6.6	36

27	Dual role of prostratin in inhibition of infection and reactivation of human immunodeficiency virus from latency in primary blood lymphocytes and lymphoid tissue. <i>Journal of Virology</i> , 2004 , 78, 10507-15	6.6	78
26	Noninfectious X4 but not R5 human immunodeficiency virus type 1 virions inhibit humoral immune responses in human lymphoid tissue ex vivo. <i>Journal of Virology</i> , 2004 , 78, 7061-8	6.6	8
25	Depletion of CD4 T lymphocytes in human lymphoid tissue infected ex vivo with doxycycline-dependent HIV-1. <i>Virology</i> , 2004 , 328, 1-6	3.6	14
24	IL-15 alters expression and function of the chemokine receptor CX3CR1 in human NK cells. <i>Cellular Immunology</i> , 2004 , 230, 99-108	4.4	26
23	Pathogenic effects of human herpesvirus 6 in human lymphoid tissue ex vivo. <i>Journal of Virology</i> , 2003 , 77, 8280-9	6.6	76
22	Isolation and clonal analysis of human epidermal keratinocyte stem cells in long-term culture. <i>Stem Cells</i> , 2003 , 21, 481-94	5.8	81
21	Real-time PCR assay of individual human immunodeficiency virus type 1 variants in coinfecting human lymphoid tissues. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 2126-31	9.7	9
20	Bystander CD4+ T lymphocytes survive in HIV-infected human lymphoid tissue. <i>AIDS Research and Human Retroviruses</i> , 2003 , 19, 211-6	1.6	12
19	Segregation of R5 and X4 HIV-1 variants to memory T cell subsets differentially expressing CD62L in ex vivo infected human lymphoid tissue. <i>Aids</i> , 2002 , 16, 1245-9	3.5	19
18	Coreceptor choice and T cell depletion by R5, X4, and R5X4 HIV-1 variants in CCR5-deficient (CCR5delta32) and normal human lymphoid tissue. <i>Virology</i> , 2001 , 281, 239-47	3.6	18
17	Suppression of CCR5- but not CXCR4-tropic HIV-1 in lymphoid tissue by human herpesvirus 6. <i>Nature Medicine</i> , 2001 , 7, 1232-5	50.5	98
16	Human immunodeficiency virus type 1 (HIV-1) non-B subtypes are similar to HIV-1 subtype B in that coreceptor specificity is a determinant of cytopathicity in human lymphoid tissue infected ex vivo. <i>Journal of Virology</i> , 2001 , 75, 10520-2	6.6	11
15	Small molecule inhibitor of HIV-1 nuclear import suppresses HIV-1 replication in human lymphoid tissue ex vivo: a potential addition to current anti-HIV drug repertoire. <i>Antiviral Research</i> , 2000 , 47, 89-95	10.8	3
14	Breakdown of tolerance to a neo-self antigen in double transgenic mice in which B cells present the antigen. <i>Journal of Immunology</i> , 2000 , 164, 4594-600	5.3	15
13	Human immunodeficiency virus type 1 induces apoptosis in CD4(+) but not in CD8(+) T cells in ex vivo-infected human lymphoid tissue. <i>Journal of Virology</i> , 2000 , 74, 8077-84	6.6	42
12	Human immunodeficiency virus type 1 coreceptor preferences determine target T-cell depletion and cellular tropism in human lymphoid tissue. <i>Journal of Virology</i> , 2000 , 74, 5347-51	6.6	59
11	Human Immunodeficiency Virus Type 1 Coreceptor Preferences Determine Target T-Cell Depletion and Cellular Tropism in Human Lymphoid Tissue. <i>Journal of Virology</i> , 2000 , 74, 5347-5351	6.6	2
10	CCR5- and CXCR4-tropic HIV-1 are equally cytopathic for their T-cell targets in human lymphoid tissue. <i>Nature Medicine</i> , 1999 , 5, 344-6	50.5	154

9	Immunization through dermal delivery of protein-encoding DNA: a role for migratory dendritic cells. <i>European Journal of Immunology</i> , 1999 , 29, 446-54	6.1	59
8	CXCR4 utilization is sufficient to trigger CD4+ T cell depletion in HIV-1-infected human lymphoid tissue. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 663-8	11.5	121
7	Structural differences among monoclonal antibodies with distinct fine specificities and kinetic properties. <i>Molecular Immunology</i> , 1999 , 36, 1189-205	4.3	28
6	Nef enhances human immunodeficiency virus replication and responsiveness to interleukin-2 in human lymphoid tissue ex vivo. <i>Journal of Virology</i> , 1999 , 73, 3968-74	6.6	68
5	Preferential coreceptor utilization and cytopathicity by dual-tropic HIV-1 in human lymphoid tissue ex vivo. <i>Journal of Clinical Investigation</i> , 1999 , 104, R7-R11	15.9	79
4	Evidence for the HIV-1 phenotype switch as a causal factor in acquired immunodeficiency. <i>Nature Medicine</i> , 1998 , 4, 346-9	50.5	102
3	Blockade of CC chemokine receptor 5 (CCR5)-tropic human immunodeficiency virus-1 replication in human lymphoid tissue by CC chemokines. <i>Journal of Clinical Investigation</i> , 1998 , 101, 1876-80	15.9	41
2	Endocytosis and presentation of liposome-associated antigens by B cells. <i>ImmunoMethods</i> , 1994 , 4, 223-8		7
1	Rapid induction of anti-idiotypic responses to unmodified monoclonal antibodies from syngeneic mice following primary immunization. <i>Journal of Immunological Methods</i> , 1993 , 158, 173-82	2.5	9