

Ian A Blair

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7356244/ian-a-blair-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

199
papers

9,760
citations

48
h-index

93
g-index

208
ext. papers

11,506
ext. citations

5.8
avg, IF

6.18
L-index

#	Paper	IF	Citations
199	DNA methylation in Friedreich ataxia silences expression of frataxin isoform E.. <i>Scientific Reports</i> , 2022 , 12, 5031	4.9	1
198	Simultaneous Quantification of Mitochondrial Mature Frataxin and Extra-Mitochondrial Frataxin Isoform E in Friedreich's Ataxia Blood.. <i>Frontiers in Neuroscience</i> , 2022 , 16, 874768	5.1	1
197	Glutamine deprivation triggers NAGK-dependent hexosamine salvage. <i>ELife</i> , 2021 , 10,	8.9	2
196	Primary saturation of β , μ unsaturated carbonyl containing fatty acids does not abolish electrophilicity. <i>Chemico-Biological Interactions</i> , 2021 , 350, 109689	5	0
195	Efficient Labeling of Native Human IgG by Proximity-Based Sortase-Mediated Isopeptide Ligation. <i>Bioconjugate Chemistry</i> , 2021 , 32, 1058-1066	6.3	2
194	Cholesterol Auxotrophy as a Targetable Vulnerability in Clear Cell Renal Cell Carcinoma. <i>Cancer Discovery</i> , 2021 ,	24.4	5
193	Upregulation of Antioxidant Capacity and Nucleotide Precursor Availability Suffices for Oncogenic Transformation. <i>Cell Metabolism</i> , 2021 , 33, 94-109.e8	24.6	15
192	Effects of systemic inflammation on relapse in early breast cancer. <i>Npj Breast Cancer</i> , 2021 , 7, 7	7.8	6
191	Using biochemistry and biophysics to extinguish androgen receptor signaling in prostate cancer. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100240	5.4	6
190	Reverse Phase Protein Array Reveals Correlation of Retinoic Acid Metabolism With Cardiomyopathy in Friedreich's Ataxia. <i>Molecular and Cellular Proteomics</i> , 2021 , 20, 100094	7.6	1
189	Lactate Limits T Cell Proliferation via the NAD(H) Redox State. <i>Cell Reports</i> , 2020 , 33, 108500	10.6	30
188	FBP1 loss disrupts liver metabolism and promotes tumorigenesis through a hepatic stellate cell senescence secretome. <i>Nature Cell Biology</i> , 2020 , 22, 728-739	23.4	38
187	Changes in Aged Fibroblast Lipid Metabolism Induce Age-Dependent Melanoma Cell Resistance to Targeted Therapy via the Fatty Acid Transporter FATP2. <i>Cancer Discovery</i> , 2020 , 10, 1282-1295	24.4	29
186	Impaired Redox and Protein Homeostasis as Risk Factors and Therapeutic Targets in Toxin-Induced Biliary Atresia. <i>Gastroenterology</i> , 2020 , 159, 1068-1084.e2	13.3	0
185	Gut microbiota modulate dendritic cell antigen presentation and radiotherapy-induced antitumor immune response. <i>Journal of Clinical Investigation</i> , 2020 , 130, 466-479	15.9	74
184	Voriconazole enhances UV-induced DNA damage by inhibiting catalase and promoting oxidative stress. <i>Experimental Dermatology</i> , 2020 , 29, 29-38	4	6
183	Cervicovaginal fluid proteomic analysis to identify potential biomarkers for preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 493.e1-493.e13	6.4	9

182	Extra-mitochondrial mouse frataxin and its implications for mouse models of Friedreich's ataxia. <i>Scientific Reports</i> , 2020 , 10, 15788	4.9	5
181	Chaperone-mediated autophagy regulates the pluripotency of embryonic stem cells. <i>Science</i> , 2020 , 369, 397-403	33.3	26
180	Autophagy mitigates ethanol-induced mitochondrial dysfunction and oxidative stress in esophageal keratinocytes. <i>PLoS ONE</i> , 2020 , 15, e0239625	3.7	6
179	The proteome and its dynamics: A missing piece for integrative multi-omics in schizophrenia. <i>Schizophrenia Research</i> , 2020 , 217, 148-161	3.6	6
178	Metabolic Detection of Bruton's Tyrosine Kinase Inhibition in Mantle Cell Lymphoma Cells. <i>Molecular Cancer Research</i> , 2019 , 17, 1365-1377	6.6	6
177	Evaluation of antibodies for western blot analysis of frataxin protein isoforms. <i>Journal of Immunological Methods</i> , 2019 , 474, 112629	2.5	2
176	Analytical Methods for Mass Spectrometry-Based Metabolomics Studies. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1140, 635-647	3.6	16
175	The current state of biomarker research for Friedreich's ataxia: a report from the 2018 FARA biomarker meeting. <i>Future Science OA</i> , 2019 , 5, FSO398	2.7	10
174	In Vitro Biotransformation of the Nrf2 Activator Bardoxolone: Formation of an Epoxide Metabolite That Undergoes Two Novel Glutathione-Mediated Metabolic Pathways: Epoxide Reduction and Oxidative Elimination of Nitrile Moiety. <i>Chemical Research in Toxicology</i> , 2019 , 32, 2268-2280	4	5
173	Safety, pharmacodynamics, and potential benefit of omaveloxolone in Friedreich ataxia. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 15-26	5.3	61
172	Impact of route of administration on genotoxic oestrogens concentrations using oral vs transdermal oestradiol in girls with Turner syndrome. <i>Clinical Endocrinology</i> , 2019 , 90, 155-161	3.4	9
171	Differential Reliance on Lipid Metabolism as a Salvage Pathway Underlies Functional Differences of T Cell Subsets in Poor Nutrient Environments. <i>Cell Reports</i> , 2018 , 23, 741-755	10.6	28
170	Effect of a tissue selective estrogen complex on breast cancer: Role of unique properties of conjugated equine estrogen. <i>International Journal of Cancer</i> , 2018 , 143, 1259-1268	7.5	8
169	Liquid Chromatography-High Resolution Mass Spectrometry Analysis of Platelet Frataxin as a Protein Biomarker for the Rare Disease Friedreich's Ataxia. <i>Analytical Chemistry</i> , 2018 , 90, 2216-2223	7.8	28
168	Analysis of HETEs in human whole blood by chiral UHPLC-ECAPCI/HRMS. <i>Journal of Lipid Research</i> , 2018 , 59, 564-575	6.3	22
167	The CPT1a inhibitor, etomoxir induces severe oxidative stress at commonly used concentrations. <i>Scientific Reports</i> , 2018 , 8, 6289	4.9	77
166	Microbes vs. chemistry in the origin of the anaerobic gut lumen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 4170-4175	11.5	100
165	Arginase 2 Suppresses Renal Carcinoma Progression via Biosynthetic Cofactor Pyridoxal Phosphate Depletion and Increased Polyamine Toxicity. <i>Cell Metabolism</i> , 2018 , 27, 1263-1280.e6	24.6	45

164	Low apolipoprotein A-I levels in Friedreich's ataxia and in frataxin-deficient cells: Implications for therapy. <i>PLoS ONE</i> , 2018 , 13, e0192779	3.7	8
163	Defining Metabolic and Nonmetabolic Regulation of Histone Acetylation by NSAID Chemotypes. <i>Molecular Pharmaceutics</i> , 2018 , 15, 729-736	5.6	4
162	Associations between improvement in genitourinary symptoms of menopause and changes in the vaginal ecosystem. <i>Menopause</i> , 2018 , 25, 500-507	2.5	18
161	Role of Human Aldo-Keto Reductases in the Metabolic Activation of the Carcinogenic Air Pollutant 3-Nitrobenzanthrone. <i>Chemical Research in Toxicology</i> , 2018 , 31, 1277-1288	4	3
160	Characterization of a new N-terminally acetylated extra-mitochondrial isoform of frataxin in human erythrocytes. <i>Scientific Reports</i> , 2018 , 8, 17043	4.9	23
159	Effect of Differences in Metabolic Activity of Melanoma Models on Response to Lonidamine plus Doxorubicin. <i>Scientific Reports</i> , 2018 , 8, 14654	4.9	2
158	Gestational Diabetes Alters the Metabolomic Profile in 2nd Trimester Amniotic Fluid in a Sex-Specific Manner. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	23
157	Quantification of Serum High Mobility Group Box 1 by Liquid Chromatography/High-Resolution Mass Spectrometry: Implications for Its Role in Immunity, Inflammation, and Cancer. <i>Analytical Chemistry</i> , 2018 , 90, 7552-7560	7.8	10
156	Impact of a High-fat Diet on Tissue Acyl-CoA and Histone Acetylation Levels. <i>Journal of Biological Chemistry</i> , 2017 , 292, 3312-3322	5.4	89
155	Foxp3 Reprograms T Cell Metabolism to Function in Low-Glucose, High-Lactate Environments. <i>Cell Metabolism</i> , 2017 , 25, 1282-1293.e7	24.6	435
154	Biomarkers of exposure to new and emerging tobacco delivery products. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017 , 313, L425-L452	5.8	56
153	Coenzyme A thioester formation of 11- and 15-oxo-eicosatetraenoic acid. <i>Prostaglandins and Other Lipid Mediators</i> , 2017 , 130, 1-7	3.7	
152	Metabolic tracing analysis reveals substrate-specific metabolic deficits in platelet storage lesion. <i>Transfusion</i> , 2017 , 57, 2683-2689	2.9	2
151	Comparison of statistical methods for detection of serum lipid biomarkers for mesothelioma and asbestos exposure. <i>Biomarkers in Medicine</i> , 2017 , 11, 547-556	2.3	1
150	Heme Binding Biguanides Target Cytochrome P450-Dependent Cancer Cell Mitochondria. <i>Cell Chemical Biology</i> , 2017 , 24, 1259-1275.e6	8.2	15
149	Comparison Between LCMS and Ligand-Binding Assay Approaches for Biomarker Quantification		
	2017 , 65-78		
148	Opportunities and Challenges for Environmental Exposure Assessment in Population-Based Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1370-1380	4	17
147	Targeted Lipid Biomarker Quantitation Using Liquid Chromatography-Mass Spectrometry (LCMS)		
	2017 , 273-287		1

146	Adrenocortical carcinoma and succinate dehydrogenase gene mutations: an observational case series. <i>European Journal of Endocrinology</i> , 2017 , 177, 439-444	6.5	19
145	On meta- and mega-analyses for gene-environment interactions. <i>Genetic Epidemiology</i> , 2017 , 41, 876-886	6.6	2
144	Vaginal microbiota and genitourinary menopausal symptoms: a cross-sectional analysis. <i>Menopause</i> , 2017 , 24, 1160-1166	2.5	36
143	Testicular vs adrenal sources of hydroxy-androgens in prostate cancer. <i>Endocrine-Related Cancer</i> , 2017 , 24, 393-404	5.7	8
142	Pretreatment Red Blood Cell Total Folate Concentration Is Associated With Response to Pemetrexed in Stage IV Nonsquamous Non-Small-cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2017 , 18, e143-e149	4.9	2
141	Second trimester amniotic fluid bisphenol A concentration is associated with decreased birth weight in term infants. <i>Reproductive Toxicology</i> , 2017 , 67, 1-9	3.4	50
140	Simultaneous quantitation of nine hydroxy-androgens and their conjugates in human serum by stable isotope dilution liquid chromatography electrospray ionization tandem mass spectrometry. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 165, 342-355	5.1	19
139	Biomarkers of Response to Asbestos Exposure. <i>Current Cancer Research</i> , 2017 , 259-277	0.2	
138	Mechanism of antineoplastic activity of lonidamine. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2016 , 1866, 151-162	11.2	65
137	Diisopropylethylamine/hexafluoroisopropanol-mediated ion-pairing ultra-high-performance liquid chromatography/mass spectrometry for phosphate and carboxylate metabolite analysis: utility for studying cellular metabolism. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30, 1835-45	2.2	32
136	Validation of highly sensitive simultaneous targeted and untargeted analysis of keto-steroids by Girard P derivatization and stable isotope dilution-liquid chromatography-high resolution mass spectrometry. <i>Steroids</i> , 2016 , 116, 60-66	2.8	15
135	Mass spectrometry-based approaches to targeted quantitative proteomics in cardiovascular disease. <i>Clinical Proteomics</i> , 2016 , 13, 20	5	14
134	ATP-Citrate Lyase Controls a Glucose-to-Acetate Metabolic Switch. <i>Cell Reports</i> , 2016 , 17, 1037-1052	10.6	181
133	LC-MS Analysis of Human Platelets as a Platform for Studying Mitochondrial Metabolism. <i>Journal of Visualized Experiments</i> , 2016 , e53941	1.6	3
132	Ultra-high sensitivity analysis of estrogens for special populations in serum and plasma by liquid chromatography-mass spectrometry: Assay considerations and suggested practices. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016 , 162, 70-9	5.1	22
131	Evidence for Intramyocardial Disruption of Lipid Metabolism and Increased Myocardial Ketone Utilization in Advanced Human Heart Failure. <i>Circulation</i> , 2016 , 133, 706-16	16.7	281
130	Bonded Cumomer Analysis of Human Melanoma Metabolism Monitored by ¹³ C NMR Spectroscopy of Perfused Tumor Cells. <i>Journal of Biological Chemistry</i> , 2016 , 291, 5157-71	5.4	18
129	A broad-spectrum lipidomics screen of antiinflammatory drug combinations in human blood. <i>JCI Insight</i> , 2016 , 1,	9.9	27

128	Akt-mTORC1 signaling regulates Acly to integrate metabolic input to control of macrophage activation. <i>ELife</i> , 2016 , 5,	8.9	230
127	(13)C MRS and LC-MS Flux Analysis of Tumor Intermediary Metabolism. <i>Frontiers in Oncology</i> , 2016 , 6, 135	5.3	19
126	Inhibition of Mitochondrial Complex II by the Anticancer Agent Lonidamine. <i>Journal of Biological Chemistry</i> , 2016 , 291, 42-57	5.4	96
125	Glutathione antioxidant pathway activity and reserve determine toxicity and specificity of the biliary toxin bilitresone in zebrafish. <i>Hepatology</i> , 2016 , 64, 894-907	11.2	33
124	AMPK Activation and Metabolic Reprogramming by Tamoxifen through Estrogen Receptor-Independent Mechanisms Suggests New Uses for This Therapeutic Modality in Cancer Treatment. <i>Cancer Research</i> , 2016 , 76, 3295-306	10.1	50
123	The anti-tumour agent lonidamine is a potent inhibitor of the mitochondrial pyruvate carrier and plasma membrane monocarboxylate transporters. <i>Biochemical Journal</i> , 2016 , 473, 929-36	3.8	58
122	Potential Metabolic Activation of a Representative C2-Alkylated Polycyclic Aromatic Hydrocarbon 6-Ethylchrysene Associated with the Deepwater Horizon Oil Spill in Human Hepatoma (HepG2) Cells. <i>Chemical Research in Toxicology</i> , 2016 , 29, 991-1002	4	6
121	The phospholipase A2 activity of peroxiredoxin 6 modulates NADPH oxidase 2 activation via lysophosphatidic acid receptor signaling in the pulmonary endothelium and alveolar macrophages. <i>FASEB Journal</i> , 2016 , 30, 2885-98	0.9	43
120	Estrogens and Their Genotoxic Metabolites Are Increased in Obese Prepubertal Girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2322-8	5.6	30
119	Production of stable isotope-labeled acyl-coenzyme A thioesters by yeast stable isotope labeling by essential nutrients in cell culture. <i>Analytical Biochemistry</i> , 2015 , 474, 59-65	3.1	30
118	Rotenone Stereospecifically Increases (S)-2-Hydroxyglutarate in SH-SY5Y Neuronal Cells. <i>Chemical Research in Toxicology</i> , 2015 , 28, 948-54	4	9
117	15-Oxoeicosatetraenoic acid is a 15-hydroxyprostaglandin dehydrogenase-derived electrophilic mediator of inflammatory signaling pathways. <i>Chemico-Biological Interactions</i> , 2015 , 234, 144-53	5	23
116	Analysis of estrogens and androgens in postmenopausal serum and plasma by liquid chromatography-mass spectrometry. <i>Steroids</i> , 2015 , 99, 76-83	2.8	26
115	Bioanalytical techniques for detecting biomarkers of response to human asbestos exposure. <i>Bioanalysis</i> , 2015 , 7, 1157-73	2.1	14
114	Biosynthesis and actions of 5-oxoeicosatetraenoic acid (5-oxo-ETE) on feline granulocytes. <i>Biochemical Pharmacology</i> , 2015 , 96, 247-55	6	13
113	Translational metabolomics in cancer research. <i>Biomarkers in Medicine</i> , 2015 , 9, 821-34	2.3	15
112	Oncology bioanalysis: from biomarkers to drug discovery. <i>Biomarkers in Medicine</i> , 2015 , 9, 819-20	2.3	
111	Stable isotopes and LC-MS for monitoring metabolic disturbances in Friedreich's ataxia platelets. <i>Bioanalysis</i> , 2015 , 7, 1843-55	2.1	18

110	Serum apolipoprotein A-1 quantification by LC-MS with a SILAC internal standard reveals reduced levels in smokers. <i>Bioanalysis</i> , 2015 , 7, 2895-911	2.1	21
109	A dynamic career in MS: applications to biomedical research. <i>Future Science OA</i> , 2015 , 1, FSO52	2.7	1
108	ATM couples replication stress and metabolic reprogramming during cellular senescence. <i>Cell Reports</i> , 2015 , 11, 893-901	10.6	75
107	Metabolism of propionic acid to a novel acyl-coenzyme A thioester by mammalian cell lines and platelets. <i>Journal of Lipid Research</i> , 2015 , 56, 142-50	6.3	13
106	Ultrasensitive quantification of serum estrogens in postmenopausal women and older men by liquid chromatography-tandem mass spectrometry. <i>Steroids</i> , 2015 , 96, 140-52	2.8	39
105	Inhibition of neuronal cell mitochondrial complex I with rotenone increases lipid oxidation, supporting acetyl-coenzyme A levels. <i>Journal of Biological Chemistry</i> , 2014 , 289, 26895-26903	5.4	30
104	Akt-dependent metabolic reprogramming regulates tumor cell histone acetylation. <i>Cell Metabolism</i> , 2014 , 20, 306-319	24.6	340
103	Maternal serum serpin B7 is associated with early spontaneous preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 678.e1-12	6.4	13
102	Methotrexate modulates folate phenotype and inflammatory profile in EA.hy 926 cells. <i>European Journal of Pharmacology</i> , 2014 , 732, 60-7	5.3	4
101	Theory and Instrumentation of Mass Spectrometry and its Application to Drug Metabolism 2014 , 1-25		
100	Stable isotope dilution liquid chromatography/mass spectrometry analysis of cellular and tissue medium- and long-chain acyl-coenzyme A thioesters. <i>Rapid Communications in Mass Spectrometry</i> , 2014 , 28, 1840-8	2.2	21
99	Bioanalysis supporting disease biomarker discovery and validation 2014 , 162-181		
98	Development, validation and application of a stable isotope dilution liquid chromatography electrospray ionization/selected reaction monitoring/mass spectrometry (SID-LC/ESI/SRM/MS) method for quantification of keto-androgens in human serum. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013 , 138, 281-9	5.1	36
97	Human platelets as a platform to monitor metabolic biomarkers using stable isotopes and LC-MS. <i>Bioanalysis</i> , 2013 , 5, 3009-21	2.1	16
96	The effect of menthol on cigarette smoking behaviors, biomarkers and subjective responses. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 382-9	4	44
95	Cellular uptake and antiproliferative effects of 11-oxo-eicosatetraenoic acid. <i>Journal of Lipid Research</i> , 2013 , 54, 3070-7	6.3	9
94	Untargeted metabolomics from biological sources using ultraperformance liquid chromatography-high resolution mass spectrometry (UPLC-HRMS). <i>Journal of Visualized Experiments</i> , 2013 , e50433	1.6	18
93	Dietary Flaxseed in Non-Small Cell Lung Cancer Patients Receiving Chemoradiation. <i>Journal of Pulmonary & Respiratory Medicine</i> , 2013 , 3, 154	0	1

92	Biochemical fractionation and stable isotope dilution liquid chromatography-mass spectrometry for targeted and microdomain-specific protein quantification in human postmortem brain tissue. <i>Molecular and Cellular Proteomics</i> , 2012 , 11, 1670-81	7.6	29
91	Relative quantification of serum proteins from pancreatic ductal adenocarcinoma patients by stable isotope dilution liquid chromatography-mass spectrometry. <i>Journal of Proteome Research</i> , 2012 , 11, 1749-58	5.6	29
90	8-Oxo-2-Deoxyguanosine as a biomarker of tobacco-smoking-induced oxidative stress. <i>Free Radical Biology and Medicine</i> , 2012 , 53, 610-7	7.8	45
89	Metabolism and distribution of benzo[a]pyrene-7,8-dione (B[a]P-7,8-dione) in human lung cells by liquid chromatography tandem mass spectrometry: detection of an adenine B[a]P-7,8-dione adduct. <i>Chemical Research in Toxicology</i> , 2012 , 25, 993-1003	4	19
88	Direct Biofluid Analysis Systems 2012 , 1		1
87	Targeted chiral analysis of bioactive arachidonic Acid metabolites using liquid-chromatography-mass spectrometry. <i>Metabolites</i> , 2012 , 2, 337-65	5.6	24
86	SILEC: a protocol for generating and using isotopically labeled coenzyme A mass spectrometry standards. <i>Nature Protocols</i> , 2011 , 7, 1-12	18.8	48
85	Nicotine exposure and metabolizer phenotypes from analysis of urinary nicotine and its 15 metabolites by LC-MS. <i>Bioanalysis</i> , 2011 , 3, 745-61	2.1	39
84	Oncogene-induced Nrf2 transcription promotes ROS detoxification and tumorigenesis. <i>Nature</i> , 2011 , 475, 106-9	50.4	1458
83	Mass Spectrometry in the Analysis of DNA, Protein, Peptide, and Lipid Biomarkers of Oxidative Stress 2011 , 645-683		
82	A new liquid chromatography/mass spectrometry method for 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol (NNAL) in urine. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 115-21	2.2	20
81	Liquid chromatography/mass spectrometry of pre-ionized Girard P derivatives for quantifying estrone and its metabolites in serum from postmenopausal women. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 1297-307	2.2	27
80	Synthesis of deuterium-labeled analogs of the lipid hydroperoxide-derived bifunctional electrophile 4-oxo-2()-nonenal. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2011 , 54, 247-251	1.9	8
79	Regulation of benzo[a]pyrene-mediated DNA- and glutathione-adduct formation by 2,3,7,8-tetrachlorodibenzo-p-dioxin in human lung cells. <i>Chemical Research in Toxicology</i> , 2011 , 24, 89-98 ⁴		28
78	Stable isotope labeling by essential nutrients in cell culture for preparation of labeled coenzyme A and its thioesters. <i>Analytical Chemistry</i> , 2011 , 83, 1363-9	7.8	40
77	11-Oxoeicosatetraenoic acid is a cyclooxygenase-2/15-hydroxyprostaglandin dehydrogenase-derived antiproliferative eicosanoid. <i>Chemical Research in Toxicology</i> , 2011 , 24, 2227-36 ⁴	4	22
76	Rotenone-mediated changes in intracellular coenzyme A thioester levels: implications for mitochondrial dysfunction. <i>Chemical Research in Toxicology</i> , 2011 , 24, 1630-2	4	17
75	CYP3A4 mediates growth of estrogen receptor-positive breast cancer cells in part by inducing nuclear translocation of phospho-Stat3 through biosynthesis of (E)-14,15-epoxyeicosatrienoic acid (EET). <i>Journal of Biological Chemistry</i> , 2011 , 286, 17543-59	5.4	76

74	Lipid Peroxide-DNA Adducts 2011 , 227-244		3
73	Stable-isotope dilution LC-MS for quantitative biomarker analysis. <i>Bioanalysis</i> , 2010 , 2, 311-41	2.1	175
72	Liquid chromatography-mass spectrometry (LC-MS) of steroid hormone metabolites and its applications. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 121, 546-55	5.1	68
71	Analysis of estrogens in serum and plasma from postmenopausal women: past present, and future. <i>Steroids</i> , 2010 , 75, 297-306	2.8	98
70	Analysis of endogenous glutathione-adducts and their metabolites. <i>Biomedical Chromatography</i> , 2010 , 24, 29-38	1.7	30
69	Analysis of epoxyeicosatrienoic acids by chiral liquid chromatography/electron capture atmospheric pressure chemical ionization mass spectrometry using [¹³ C]-analog internal standards. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 3237-47	2.2	24
68	The post-synaptic density of human postmortem brain tissues: an experimental study paradigm for neuropsychiatric illnesses. <i>PLoS ONE</i> , 2009 , 4, e5251	3.7	63
67	15-oxo-Eicosatetraenoic acid, a metabolite of macrophage 15-hydroxyprostaglandin dehydrogenase that inhibits endothelial cell proliferation. <i>Molecular Pharmacology</i> , 2009 , 76, 516-25	4.3	47
66	5-Lipoxygenase-mediated endogenous DNA damage. <i>Journal of Biological Chemistry</i> , 2009 , 284, 16799-16807	1.8	18
65	Two distinct translesion synthesis pathways across a lipid peroxidation-derived DNA adduct in mammalian cells. <i>Journal of Biological Chemistry</i> , 2009 , 284, 191-198	5.4	24
64	A 4-oxo-2(E)-nonenal-derived glutathione adduct from 15-lipoxygenase-1-mediated oxidation of cytosolic and esterified arachidonic acid. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 953-61	7.8	9
63	Targeted quantitative analysis of eicosanoid lipids in biological samples using liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2736-45	3.2	90
62	Analysis of 7,8-dihydro-8-oxo-2'-deoxyguanosine in cellular DNA during oxidative stress. <i>Chemical Research in Toxicology</i> , 2009 , 22, 788-97	4	101
61	Identification and quantification of preterm birth biomarkers in human cervicovaginal fluid by liquid chromatography/tandem mass spectrometry. <i>Journal of Proteome Research</i> , 2009 , 8, 2407-17	5.6	56
60	Differential secreted proteome approach in murine model for candidate biomarker discovery in colon cancer. <i>Journal of Proteome Research</i> , 2009 , 8, 5153-64	5.6	43
59	Absolute quantification of phosphorylation on the kinase activation loop of cellular focal adhesion kinase by stable isotope dilution liquid chromatography/mass spectrometry. <i>Analytical Chemistry</i> , 2009 , 81, 3304-13	7.8	52
58	Targeted chiral lipidomics analysis of bioactive eicosanoid lipids in cellular systems. <i>BMB Reports</i> , 2009 , 42, 401-10	5.5	27
57	A Tribute to Hiroshi Miyazaki and His Innovative Research on the Chromatographic Separation of Biologically Important Substances. <i>Journal of the Mass Spectrometry Society of Japan</i> , 2009 , 57, 58-59	0.2	

56	Evidence for the aldo-keto reductase pathway of polycyclic aromatic trans-dihydrodiol activation in human lung A549 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 6846-51	11.5	97
55	DNA adducts with lipid peroxidation products. <i>Journal of Biological Chemistry</i> , 2008 , 283, 15545-9	5.4	180
54	Determination of cellular redox status by stable isotope dilution liquid chromatography/mass spectrometry analysis of glutathione and glutathione disulfide. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 432-40	2.2	60
53	Cyclooxygenase-2-mediated metabolism of arachidonic acid to 15-oxo-eicosatetraenoic acid by rat intestinal epithelial cells. <i>Chemical Research in Toxicology</i> , 2007 , 20, 1665-75	4	35
52	A novel 4-oxo-2(E)-nonenal-derived endogenous thiadiazabicyclo glutathione adduct formed during cellular oxidative stress. <i>Chemical Research in Toxicology</i> , 2007 , 20, 1008-18	4	42
51	Targeted quantitative analysis of fatty acids in atherosclerotic plaques by high sensitivity liquid chromatography/tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 850, 168-76	3.2	65
50	Targeted chiral lipidomics analysis by liquid chromatography electron capture atmospheric pressure chemical ionization mass spectrometry (LC-ECAPCI/MS). <i>Methods in Enzymology</i> , 2007 , 433, 159-74	1.7	33
49	Convenient and efficient syntheses of 4-hydroxy-2(E)-nonenal and 4-oxo-2(E)-nonenal. <i>Lipids</i> , 2006 , 41, 877-80	1.6	7
48	Synthesis of the stable isotope labeled antiviral nucleoside analog [8- ¹³ C ₇ ,9- ¹⁵ N ₂]-ganciclovir. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2006 , 49, 1131-1139	1.9	
47	Endogenous lipid hydroperoxide-mediated DNA-adduct formation in min mice. <i>Journal of Biological Chemistry</i> , 2006 , 281, 10127-33	5.4	63
46	LC/ESI/MS analysis of saturated and unsaturated fatty acids in rat intestinal epithelial cells. <i>Current Drug Metabolism</i> , 2006 , 7, 929-37	3.5	18
45	Endogenous glutathione adducts. <i>Current Drug Metabolism</i> , 2006 , 7, 853-72	3.5	100
44	Quantitative analysis of amyloid beta peptides in cerebrospinal fluid of Alzheimer's disease patients by immunoaffinity purification and stable isotope dilution liquid chromatography/negative electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 3723-35	2.2	133
43	Dioxododecenoic acid: a lipid hydroperoxide-derived bifunctional electrophile responsible for etheno DNA adduct formation. <i>Chemical Research in Toxicology</i> , 2005 , 18, 566-78	4	39
42	Unexpected formation of etheno-2Sdeoxyguanosine adducts from 5(S)-hydroperoxyeicosatetraenoic acid: evidence for a bis-hydroperoxide intermediate. <i>Chemical Research in Toxicology</i> , 2005 , 18, 599-610	4	31
41	4-Hydroperoxy-2-nonenal-induced formation of 1,N ² -etheno-2Sdeoxyguanosine adducts. <i>Chemical Research in Toxicology</i> , 2005 , 18, 780-6	4	65
40	Analysis of protein expression during oxidative stress in breast epithelial cells using a stable isotope labeled proteome internal standard. <i>Journal of Proteome Research</i> , 2005 , 4, 2007-14	5.6	43
39	Effect of immunoaffinity depletion of human serum during proteomic investigations. <i>Journal of Proteome Research</i> , 2005 , 4, 1722-31	5.6	106

38	Induction of endothelial cell apoptosis by lipid hydroperoxide-derived bifunctional electrophiles. <i>Free Radical Biology and Medicine</i> , 2005 , 39, 1162-76	7.8	48
37	Targeted chiral lipidomics analysis. <i>Prostaglandins and Other Lipid Mediators</i> , 2005 , 77, 141-57	3.7	37
36	Analysis of FeII-mediated decomposition of a linoleic acid-derived lipid hydroperoxide by liquid chromatography/mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2005 , 40, 661-8	2.2	32
35	Novel lipid hydroperoxide-derived hemoglobin histidine adducts as biomarkers of oxidative stress. <i>Journal of Mass Spectrometry</i> , 2005 , 40, 754-64	2.2	33
34	Liquid chromatography/mass spectrometry analysis of bifunctional electrophiles and DNA adducts from vitamin C mediated decomposition of 15-hydroperoxyeicosatetraenoic acid. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 849-58	2.2	33
33	SYNTHESIS OF ADDUCTS OF ACTIVE METABOLITES OF CARCINOGENIC POLYCYCLIC AROMATIC HYDROCARBONS WITH 2'-DEOXYRIBONUCLEOSIDES. <i>Polycyclic Aromatic Compounds</i> , 2005 , 25, 371-391 ¹⁻³		12
32	Cyclooxygenase-2-mediated DNA damage. <i>Journal of Biological Chemistry</i> , 2005 , 280, 28337-46	5.4	80
31	Plasma etoposide catechol increases in pediatric patients undergoing multiple-day chemotherapy with etoposide. <i>Clinical Cancer Research</i> , 2004 , 10, 2977-85	12.9	20
30	A novel lipid hydroperoxide-derived cyclic covalent modification to histone H4. <i>Journal of Biological Chemistry</i> , 2003 , 278, 42098-105	5.4	60
29	Analysis of Etheno 2SDeoxyguanosine Adducts as Dosimeters of Aldo-Keto Reductase Mediated-Oxidative Stress. <i>ACS Symposium Series</i> , 2003 , 139-152	0.4	1
28	Aldo-Keto Reductases and the Metabolic Activation of Polycyclic Aromatic Hydrocarbons. <i>ACS Symposium Series</i> , 2003 , 83-100	0.4	1
27	Chemistry of Polycyclic Aromatic Hydrocarbons (PAH) o-Quinones Generated by the Aldo-Keto Reductase Pathway of PAH Activation. <i>ACS Symposium Series</i> , 2003 , 127-137	0.4	1
26	Targeted lipidomics using electron capture atmospheric pressure chemical ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2003 , 17, 2168-76	2.2	165
25	Analysis of anticancer drugs and their metabolites by mass spectrometry. <i>Current Drug Metabolism</i> , 2002 , 3, 463-80	3.5	12
24	The Aldo-Keto Reductases and Polycyclic Aromatic Hydrocarbon Activation. <i>Polycyclic Aromatic Compounds</i> , 2002 , 22, 791-800	1.3	1
23	Human AKR1C Isoforms Oxidize the Potent Proximate Carcinogen 7,12-DMBA-3,4-diol in the Human Lung A549 Carcinoma Cell Line. <i>Polycyclic Aromatic Compounds</i> , 2002 , 22, 801-810	1.3	
22	Activation of polycyclic aromatic hydrocarbon trans-dihydrodiol proximate carcinogens by human aldo-keto reductase (AKR1C) enzymes and their functional overexpression in human lung carcinoma (A549) cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 24799-808	5.4	175
21	A validated liquid chromatography/tandem mass spectrometry assay for cis-amminedichloro(2-methylpyridine)platinum(II) in human plasma ultrafiltrate. <i>Analytical Chemistry</i> , 2002 , 74, 591-9	7.8	27

20	Simultaneous determination of etoposide and its catechol metabolite in the plasma of pediatric patients by liquid chromatography/tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2001 , 36, 771-81	2.2	32
19	Oxidative DNA damage and cardiovascular disease. <i>Trends in Cardiovascular Medicine</i> , 2001 , 11, 148-55	6.9	99
18	Lipid hydroperoxide-mediated DNA damage. <i>Experimental Gerontology</i> , 2001 , 36, 1473-81	4.5	162
17	Mass spectrometry in pharmaceutical analysis 1 *. <i>Journal of Liposome Research</i> , 2001 , 11, 309-42	6.1	2
16	Vitamin C-induced decomposition of lipid hydroperoxides to endogenous genotoxins. <i>Science</i> , 2001 , 292, 2083-6	33.3	359
15	Determination of [(13)C]galactose enrichment in human plasma by gas chromatography/positive chemical ionization tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2000 , 35, 218-23	2.2	5
14	Quantitative determination of SC-68328 in dog plasma using flow injection and tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2000 , 35, 354-60	2.2	4
13	A rapid and sensitive method for the quantification of ganciclovir in plasma using liquid chromatography/selected reaction monitoring/mass spectrometry. <i>Biomedical Chromatography</i> , 2000 , 14, 93-8	1.7	12
12	Characterization of 4-oxo-2-nonenal as a novel product of lipid peroxidation. <i>Chemical Research in Toxicology</i> , 2000 , 13, 698-702	4	219
11	Liquid chromatography/electron capture atmospheric pressure chemical ionization/mass spectrometry: analysis of pentafluorobenzyl derivatives of biomolecules and drugs in the attomole range. <i>Analytical Chemistry</i> , 2000 , 72, 3007-13	7.8	177
10	Quantitative analysis of cimetidine in human plasma using LC/APCI/SRM/MS. <i>Biomedical Chromatography</i> , 1999 , 13, 455-61	1.7	10
9	Covalent modifications to 2Sdeoxyguanosine by 4-oxo-2-nonenal, a novel product of lipid peroxidation. <i>Chemical Research in Toxicology</i> , 1999 , 12, 1195-204	4	139
8	Direct resolution of epoxyeicosatrienoic acid enantiomers by chiral-phase high-performance liquid chromatography. <i>Biomedical Applications</i> , 1994 , 657, 23-9		13
7	Regiospecific and enantioselective metabolism of 8,9-epoxyeicosatrienoic acid by cyclooxygenase. <i>Biochemical and Biophysical Research Communications</i> , 1992 , 183, 138-43	3.4	42
6	20-Hydroxyeicosatetraenoic acid is excreted as a glucuronide conjugate in human urine. <i>Biochemical and Biophysical Research Communications</i> , 1992 , 185, 728-33	3.4	59
5	Electron-capture negative-ion chemical ionization mass spectrometry of lipid mediators. <i>Methods in Enzymology</i> , 1990 , 187, 13-23	1.7	38
4	Resolution of epoxyeicosatrienoate enantiomers by chiral phase chromatography. <i>Analytical Biochemistry</i> , 1989 , 182, 300-3	3.1	47
3	A novel pool of rat liver inositol and ethanolamine phospholipids contains epoxyeicosatrienoic acids (EETs). <i>Biochemical and Biophysical Research Communications</i> , 1987 , 146, 638-44	3.4	40

2	The Aldo-Keto Reductases and Polycyclic Aromatic Hydrocarbon Activation	1
1	Glutamine deprivation triggers NAGK-dependent hexosamine salvage	2