Pedro Ramos-Cabrer

List of Publications by Citations

Source: https://exaly.com/author-pdf/7357091/pedro-ramos-cabrer-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

2,475
citations

30
h-index

94
ext. papers

2,873
ext. citations

30
h-index

5.7
avg, IF

L-index

#	Paper	IF	Citations
80	A fully noninvasive and robust experimental protocol for longitudinal fMRI studies in the rat. <i>NeuroImage</i> , 2006 , 29, 1303-10	7.9	172
79	Toll-like receptors 2 and 4 in ischemic stroke: outcome and therapeutic values. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 1424-31	7.3	124
78	Targeting the ischemic penumbra. <i>Stroke</i> , 2011 , 42, S7-11	6.7	110
77	Neuroprotection by glutamate oxaloacetate transaminase in ischemic stroke: an experimental study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 1378-86	7.3	109
76	Complexation of Sodium Cholate and Sodium Deoxycholate by Ecyclodextrin and Derivatives. <i>Langmuir</i> , 1999 , 15, 5489-5495	4	100
75	Inflammatory and neuroimmunomodulatory changes in acute cerebral ischemia. <i>Cerebrovascular Diseases</i> , 2009 , 27 Suppl 1, 48-64	3.2	91
74	Early prediction of functional recovery after experimental stroke: functional magnetic resonance imaging, electrophysiology, and behavioral testing in rats. <i>Journal of Neuroscience</i> , 2008 , 28, 1022-9	6.6	86
73	Current status of functional MRI on small animals: application to physiology, pathophysiology, and cognition. <i>NMR in Biomedicine</i> , 2007 , 20, 522-45	4.4	84
72	Cell tracking using magnetic resonance imaging. <i>Journal of Physiology</i> , 2007 , 584, 25-30	3.9	72
71	Temporal profile of T2-weighted MRI distinguishes between pannecrosis and selective neuronal death after transient focal cerebral ischemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006 , 26, 38-47	7.3	68
70	Present status of magnetic resonance imaging and spectroscopy in animal stroke models. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006 , 26, 591-604	7.3	63
69	In vivo theranostics at the peri-infarct region in cerebral ischemia. <i>Theranostics</i> , 2013 , 4, 90-105	12.1	60
68	Stem cell mediation of functional recovery after stroke in the rat. <i>PLoS ONE</i> , 2010 , 5, e12779	3.7	58
67	MRI detection of secondary damage after stroke: chronic iron accumulation in the thalamus of the rat brain. <i>Stroke</i> , 2008 , 39, 1541-7	6.7	58
66	High blood glutamate oxaloacetate transaminase levels are associated with good functional outcome in acute ischemic stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 1387-93	7.3	56
65	Toll-like receptors 7 and 8 expression is associated with poor outcome and greater inflammatory response in acute ischemic stroke. <i>Clinical Immunology</i> , 2011 , 139, 193-8	9	55
64	MRI of hip prostheses using single-point methods: in vitro studies towards the artifact-free imaging of individuals with metal implants. <i>Magnetic Resonance Imaging</i> , 2004 , 22, 1097-103	3.3	55

(2020-2003)

63	Complexation of Bile Salts by Natural Cyclodextrins. Supramolecular Chemistry, 2003, 15, 33-43	1.8	54
62	Swarming behavior and in vivo monitoring of enzymatic nanomotors within the bladder. <i>Science Robotics</i> , 2021 , 6,	18.6	54
61	Liposomes and nanotechnology in drug development: focus on neurological targets. <i>International Journal of Nanomedicine</i> , 2013 , 8, 951-60	7.3	53
60	Regulatory T cells modulate inflammation and reduce infarct volume in experimental brain ischaemia. <i>Journal of Cellular and Molecular Medicine</i> , 2014 , 18, 1571-9	5.6	49
59	PEG-copolymer-coated iron oxide nanoparticles that avoid the reticuloendothelial system and act as kidney MRI contrast agents. <i>Nanoscale</i> , 2018 , 10, 14153-14164	7.7	43
58	Human recombinant glutamate oxaloacetate transaminase 1 (GOT1) supplemented with oxaloacetate induces a protective effect after cerebral ischemia. <i>Cell Death and Disease</i> , 2014 , 5, e992	9.8	43
57	MRI detection of macrophage activity after experimental stroke in rats: new indicators for late appearance of vascular degradation?. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 59-66	4.4	43
56	Iron deposition in periaqueductal gray matter as a potential biomarker for chronic migraine. <i>Neurology</i> , 2019 , 92, e1076-e1085	6.5	37
55	Oxaloacetate: a novel neuroprotective for acute ischemic stroke. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 262-5	5.6	37
54	Continuous noninvasive monitoring of transcutaneous blood gases for a stable and persistent BOLD contrast in fMRI studies in the rat. <i>NMR in Biomedicine</i> , 2005 , 18, 440-6	4.4	35
53	Glutamate excitoxicity is the key molecular mechanism which is influenced by body temperature during the acute phase of brain stroke. <i>PLoS ONE</i> , 2012 , 7, e44191	3.7	34
52	Improved Stem Cell MR Detectability in Animal Models by Modification of the Inhalation Gas. <i>Molecular Imaging</i> , 2005 , 4, 153535002005041	3.7	33
51	Influence of temperature on ischemic brain: basic and clinical principles. <i>Neurochemistry International</i> , 2012 , 60, 495-505	4.4	30
50	Iron-loaded transferrin (Tf) is detrimental whereas iron-free Tf confers protection against brain ischemia by modifying blood Tf saturation and subsequent neuronal damage. <i>Redox Biology</i> , 2018 , 15, 143-158	11.3	30
49	Serial MRI study of the enhanced therapeutic effects of liposome-encapsulated citicoline in cerebral ischemia. <i>International Journal of Pharmaceutics</i> , 2011 , 405, 228-33	6.5	29
48	Determination of second-order association constants by global analysis of 1H and 13C NMR chemical shifts. Application to the complexation of sodium fusidate and potassium helvolate by beta- and gamma-cyclodextrin. <i>Steroids</i> , 2003 , 68, 43-53	2.8	29
47	Three-Dimensional Conductive Scaffolds as Neural Prostheses Based on Carbon Nanotubes and Polypyrrole. <i>ACS Applied Materials & amp; Interfaces</i> , 2018 , 10, 43904-43914	9.5	29
46	MiR-219a-5p Enriched Extracellular Vesicles Induce OPC Differentiation and EAE Improvement More Efficiently Than Liposomes and Polymeric Nanoparticles. <i>Pharmaceutics</i> , 2020 , 12,	6.4	26

45	Subcortical lesions after transient thread occlusion in the rat: T2-weighted magnetic resonance imaging findings without corresponding sensorimotor deficits. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 340-6	5.6	23
44	Reproducible imaging of rat corticothalamic pathway by longitudinal manganese-enhanced MRI (L-MEMRI). <i>NeuroImage</i> , 2008 , 41, 668-74	7.9	22
43	Neuroprotection afforded by antagonists of endothelin-1 receptors in experimental stroke. <i>Neuropharmacology</i> , 2012 , 63, 1279-85	5.5	21
42	Monitoring of moisture redistribution in multicomponent food systems by use of magnetic resonance imaging. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 672-7	5.7	20
41	Supramolecular Linear Conglomerates Formed by Ecyclodextrin Dimers and Sodium Deoxycholate. <i>Supramolecular Chemistry</i> , 2002 , 14, 397-404	1.8	20
40	In vivo imaging of II nicotinic receptors as a novel method to monitor neuroinflammation after cerebral ischemia. <i>Glia</i> , 2018 , 66, 1611-1624	9	15
39	Resolution of the Association Equilibria of 2-(p-Toluidinyl)-naphthalene-6-sulfonate (TNS) with Ecyclodextrin and a Charged Derivative. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 5994-6003	3.4	15
38	Complexation of Methyl Orange with Eyclodextrin: Detailed Analysis and Application to Quantification of Polymer-bound Cyclodextrin. <i>Supramolecular Chemistry</i> , 2004 , 16, 549-559	1.8	14
37	Magnetic core-shell nanowires as MRI contrast agents for cell tracking. <i>Journal of Nanobiotechnology</i> , 2020 , 18, 42	9.4	13
36	Improved stem cell MR detectability in animal models by modification of the inhalation gas. <i>Molecular Imaging</i> , 2005 , 4, 104-9	3.7	13
35	Study of Protein Expression in Peri-Infarct Tissue after Cerebral Ischemia. Scientific Reports, 2015, 5, 120	0409	12
34	Interleukin-10 facilitates the selection of patients for systemic thrombolysis. <i>BMC Neurology</i> , 2013 , 13, 62	3.1	12
33	Immuno-PET Imaging and Pharmacokinetics of an Anti-CEA scFv-based Trimerbody and Its Monomeric Counterpart in Human Gastric Carcinoma-Bearing Mice. <i>Molecular Pharmaceutics</i> , 2019 , 16, 1025-1035	5.6	11
32	PLGA protein nanocarriers with tailor-made fluorescence/MRI/PET imaging modalities. <i>Nanoscale</i> , 2020 , 12, 4988-5002	7.7	11
31	Aging Reduces the Functional Brain Networks Strength-a Resting State fMRI Study of Healthy Mouse Brain. <i>Frontiers in Aging Neuroscience</i> , 2019 , 11, 277	5.3	10
30	Quick adjustment of imaging tracer payload, for in vivo applications of theranostic nanostructures in the brain. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2014 , 10, 851-8	6	9
29	Recommendations guide for experimental animal models in stroke research. <i>Neurolog</i> ā , 2011 , 26, 105-1	Q .4	9
28	Cerebellar alterations in a model of Down syndrome: The role of the Dyrk1A gene. <i>Neurobiology of Disease</i> , 2018 , 110, 206-217	7.5	9

(2016-2018)

27	MRI Study of the Influence of Surface Coating Aging on the In Vivo Biodistribution of Iron Oxide Nanoparticles. <i>Biosensors</i> , 2018 , 8,	5.9	9
26	MRI stem cell tracking for therapy in experimental cerebral ischemia. <i>Translational Stroke Research</i> , 2012 , 3, 22-35	7.8	8
25	Functional rewiring across spinal injuries via biomimetic nanofiber scaffolds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 25212-25218	11.5	8
24	A general protocol of ultra-high resolution MR angiography to image the cerebro-vasculature in 6 different rats strains at high field. <i>Journal of Neuroscience Methods</i> , 2017 , 289, 75-84	3	7
23	Iron Deposits in Periaqueductal Gray Matter Are Associated with Poor Response to OnabotulinumtoxinA in Chronic Migraine. <i>Toxins</i> , 2020 , 12,	4.9	6
22	multimodal imaging of adenosine A receptors in neuroinflammation after experimental stroke. <i>Theranostics</i> , 2021 , 11, 410-425	12.1	6
21	Dendritic Growth of a Supramolecular Complex. <i>Angewandte Chemie</i> , 2000 , 112, 2978-2980	3.6	5
20	Deciphering the Effect of Microbead Size Distribution on the Kinetics of Heterogeneous Biocatalysts through Single-Particle Analysis Based on Fluorescence Microscopy. <i>Catalysts</i> , 2019 , 9, 896	4	4
19	Three-in-one Complexes Formed by Anionic Guests and Monosubstituted Cationic Alkyldiamino Cyclodextrin Derivatives. <i>Supramolecular Chemistry</i> , 2003 , 15, 207-211	1.8	4
18	MRI in the Study of Animal Models of Stroke. <i>Methods in Molecular Biology</i> , 2018 , 1718, 377-392	1.4	3
17	In-flow protein immobilization monitored by magnetic resonance imaging. <i>New Biotechnology</i> , 2018 , 47, 25-30	6.4	3
16	Los niveles de expresifi de los receptores toll-like 2 y 4 en neutrfilos se asocian con el pronfitico de los pacientes con ictus isquíhico. <i>Revista De Neurologia</i> , 2011 , 52, 12	24	3
15	Conformational Changes in High-Density Lipoprotein Nanoparticles Induced by High Payloads of Paramagnetic Lipids. <i>ACS Omega</i> , 2016 , 1, 470-475	3.9	3
14	Building Bridges through Science. <i>Neuron</i> , 2017 , 96, 730-735	13.9	2
13	Monitoring the collective behavior of enzymatic nanomotors in vitro and in vivo by PET-CT		2
12	Gut Microbiota Changes in Experimental Autoimmune Encephalomyelitis and Cuprizone Mice Models. <i>ACS Chemical Neuroscience</i> , 2021 , 12, 893-905	5.7	2
11	Encapsulation of Enzymes in Porous Capsules via Particle Templating. <i>Methods in Molecular Biology</i> , 2020 , 2100, 227-241	1.4	2
10	Noninvasive Brain Imaging in Small Animal Stroke Models: MRI, PET, and SPECT. <i>Neuromethods</i> , 2016 , 147-186	0.4	1

9	Noninvasive Assessment of Moisture Migration in Food Products by MRI331-351		1
8	A longitudinal and totally noninvasive fMRI protocol in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S361-S361	7.3	1
7	2 deoxy-D-glucose augments the mitochondrial respiratory chain in heart <i>Scientific Reports</i> , 2022 , 12, 6890	4.9	1
6	Aberrant upregulation of the glycolytic enzyme PFKFB3 in CLN7 neuronal ceroid lipofuscinosis <i>Nature Communications</i> , 2022 , 13, 536	17.4	O
5	Recommendations guide for experimental animal models in stroke research. <i>Neurolog</i> (English Edition), 2011 , 26, 105-110	0.4	
4	Stem cell visualization in the rat brain by an improved MRI protocol. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S512-S512	7.3	
3	Detection of chronic hemosiderin-loaded macrophages accumulation after stroke in the rat. Indicator of late vascular degradation?. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S362-S.	362	
2	Monitoring stem cell migration in the nervous system by in vivo magnetic resonance imaging. Journal of Cerebral Blood Flow and Metabolism, 2005 , 25, S692-S692	7.3	
1	Can exogenous stem cells improve outcome after experimental stroke? The challenge of combined MRI imaging of stem cell dynamics, cell differentiation and functional outcome. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S712-S712	7.3	