Joe J Harrison

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7357207/joe-j-harrison-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

4,958
citations

48
g-index

48
ext. papers

7.7
avg, IF

5.64
L-index

#	Paper	IF	Citations
46	Natural killer cells kill extracellular Pseudomonas aeruginosa using contact-dependent release of granzymes B and H <i>PLoS Pathogens</i> , 2022 , 18, e1010325	7.6	O
45	Sensory perception in bacterial cyclic diguanylate signal transduction. <i>Journal of Bacteriology</i> , 2021 , JB	09433	214
44	Bacterial cyclic diguanylate signaling networks sense temperature. <i>Nature Communications</i> , 2021 , 12, 1986	17.4	8
43	Elevated exopolysaccharide levels in Pseudomonas aeruginosa flagellar mutants have implications for biofilm growth and chronic infections. <i>PLoS Genetics</i> , 2020 , 16, e1008848	6	24
42	PelX is a UDPacetylglucosamine C4-epimerase involved in Pel polysaccharide-dependent biofilm formation. <i>Journal of Biological Chemistry</i> , 2020 , 295, 11949-11962	5.4	6
41	Pel Polysaccharide Biosynthesis Requires an Inner Membrane Complex Comprised of PelD, PelE, PelF, and PelG. <i>Journal of Bacteriology</i> , 2020 , 202,	3.5	12
40	Sensory Domains That Control Cyclic di-GMP-Modulating Proteins: A Critical Frontier in Bacterial Signal Transduction 2020 , 137-158		4
39	Minimum information guideline for spectrophotometric and fluorometric methods to assess biofilm formation in microplates. <i>Biofilm</i> , 2020 , 2, 100010	5.9	31
38	Bacterial fitness in chronic wounds appears to be mediated by the capacity for high-density growth, not virulence or biofilm functions. <i>PLoS Pathogens</i> , 2019 , 15, e1007511	7.6	20
37	A Biofilm Matrix-Associated Protease Inhibitor Protects Pseudomonas aeruginosa from Proteolytic Attack. <i>MBio</i> , 2018 , 9,	7.8	39
36	Giardia duodenalis induces pathogenic dysbiosis of human intestinal microbiota biofilms. International Journal for Parasitology, 2017 , 47, 311-326	4.3	94
35	Oligomeric lipoprotein PelC guides Pel polysaccharide export across the outer membrane of. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 2892-2897	11.5	17
34	PelA and PelB proteins form a modification and secretion complex essential for Pel polysaccharide-dependent biofilm formation in. <i>Journal of Biological Chemistry</i> , 2017 , 292, 19411-1942	2 ^{5.4}	22
33	Measuring Cyclic Diguanylate (c-di-GMP)-Specific Phosphodiesterase Activity Using the MANT-c-di-GMP Assay. <i>Methods in Molecular Biology</i> , 2017 , 1657, 263-278	1.4	1
32	Evolved Aztreonam Resistance Is Multifactorial and Can Produce Hypervirulence in. <i>MBio</i> , 2017 , 8,	7.8	40
31	In-Frame and Unmarked Gene Deletions in Burkholderia cenocepacia via an Allelic Exchange System Compatible with Gateway Technology. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 3623-30	4.8	13
30	The Cyclic AMP-Vfr Signaling Pathway in Pseudomonas aeruginosa Is Inhibited by Cyclic Di-GMP. <i>Journal of Bacteriology</i> , 2015 , 197, 2190-200	3.5	50

(2007-2015)

29	Precision-engineering the Pseudomonas aeruginosa genome with two-step allelic exchange. <i>Nature Protocols</i> , 2015 , 10, 1820-41	18.8	200
28	Clinical utilization of genomics data produced by the international Pseudomonas aeruginosa consortium. <i>Frontiers in Microbiology</i> , 2015 , 6, 1036	5.7	94
27	Oligoribonuclease is a central feature of cyclic diguanylate signaling in Pseudomonas aeruginosa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 11359-64	11.5	77
26	ChIP-Seq and RNA-Seq reveal an AmrZ-mediated mechanism for cyclic di-GMP synthesis and biofilm development by Pseudomonas aeruginosa. <i>PLoS Pathogens</i> , 2014 , 10, e1003984	7.6	103
25	The stringent response controls catalases in Pseudomonas aeruginosa and is required for hydrogen peroxide and antibiotic tolerance. <i>Journal of Bacteriology</i> , 2013 , 195, 2011-20	3.5	112
24	Psl trails guide exploration and microcolony formation in Pseudomonas aeruginosa biofilms. <i>Nature</i> , 2013 , 497, 388-391	50.4	229
23	Antimicrobial activity of metals: mechanisms, molecular targets and applications. <i>Nature Reviews Microbiology</i> , 2013 , 11, 371-84	22.2	1440
22	The extracellular matrix protects Pseudomonas aeruginosa biofilms by limiting the penetration of tobramycin. <i>Environmental Microbiology</i> , 2013 , 15, 2865-78	5.2	244
21	Different Methods for Culturing Biofilms In Vitro 2011 , 251-266		13
20	Microtiter susceptibility testing of microbes growing on peg lids: a miniaturized biofilm model for high-throughput screening. <i>Nature Protocols</i> , 2010 , 5, 1236-54	18.8	190
19	Phenotypic and metabolic profiling of colony morphology variants evolved from Pseudomonas fluorescens biofilms. <i>Environmental Microbiology</i> , 2010 , 12, 1565-77	5.2	37
18	The chromosomal toxin gene yafQ is a determinant of multidrug tolerance for Escherichia coli growing in a biofilm. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 2253-8	5.9	148
17	Chromosomal antioxidant genes have metal ion-specific roles as determinants of bacterial metal tolerance. <i>Environmental Microbiology</i> , 2009 , 11, 2491-509	5.2	80
16	Copper and quaternary ammonium cations exert synergistic bactericidal and antibiofilm activity against Pseudomonas aeruginosa. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 2870-81	5.9	121
15	Pseudomonas fluorescensXview of the periodic table. <i>Environmental Microbiology</i> , 2008 , 10, 238-50	5.2	55
14	The bacterial response to the chalcogen metalloids Se and Te. <i>Advances in Microbial Physiology</i> , 2008 , 53, 1-72	4.4	117
13	Multimetal resistance and tolerance in microbial biofilms. <i>Nature Reviews Microbiology</i> , 2007 , 5, 928-38	22.2	446

11	A subpopulation of Candida albicans and Candida tropicalis biofilm cells are highly tolerant to chelating agents. <i>FEMS Microbiology Letters</i> , 2007 , 272, 172-81	2.9	29
10	Metal ions may suppress or enhance cellular differentiation in Candida albicans and Candida tropicalis biofilms. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 4940-9	4.8	46
9	Metal resistance in Candida biofilms. FEMS Microbiology Ecology, 2006, 55, 479-91	4.3	68
8	The use of microscopy and three-dimensional visualization to evaluate the structure of microbial biofilms cultivated in the Calgary Biofilm Device. <i>Biological Procedures Online</i> , 2006 , 8, 194-215	8.3	104
7	Persister cells mediate tolerance to metal oxyanions in Escherichia coli. <i>Microbiology (United Kingdom)</i> , 2005 , 151, 3181-3195	2.9	97
6	Persister cells, the biofilm matrix and tolerance to metal cations in biofilm and planktonic Pseudomonas aeruginosa. <i>Environmental Microbiology</i> , 2005 , 7, 981-94	5.2	160
5	High-throughput metal susceptibility testing of microbial biofilms. <i>BMC Microbiology</i> , 2005 , 5, 53	4.5	82
4	Effects of the twin-arginine translocase on the structure and antimicrobial susceptibility of Escherichia coli biofilms. <i>Canadian Journal of Microbiology</i> , 2005 , 51, 671-83	3.2	12
3	Biofilm susceptibility to metal toxicity. Environmental Microbiology, 2004, 6, 1220-7	5.2	169
2	Differences in biofilm and planktonic cell mediated reduction of metalloid oxyanions. <i>FEMS Microbiology Letters</i> , 2004 , 235, 357-362	2.9	41
1	Differences in biofilm and planktonic cell mediated reduction of metalloid oxyanions. <i>FEMS Microbiology Letters</i> , 2004 , 235, 357-62	2.9	12