

Andrea Lovato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7357328/publications.pdf>

Version: 2024-02-01

48
papers

2,847
citations

567281

15
h-index

254184

43
g-index

49
all docs

49
docs citations

49
times ranked

5819
citing authors

#	ARTICLE	IF	CITATIONS
1	Ototoxicity of Immunosuppressant Drugs: A Systematic Review. , 2022, 18, 167-176.		5
2	Idiopathic Sudden Sensorineural Hearing Loss in Children: A Systematic Review and Meta-analysis. Otolaryngology - Head and Neck Surgery, 2021, 165, 244-254.	1.9	8
3	Physical Therapy for Benign Positional Vertigo of Posterior Canal: The Role of Alternated Epley and Semont Maneuvers. Ear, Nose and Throat Journal, 2021, , 014556132098018.	0.8	3
4	Acute Vertigo After CrossFit Workout in a Young Woman With Chiari I Malformation. Cureus, 2021, 13, e13482.	0.5	0
5	COVID-19 and Health Care Leaders: How Could Emotional Intelligence Be a Helpful Resource During a Pandemic?. Physical Therapy, 2021, 101, .	2.4	12
6	Audio-vestibular disorders and pregnancy: A systematic review. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2021, 42, 103136.	1.3	7
7	Higher incidence of Ménière's disease during COVID-19 pandemic: a preliminary report. Acta Oto-Laryngologica, 2021, 141, 921-924.	0.9	15
8	Surgical Planning for Cochlear Implantation in Far-Advanced Otosclerosis: The Utility of OTOPLAN. Turkish Archives of Otorhinolaryngology, 2021, 58, 289-290.	0.8	2
9	Expression of maspin tumor suppressor and mTOR in laryngeal carcinoma. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102322.	1.3	12
10	A panel of jitter/shimmer may identify functional dysphonia at risk of failure after speech therapy. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102455.	1.3	2
11	OTOPLAN in Cochlear Implantation for Far-advanced Otosclerosis. Otolgy and Neurology, 2020, 41, e1024-e1028.	1.3	18
12	Clinical characteristics associated with persistent olfactory and taste alterations in COVID-19: A preliminary report on 121 patients. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102548.	1.3	21
13	Regarding COVID-19 and the Otolaryngologist: Preliminary Evidence-Based Review. Laryngoscope, 2020, 130, E525.	2.0	0
14	Comment on "The Prevalence of Olfactory and Gustatory Dysfunction in COVID-19 Patients: A Systematic Review and Meta-analysis". Otolaryngology - Head and Neck Surgery, 2020, 163, 852-852.	1.9	5
15	Sore throat in COVID-19: Comment on "Clinical characteristics of hospitalized patients with SARS-CoV-2 infection: A single arm meta-analysis". Journal of Medical Virology, 2020, 92, 714-715.	5.0	31
16	Olfactory and gustatory dysfunctions as a clinical presentation of mild-to-moderate forms of the coronavirus disease (COVID-19): a multicenter European study. European Archives of Oto-Rhino-Laryngology, 2020, 277, 2251-2261.	1.6	1,962
17	Maspin expression and anti-apoptotic pathway regulation by bcl2 in laryngeal cancer. Annals of Diagnostic Pathology, 2020, 45, 151471.	1.3	14
18	Upper airway symptoms in coronavirus disease 2019 (COVID-19). American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102474.	1.3	111

#	ARTICLE	IF	CITATIONS
19	Clinical Presentation of COVID-19: A Systematic Review Focusing on Upper Airway Symptoms. <i>Ear, Nose and Throat Journal</i> , 2020, 99, 569-576.	0.8	261
20	Current management of arytenoid sub-luxation and dislocation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 2977-2986.	1.6	8
21	Predicting the Outcome of Unilateral Vocal Fold Paralysis: A Multivariate Discriminating Model Including Grade of Dysphonia, Jitter, Shimmer, and Voice Handicap Index-10. <i>Annals of Otology, Rhinology and Laryngology</i> , 2019, 128, 447-452.	1.1	9
22	Utility of OTOPLAN Reconstructed Images for Surgical Planning of Cochlear Implantation in a Case of Post-meningitis Ossification. <i>Otology and Neurotology</i> , 2019, 40, e60-e61.	1.3	15
23	BEZOLD ABSCESS: A RARE COMPLICATION OF ACUTE OTITIS MEDIA. <i>Otology and Neurotology</i> , 2019, 40, 846-847.	1.3	5
24	Tumor growth rate: A new prognostic indicator of hearing preservation in vestibular schwannoma surgery. <i>Laryngoscope</i> , 2019, 129, 2378-2383.	2.0	10
25	Comment on "Using Innovative Acoustic Analysis to Predict the Postoperative Outcomes of Unilateral Vocal Fold Paralysis". <i>BioMed Research International</i> , 2018, 2018, 1-2.	1.9	3
26	In reference to "Laboratory assessment of sudden sensorineural hearing loss: A case-control study". <i>Laryngoscope</i> , 2017, 127, E420.	2.0	1
27	Aminoglycoside or Quinolone Ear Drops in the Postoperative Management of Tympanoplasty: What Choice Do We Have?. <i>Otology and Neurotology</i> , 2017, 38, 1548-1549.	1.3	1
28	Outcomes of Recurrent Acute Otitis Media in Children Treated for Dental Malocclusion: A Preliminary Report. <i>BioMed Research International</i> , 2016, 2016, 1-5.	1.9	9
29	miR-19a and SOCS-1 expression in the differential diagnosis of laryngeal (glottic) verrucous squamous cell carcinoma. <i>Journal of Clinical Pathology</i> , 2016, 69, 415-421.	2.0	16
30	Woodworkers and the inflammatory effects of softwood/hardwood dust: evidence from nasal cytology. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3195-3200.	1.6	11
31	Multi-Dimensional Voice Program (MDVP) vs Praat for Assessing Euphonic Subjects: A Preliminary Study on the Gender-discriminating Power of Acoustic Analysis Software. <i>Journal of Voice</i> , 2016, 30, 765.e1-765.e5.	1.5	42
32	Investigating nasal cytology as a potential tool for diagnosing occupational rhinitis in woodworkers. <i>International Forum of Allergy and Rhinology</i> , 2015, 5, 814-819.	2.8	9
33	Nasal and oral snoring endoscopy: novel and promising diagnostic tools in OSAS patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1793-1799.	1.6	12
34	Relaxin-2 expression in temporal bone carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3225-3232.	1.6	13
35	Elderly patients at higher risk of laryngeal carcinoma recurrence could be identified by a panel of two biomarkers (nm23-H1 and CD105) and pN+ status. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3417-3424.	1.6	17
36	Immunohistochemical and HPV-related features of laryngeal adenosquamous carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015, 36, 442-445.	1.3	5

#	ARTICLE	IF	CITATIONS
37	Recurrent squamous cell carcinoma of the temporal bone: critical analysis of cases with a poor prognosis. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015, 36, 352-355.	1.3	24
38	Letter on the article "Partial laryngectomy as salvage surgery after radiotherapy: Oncological and functional outcomes and impact on quality of life. A retrospective study of 20 cases". <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2015, 132, 175.	0.7	2
39	A critical look at persistent problems in the diagnosis, staging and treatment of temporal bone carcinoma. <i>Cancer Treatment Reviews</i> , 2015, 41, 821-826.	7.7	40
40	Correspondance À propos de l'article: "Laryngectomie partielle en terrain irradié: résultats oncologiques, fonctionnels et incidence sur la qualité de vie; Étude rétrospective À propos de 20 cas". <i>Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale</i> , 2015, 132, 163.	0.0	0
41	A Higher Angiogenin Expression is Associated With a Nonnuclear Maspin Location in Laryngeal Carcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , 2015, 8, 268.	2.1	8
42	Indications for postoperative radiotherapy in laryngeal carcinoma: A panel of tumor tissue markers for predicting locoregional recurrence in surgically treated carcinoma. A pilot study. <i>Head and Neck</i> , 2014, 36, 1534-1540.	2.0	26
43	Sudden hearing loss followed by deep vein thrombosis and pulmonary embolism in a patient with factor V Leiden mutation. <i>International Journal of Audiology</i> , 2014, 53, 625-628.	1.7	19
44	A prognostic role for Nm23-H1 in laryngeal carcinoma treated with postoperative radiotherapy: an introductory investigation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 197-203.	1.6	4
45	A high nuclear nm23-H1 expression is associated with a better prognosis in elderly patients with laryngeal carcinoma. <i>Acta Oto-Laryngologica</i> , 2013, 133, 874-880.	0.9	13
46	Nm23-H1 nuclear expression is associated with a more favourable prognosis in laryngeal carcinoma: univariate and multivariate analysis. <i>Histopathology</i> , 2012, 61, 1057-1064.	2.9	20
47	Laryngeal carcinoma prognosis after postoperative radiotherapy correlates with CD105 expression, but not with angiogenin or EGFR expression. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 1779-1787.	1.6	16
48	Cognitive control strategies in hearing impairment: a study with the AX-CPT. <i>Hearing, Balance and Communication</i> , 0, , 1-8.	0.4	0