

Robert E Hurst

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7357805/robert-e-hurst-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

2,715
citations

28
h-index

47
g-index

125
ext. papers

2,922
ext. citations

3.3
avg, IF

4.4
L-index

#	Paper	IF	Citations
119	SuperGAG biopolymers for treatment of excessive bladder permeability. <i>Pharmacology Research and Perspectives</i> , 2021 , 9, e00709	3.1	2
118	In vivo and ex vivo assessment of bladder hyper-permeability and using molecular targeted magnetic resonance imaging to detect claudin-2 in a mouse model for interstitial cystitis. <i>PLoS ONE</i> , 2020 , 15, e0239282	3.7	1
117	Assessing bladder hyper-permeability biomarkers using molecularly-targeted MRI. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 10, 57-65	2.2	3
116	In vivo and ex vivo assessment of bladder hyper-permeability and using molecular targeted magnetic resonance imaging to detect claudin-2 in a mouse model for interstitial cystitis 2020 , 15, e0239282		
115	In vivo and ex vivo assessment of bladder hyper-permeability and using molecular targeted magnetic resonance imaging to detect claudin-2 in a mouse model for interstitial cystitis 2020 , 15, e0239282		
114	In vivo and ex vivo assessment of bladder hyper-permeability and using molecular targeted magnetic resonance imaging to detect claudin-2 in a mouse model for interstitial cystitis 2020 , 15, e0239282		
113	In vivo and ex vivo assessment of bladder hyper-permeability and using molecular targeted magnetic resonance imaging to detect claudin-2 in a mouse model for interstitial cystitis 2020 , 15, e0239282		
112	In vivo and ex vivo assessment of bladder hyper-permeability and using molecular targeted magnetic resonance imaging to detect claudin-2 in a mouse model for interstitial cystitis 2020 , 15, e0239282		
111	In vivo and ex vivo assessment of bladder hyper-permeability and using molecular targeted magnetic resonance imaging to detect claudin-2 in a mouse model for interstitial cystitis 2020 , 15, e0239282		
110	In vivo and ex vivo assessment of bladder hyper-permeability and using molecular targeted magnetic resonance imaging to detect claudin-2 in a mouse model for interstitial cystitis 2020 , 15, e0239282		
109	In vivo and ex vivo assessment of bladder hyper-permeability and using molecular targeted magnetic resonance imaging to detect claudin-2 in a mouse model for interstitial cystitis 2020 , 15, e0239282		
108	Singlet oxygen-activatable Paclitaxel prodrugs via intermolecular activation for combined PDT and chemotherapy. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 1537-1540	2.9	5
107	Preclinical Animal Studies of Intravesical Recombinant Human Proteoglycan 4 as a Novel Potential Therapy for Diseases Resulting From Increased Bladder Permeability. <i>Urology</i> , 2018 , 116, 230.e1-230.e7 ^{1.6}	1.6	7
106	Reduced urothelial regeneration in rat bladders augmented with permeable porcine small intestinal submucosa assessed by magnetic resonance imaging. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018 , 106, 1778-1787	3.5	5
105	Phosphatidylserine targeted single-walled carbon nanotubes for photothermal ablation of bladder cancer. <i>Nanotechnology</i> , 2018 , 29, 035101	3.4	31
104	Efficient activation of a visible light-activatable CA4 prodrug through intermolecular photo-unclick chemistry in mitochondria. <i>Chemical Communications</i> , 2017 , 53, 1884-1887	5.8	15
103	Sexually dimorphic effects of early life stress in rat pups on urinary bladder detrusor muscle contractility in adulthood. <i>Biology of Sex Differences</i> , 2016 , 7, 8	9.3	5

102	Targeting dormant micrometastases: rationale, evidence to date and clinical implications. <i>Therapeutic Advances in Medical Oncology</i> , 2016 , 8, 126-37	5.4	16
101	A Feasibility Study to Determine Whether Clinical Contrast Enhanced Magnetic Resonance Imaging can Detect Increased Bladder Permeability in Patients with Interstitial Cystitis. <i>Journal of Urology</i> , 2016 , 195, 631-8	2.5	22
100	In the absence of overt urothelial damage, chondroitinase ABC digestion of the GAG layer increases bladder permeability in ovariectomized female rats. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, F1074-80	4.3	7
99	Temporal expression of hyaluronic acid and hyaluronic acid receptors in a porcine small intestinal submucosa-augmented rat bladder regeneration model. <i>World Journal of Urology</i> , 2015 , 33, 1119-28	4	13
98	Contrast enhanced magnetic resonance imaging as a diagnostic tool to assess bladder permeability and associated colon cross talk: preclinical studies in a rat model. <i>Journal of Urology</i> , 2015 , 193, 1394-400	2.5	21
97	Abnormalities in Expression of Structural, Barrier and Differentiation Related Proteins, and Chondroitin Sulfate in Feline and Human Interstitial Cystitis. <i>Journal of Urology</i> , 2015 , 194, 571-7	2.5	19
96	Identification of novel drugs to target dormant micrometastases. <i>BMC Cancer</i> , 2015 , 15, 404	4.8	11
95	Mechanisms of Visceral Organ Crosstalk: Importance of Alterations in Permeability in Rodent Models. <i>Journal of Urology</i> , 2015 , 194, 804-11	2.5	20
94	Impaired Expression of Prostaglandin E2 (PGE2) Synthesis and Degradation Enzymes during Differentiation of Immortalized Urothelial Cells from Patients with Interstitial Cystitis/Painful Bladder Syndrome. <i>PLoS ONE</i> , 2015 , 10, e0129466	3.7	2
93	Increased bladder permeability in interstitial cystitis/painful bladder syndrome. <i>Translational Andrology and Urology</i> , 2015 , 4, 563-571	2.3	21
92	Development and characterization of a preclinical model of breast cancer lung micrometastatic to macrometastatic progression. <i>PLoS ONE</i> , 2014 , 9, e98624	3.7	46
91	Early life stress induces bladder dysmotility in adult rats (1065.17). <i>FASEB Journal</i> , 2014 , 28, 1065.17	0.9	
90	Tryptase activation of immortalized human urothelial cell mitogen-activated protein kinase. <i>PLoS ONE</i> , 2013 , 8, e69948	3.7	7
89	Suppression and activation of the malignant phenotype by extracellular matrix in xenograft models of bladder cancer: a model for tumor cell "dormancy". <i>PLoS ONE</i> , 2013 , 8, e64181	3.7	13
88	Intravesical chondroitin sulfate inhibits recruitment of inflammatory cells in an acute acid damage "leaky bladder" model of cystitis. <i>Urology</i> , 2012 , 79, 483.e13-7	1.6	32
87	System level changes in gene expression in maturing bladder mucosa. <i>Journal of Urology</i> , 2011 , 185, 1952-8	2.5	3
86	VEGF signaling mediates bladder neuroplasticity and inflammation in response to BCG. <i>BMC Physiology</i> , 2011 , 11, 16	0	20
85	Dual sources of vitronectin in the human lower urinary tract: synthesis by urothelium vs. extravasation from the bloodstream. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 300, F475-87	4.3	3

84	A comprehensive and universal method for assessing the performance of differential gene expression analyses. <i>PLoS ONE</i> , 2010 , 5, e12657	3.7	14
83	Elevated AKR1C3 expression promotes prostate cancer cell survival and prostate cell-mediated endothelial cell tube formation: implications for prostate cancer progression. <i>BMC Cancer</i> , 2010 , 10, 672	4.8	40
82	From Microarray to Biology. <i>Systems Biology</i> , 2010 , 85-107		
81	Unique patterns of molecular profiling between human prostate cancer LNCaP and PC-3 cells. <i>Prostate</i> , 2009 , 69, 1077-90	4.2	69
80	Gene expression profiling of human alveolar macrophages infected by B. anthracis spores demonstrates TNF-alpha and NF-kappab are key components of the innate immune response to the pathogen. <i>BMC Infectious Diseases</i> , 2009 , 9, 152	4	21
79	Restoring barrier function to acid damaged bladder by intravesical chondroitin sulfate. <i>Journal of Urology</i> , 2009 , 182, 2477-82	2.5	43
78	From microarray to biology: an integrated experimental, statistical and in silico analysis of how the extracellular matrix modulates the phenotype of cancer cells. <i>BMC Bioinformatics</i> , 2008 , 9 Suppl 9, S4	3.6	4
77	Molecular networks discriminating mouse bladder responses to intravesical bacillus Calmette-Guerin (BCG), LPS, and TNF-alpha. <i>BMC Immunology</i> , 2008 , 9, 4	3.7	22
76	Abnormal expression of differentiation related proteins and proteoglycan core proteins in the urothelium of patients with interstitial cystitis. <i>Journal of Urology</i> , 2008 , 179, 764-9	2.5	94
75	VEGF receptors and neuropilins are expressed in the urothelial and neuronal cells in normal mouse urinary bladder and are upregulated in inflammation. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F60-72	4.3	39
74	Urothelial expression of neuropilins and VEGF receptors in control and interstitial cystitis patients. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F1613-23	4.3	44
73	Differentially expressed gene networks in cultured smooth muscle cells from normal and neuropathic bladder. <i>Journal of Smooth Muscle Research</i> , 2007 , 43, 55-72	0.4	41
72	Regulatory network of inflammation downstream of proteinase-activated receptors. <i>BMC Physiology</i> , 2007 , 7, 3	0	25
71	Mandatory role of proteinase-activated receptor 1 in experimental bladder inflammation. <i>BMC Physiology</i> , 2007 , 7, 4	0	22
70	Systems biology approach for mapping the response of human urothelial cells to infection by Enterococcus faecalis. <i>BMC Bioinformatics</i> , 2007 , 8 Suppl 7, S2	3.6	6
69	Transcription factor network downstream of protease activated receptors (PARs) modulating mouse bladder inflammation. <i>BMC Immunology</i> , 2007 , 8, 17	3.7	13
68	5alpha-androstane-3alpha,17beta-diol selectively activates the canonical PI3K/AKT pathway: a bioinformatics-based evidence for androgen-activated cytoplasmic signaling. <i>Genomic Medicine</i> , 2007 , 1, 139-46		3
67	Bladder defense molecules, urothelial differentiation, urinary biomarkers, and interstitial cystitis. <i>Urology</i> , 2007 , 69, 17-23	1.6	60

66	Sensitivity of bladder cancer cells to curcumin and its derivatives depends on the extracellular matrix. <i>Anticancer Research</i> , 2007 , 27, 737-40	2.3	8
65	Analysis of the interaction of extracellular matrix and phenotype of bladder cancer cells. <i>BMC Cancer</i> , 2006 , 6, 12	4.8	22
64	The inflammatory and normal transcriptome of mouse bladder detrusor and mucosa. <i>BMC Physiology</i> , 2006 , 6, 1	0	17
63	Proteome-level display by 2-dimensional chromatography of extracellular matrix-dependent modulation of the phenotype of bladder cancer cells. <i>Proteome Science</i> , 2006 , 4, 13	2.6	7
62	A novel multidrug resistance phenotype of bladder tumor cells grown on Matrigel or SIS gel. <i>Cancer Letters</i> , 2005 , 217, 171-80	9.9	12
61	Curcumin: a new radio-sensitizer of squamous cell carcinoma cells. <i>Otolaryngology - Head and Neck Surgery</i> , 2005 , 132, 317-21	5.5	66
60	Exogenous glycosaminoglycans coat damaged bladder surfaces in experimentally damaged mouse bladder. <i>BMC Urology</i> , 2005 , 5, 4	2.2	35
59	Abnormal expression of molecular markers for bladder impermeability and differentiation in the urothelium of patients with interstitial cystitis. <i>Journal of Urology</i> , 2004 , 171, 1554-8	2.5	138
58	Gene expression profiling of inflammatory bladder disorders. <i>Expert Review of Molecular Diagnostics</i> , 2003 , 3, 217-35	3.8	8
57	A Deficit of Proteoglycans on the Bladder Uroepithelium in Interstitial Cystitis. <i>European Urology Supplements</i> , 2003 , 2, 10-13	0.9	7
56	A model for 3-dimensional growth of bladder cancers to investigate cell-matrix interactions. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2003 , 21, 255-61	2.8	10
55	Matrix-dependent plasticity of the malignant phenotype of bladder cancer cells. <i>Anticancer Research</i> , 2003 , 23, 3119-28	2.3	28
54	A Comparison of Multiple Urine Markers for Interstitial Cystitis. <i>Journal of Urology</i> , 2002 , 167, 2461-2469	2.5	142
53	Biomarker risk assessment and bladder cancer detection in a cohort exposed to benzidine. <i>Journal of the National Cancer Institute</i> , 2001 , 93, 427-36	9.7	62
52	Mapping of the distribution of significant proteins and proteoglycans in small intestinal submucosa by fluorescence microscopy. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2001 , 12, 1267-79	3.5	53
51	Loss of tissue transglutaminase as a biomarker for prostate adenocarcinoma. <i>Cancer</i> , 2000 , 89, 412-23	6.4	41
50	Retinoid signaling in immortalized and carcinoma-derived human uroepithelial cells. <i>Molecular and Cellular Endocrinology</i> , 1999 , 148, 55-65	4.4	8
49	Biomarkers in monitoring for efficacy of immunotherapy and chemoprevention of bladder cancer with dimethylsulfoxide. <i>Cancer Detection and Prevention</i> , 1999 , 23, 163-71		17

48	Complexity, retinoid-responsive gene networks, and bladder carcinogenesis. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 462, 449-67	3.6	10
47	Instrumentation, Accuracy, and Quality Control Issues in Development of Quantitative Fluorescence-Image Analysis (QFIA) 1998 , 181-205		4
46	Selection and Development of Biomarkers for Bladder Cancer 1998 , 37-60		4
45	Expression of sex steroid receptor genes and comodulation with retinoid signaling in normal human uroepithelial cells and bladder cancer cell lines. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1997 , 3, 141-7	2.8	10
44	Molecular study of sex steroid receptor gene expression in human colon and in colorectal carcinomas. <i>Journal of Surgical Oncology</i> , 1997 , 64, 3-11	2.8	43
43	Expression of retinoid-responsive genes occurs in colorectal carcinoma-derived cells irrespective of the presence of resistance to all-trans retinoic acid. <i>Journal of Surgical Oncology</i> , 1997 , 66, 156-67	2.8	9
42	Neural net-based identification of cells expressing the p300 tumor-related antigen using fluorescence image analysis. <i>Cytometry</i> , 1997 , 27, 36-42		15
41	A deficit of chondroitin sulfate proteoglycans on the bladder uroepithelium in interstitial cystitis. <i>Urology</i> , 1996 , 48, 817-21	1.6	107
40	G-actin as a risk factor and modulatable endpoint for cancer chemoprevention trials. <i>Journal of Cellular Biochemistry</i> , 1996 , 63, 197-204	4.7	20
39	Identification of proteoglycans present at high density on bovine and human bladder luminal surface. <i>Journal of Urology</i> , 1994 , 152, 1641-5	2.5	65
38	Effect of exogenous heparin on anchorage-independent growth of fibroblasts induced by transforming cytokines. <i>Cancer Letters</i> , 1993 , 69, 197-202	9.9	1
37	Urinary glycosaminoglycan excretion as a laboratory marker in the diagnosis of interstitial cystitis. <i>Journal of Urology</i> , 1993 , 149, 31-5	2.5	67
36	Bladder cancer risk assessment with quantitative fluorescence image analysis of tumor markers in exfoliated bladder cells. <i>Cancer</i> , 1993 , 72, 2461-9	6.4	55
35	Intermediate endpoint biomarkers for chemoprevention. <i>Journal of Cellular Biochemistry</i> , 1992 , 161, 93-119	1.9	22
34	Quantitative fluorescence image analysis of deoxyribonucleic acid ploidy in urine from normal children. <i>Journal of Urology</i> , 1991 , 145, 1236-7	2.5	
33	Decreased urinary uronic acid levels in individuals with interstitial cystitis. <i>Journal of Urology</i> , 1990 , 143, 690-3	2.5	42
32	Early detection of colorectal cancer by quantitative fluorescence image analysis of exfoliated cells. <i>American Journal of Surgery</i> , 1990 , 159, 172-6; discussion 176-7	2.7	2
31	Quantitative fluorescence image analysis in bladder cancer screening. <i>Journal of Occupational and Environmental Medicine</i> , 1990 , 32, 822-8	2	14

30	The identification of a heparin-binding protein on the surface of bovine sperm. <i>Biochemical and Biophysical Research Communications</i> , 1988 , 153, 289-93	3.4	13
29	Functional and structural characteristics of the glycosaminoglycans of the bladder luminal surface. <i>Journal of Urology</i> , 1987 , 138, 433-7	2.5	103
28	DNA cytometry and cytology by quantitative fluorescence image analysis in symptomatic bladder cancer patients. <i>International Journal of Cancer</i> , 1987 , 40, 698-705	7.5	20
27	Structural analysis of heparin by methylation and g.l.c.-m.s.: preliminary results. <i>Carbohydrate Research</i> , 1984 , 125, 291-300	2.9	15
26	Preparative countercurrent chromatography for isolation of charge density-fractionated heparin. <i>Preparative Biochemistry and Biotechnology</i> , 1982 , 12, 275-88		5
25	Heterogeneity in the composition of commercial heparins: comparison of anticoagulant activities and biochemical compositions of anionic density-fractionated heparins. <i>Thrombosis Research</i> , 1982 , 25, 255-65	8.2	9
24	Analysis of sulfate in complex carbohydrates. <i>Analytical Biochemistry</i> , 1982 , 123, 303-9	3.1	130
23	Biophysical characteristics of anionic density-fractionated mucosal heparins in relation to potencies in anticoagulant and thrombin-inhibition assays. <i>Thrombosis Research</i> , 1981 , 22, 633-43	8.2	10
22	An accurate colorimetric method for measurement of sulfaminohexose in heparins and heparan sulfates. <i>Analytical Biochemistry</i> , 1981 , 115, 88-92	3.1	17
21	Anticoagulant Activity, Anionic Density, and the Conformational Properties of Heparin. <i>ACS Symposium Series</i> , 1981 , 251-264	0.4	3
20	Glycosaminoglycan excretion in osteogenesis imperfecta. <i>Clinica Chimica Acta</i> , 1980 , 100, 307-11	6.2	6
19	Structural basis for the anticoagulant activity of heparin. 1. Relationship to the number of charged groups. <i>Biochemistry</i> , 1979 , 18, 4283-7	3.2	49
18	Structural basis for the anticoagulant activity of heparin. 2. Relationship of anticoagulant activity to the thermodynamics and fluorescence fading kinetics of acridine orange-heparin complexes. <i>Biochemistry</i> , 1979 , 18, 4288-92	3.2	14
17	Thermodynamics of mucopolysaccharide-dye binding. III. Thermodynamic and cooperativity parameters of acridine orange-heparin system. <i>Biopolymers</i> , 1979 , 18, 493-505	2.2	21
16	Chemical and Cytochemical Studies of Heparan Sulfates from AH-130 Ascites Hepatoma 1979 , 911-914		1
15	Thermodynamics of the partition of chondroitin sulfate-hexadecylpyridinium complexes in butanol/aqueous salt biphasic solutions. <i>Biopolymers</i> , 1978 , 17, 2601-2608	2.2	11
14	Countercurrent chromatography--a new method for the fractionation of glycosaminoglycans. <i>Analytical Biochemistry</i> , 1978 , 85, 230-8	3.1	9
13	Biochemical composition and heterogeneity of heparan sulfates isolated from AH-130 ascites hepatoma cells and fluid. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1978 , 538, 445-57	4	26

12	Isolation and characterization of glycosaminoglycans from the Furth murine mastocytoma. <i>Preparative Biochemistry and Biotechnology</i> , 1978 , 8, 37-56		4
11	Thermodynamics of mucopolysaccharide-dye binding. I. Identification of free and bound dye via membrane filtrations: acridine orange-dermatan sulfate system. <i>Biopolymers</i> , 1977 , 16, 685-93	2.2	14
10	The partition of glycosaminoglycan-quaternary ammonium complexes, II. The effects of polymer molecular weight and sulfation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1977 , 497, 539-47	4	9
9	Partition techniques for isolation and fractionation of urinary glycosaminoglycans. <i>Analytical Biochemistry</i> , 1977 , 79, 502-12	3.1	16
8	Thermodynamics of mucopolysaccharide-dye binding. II. Binding constant and cooperativity parameters of acridine orange-dermatan sulfate system. <i>Biopolymers</i> , 1977 , 16, 695-702	2.2	15
7	The partition of glycosaminoglycan-quaternary ammonium complexes. I. The effect of phase composition. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1976 , 444, 75-84	4	10
6	A method for the quantitative determination of urinary glycosaminoglycans. <i>Clinica Chimica Acta</i> , 1976 , 70, 427-32	6.2	21
5	Countercurrent Chromatography. <i>Separation and Purification Reviews</i> , 1974 , 3, 133-165		31
4	The partition behavior of complexes of glycosaminoglycans and quaternary ammonium salts. <i>Biochemical and Biophysical Research Communications</i> , 1974 , 60, 1208-14	3.4	11
3	The trimethylsilylation reactions of hexosamines, and gas-chromatographic separation of the derivatives. <i>Carbohydrate Research</i> , 1973 , 30, 143-54	2.9	9
2	High precision high-speed analysis for calcium and magnesium in serum and urine. <i>Clinica Chimica Acta</i> , 1973 , 45, 105-7	6.2	4
1	Countercurrent Chromatographic Separation of Catecholamine Metabolites from Urine. <i>Clinical Chemistry</i> , 1972 , 18, 814-820	5.5	11