

# Jukka Uitti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7358264/publications.pdf>

Version: 2024-02-01

39  
papers

587  
citations

687363

13  
h-index

642732

23  
g-index

39  
all docs

39  
docs citations

39  
times ranked

706  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Exposure to cobalt in the production of cobalt and cobalt compounds and its effect on the heart. <i>Occupational and Environmental Medicine</i> , 2004, 61, 877-885.   | 2.8 | 78        |
| 2  | Prevalence of work-aggravated symptoms in clinically established asthma. <i>European Respiratory Journal</i> , 2003, 22, 305-309.  | 6.7 | 66        |
| 3  | Respiratory Morbidity among Children Following Renovation of a Water-Damaged School. <i>Archives of Environmental Health</i> , 2000, 55, 405-410.  | 0.4 | 54        |
| 4  | Cobalt asthma – a case series from a cobalt plant. <i>Occupational Medicine</i> , 2010, 60, 301-306.   | 1.4 | 39        |
| 5  | Voice Disorders are Associated With Stress Among Teachers: A Cross-Sectional Study in Finland. <i>Journal of Voice</i> , 2020, 34, 488.e1-488.e8.  | 1.5 | 36        |
| 6  | Cancer incidence among copper smelting and nickel refining workers in Finland. <i>American Journal of Industrial Medicine</i> , 2017, 60, 87-95.   | 2.1 | 33        |
| 7  | Collaboration between employers and occupational health service providers: a systematic review of key characteristics. <i>BMC Public Health</i> , 2017, 17, 22.  | 2.9 | 26        |
| 8  | Frequent attenders in occupational health primary care: A cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 28-36.   | 2.3 | 22        |
| 9  | Cancer incidence among Finnish male cobalt production workers in 1969–2013: a cohort study. <i>BMC Cancer</i> , 2017, 17, 340.   | 2.6 | 21        |
| 10 | Work disability after diagnosis of hand-arm vibration syndrome. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 1061-1068.  | 2.3 | 20        |
| 11 | Frequent attenders at risk of disability pension: a longitudinal study combining routine and register data. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 181-189.  | 2.3 | 15        |
| 12 | Effects of occupational cobalt exposure on the heart in the production of cobalt and cobalt compounds: a 6-year follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 365-374. | 2.3 | 15        |
| 13 | Work ability of teachers associated with voice disorders, stress, and the indoor environment: A questionnaire study in Finland. <i>Journal of Voice</i> , 2022, 36, 879.e5-879.e11.                                    | 1.5 | 15        |
| 14 | Glycoprotein YKL-40 Levels in Plasma Are Associated with Fibrotic Changes on HRCT in Asbestos-Exposed Subjects. <i>Mediators of Inflammation</i> , 2017, 2017, 1-7.  | 3.0 | 14        |
| 15 | Identification of Depression and Screening for Work Disabilities among Long-Term Unemployed People. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 909.                          | 2.6 | 14        |
| 16 | Correlates of employment status in individuals with asthma: a cross-sectional survey. <i>Journal of Occupational Medicine and Toxicology</i> , 2017, 12, 19.   | 2.2 | 12        |
| 17 | Comparing occasional and persistent frequent attenders in occupational health primary care – a longitudinal study. <i>BMC Public Health</i> , 2018, 18, 1291.  | 2.9 | 12        |
| 18 | Occasional and persistent frequent attenders and sickness absences in occupational health primary care: a longitudinal study in Finland. <i>BMJ Open</i> , 2019, 9, e024980.   | 1.9 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Identification of major depressive disorder among the long-term unemployed. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 45-52.  | 3.1 | 10        |
| 20 | Trends in occupational diseases in Finland, 1975â€”2013: a register study. <i>BMJ Open</i> , 2019, 9, e024040.  | 1.9 | 7         |
| 21 | Subjective cognitive complaints and sickness absence: A prospective cohort study of 7059 employees in primarily knowledge-intensive occupations. <i>Preventive Medicine Reports</i> , 2020, 19, 101103.   | 1.8 | 7         |
| 22 | Identification of alcohol abuse and transition from long-term unemployment to disability pension. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 518-524.   | 2.3 | 6         |
| 23 | Asthma trigger perceptions are associated with work disability. <i>Respiratory Medicine</i> , 2018, 139, 19-26.   | 2.9 | 6         |
| 24 | Employment status and changes in working career in relation to asthma: a cross-sectional survey. <i>Journal of Occupational Medicine and Toxicology</i> , 2018, 13, 8.  | 2.2 | 6         |
| 25 | Self-reported health problems and obesity predict sickness absence during a 12-month follow-up: a prospective cohort study in 21 608 employees from different industries. <i>BMJ Open</i> , 2019, 9, e025967.   | 1.9 | 6         |
| 26 | Asthma diagnosed in late adulthood is linked to work disability and poor employment status. <i>Respiratory Medicine</i> , 2019, 147, 76-78.   | 2.9 | 5         |
| 27 | Self-reported voice disorders of teachers and indoor air quality in schools: a cross-sectional study in Finland. <i>Logopedics Phoniatrics Vocology</i> , 2023, 48, 1-11.   | 1.0 | 5         |
| 28 | Clinical Findings among Patients with Respiratory Symptoms Related to Moisture Damage Exposure at the Workplaceâ€”The SAMDAW Study. <i>Healthcare (Switzerland)</i> , 2021, 9, 1112.  | 2.0 | 5         |
| 29 | High cost or frequent attender â€” both spend resources, but are they linked to work disability? A cohort study from occupational health primary care in Finland. <i>BMC Health Services Research</i> , 2020, 20, 456.  | 2.2 | 4         |
| 30 | Self-reported health problems in a health risk appraisal predict permanent work disability: a prospective cohort study of 22,023 employees from different sectors in Finland with up to 6-year follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 445-456. | 2.3 | 3         |
| 31 | Improved recording of work relatedness during patient consultations in occupational primary health care: a cluster randomized controlled trial using routine data. <i>Trials</i> , 2020, 21, 256.   | 1.6 | 3         |
| 32 | Sociodemographic characteristics and disability pensions of frequent attenders in occupational health primary care â€” a follow-up study in Finland. <i>BMC Public Health</i> , 2021, 21, 1847.   | 2.9 | 3         |
| 33 | Impact of improved recording of work-relatedness in primary care visits at occupational health services on sickness absences: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 352.  | 1.6 | 2         |
| 34 | IgG4 response to fur animal allergens among fur workers. <i>International Archives of Occupational and Environmental Health</i> , 2005, 78, 71-74.  | 2.3 | 1         |
| 35 | Subjective cognitive complaints and permanent work disability: a prospective cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 901-910.  | 2.3 | 1         |
| 36 | Multiple Chemical Sensitivity in Patients Exposed to Moisture Damage at Work and in General Working-Age Populationâ€”The SAMDAW Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12296.  | 2.6 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Parallel use of primary and secondary healthcare by frequent attenders in occupational health and their work disability: a longitudinal study in Finland. <i>BMJ Open</i> , 2022, 12, e052740. | 1.9 | 1         |
| 38 | The interaction between voice disorders and stress for work ability of teachers. <i>Logopedics Phoniatics Vocology</i> , 2024, 49, 11-16.  | 1.0 | 1         |
| 39 | Identification of major depressive disorder among the long-term unemployed. <i>European Psychiatry</i> , 2017, 41, S576-S577.  | 0.2 | 0         |