

Mohammad Reza Rakhshani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7359318/mohammad-reza-rakhshani-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22
papers

774
citations

16
h-index

23
g-index

23
ext. papers

989
ext. citations

2.7
avg, IF

5.95
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 22 | Narrowband plasmonic absorber using gold nanoparticle arrays for refractive index sensing. <i>IEEE Sensors Journal</i> , 2022 , 1-1 | 4 | 2 |
| 21 | Metamaterial perfect absorber using elliptical nanoparticles in a multilayer metasurface structure with polarization independence.. <i>Optics Express</i> , 2022 , 30, 10387-10399 | 3.3 | 2 |
| 20 | Refractive index sensor based on dual side-coupled rectangular resonators and nanorods array for medical applications. <i>Optical and Quantum Electronics</i> , 2021 , 53, 1 | 2.4 | 14 |
| 19 | Wide-angle perfect absorber using a 3D nanorod metasurface as a plasmonic sensor for detecting cancerous cells and its tuning with a graphene layer. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2021 , 43, 100883 | 2.6 | 23 |
| 18 | Compact eight-channel wavelength demultiplexer using modified photonic crystal ring resonators for CWDM applications. <i>Photonic Network Communications</i> , 2020 , 39, 143-151 | 1.7 | 6 |
| 17 | Optical refractive index sensor with two plasmonic double-square resonators for simultaneous sensing of human blood groups. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2020 , 39, 100768 | 2.6 | 34 |
| 16 | Three-Dimensional Polarization-Insensitive Perfect Absorber Using Nanorods Array for Sensing and Imaging. <i>IEEE Sensors Journal</i> , 2020 , 20, 14166-14172 | 4 | 13 |
| 15 | Tunable and Sensitive Refractive Index Sensors by Plasmonic Absorbers with Circular Arrays of Nanorods and Nanotubes for Detecting Cancerous Cells. <i>Plasmonics</i> , 2020 , 15, 2071-2080 | 2.4 | 23 |
| 14 | Fano resonances based on plasmonic square resonator with high figure of merits and its application in glucose concentrations sensing. <i>Optical and Quantum Electronics</i> , 2019 , 51, 1 | 2.4 | 21 |
| 13 | Refractive index sensor based on concentric triple racetrack resonators side-coupled to metal-insulator-metal waveguide for glucose sensing. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019 , 36, 2834 | 1.7 | 28 |
| 12 | . <i>IEEE Nanotechnology Magazine</i> , 2018 , 17, 475-481 | 2.6 | 45 |
| 11 | A high-sensitivity sensor based on three-dimensional metal-insulator-metal racetrack resonator and application for hemoglobin detection. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2018 , 32, 28-34 | 2.6 | 47 |
| 10 | Design of a plasmonic sensor based on a square array of nanorods and two slot cavities with a high figure of merit for glucose concentration monitoring. <i>Applied Optics</i> , 2018 , 57, 7798-7804 | 1.7 | 62 |
| 9 | High sensitivity plasmonic refractive index sensing and its application for human blood group identification. <i>Sensors and Actuators B: Chemical</i> , 2017 , 249, 168-176 | 8.5 | 86 |
| 8 | Utilizing the Metallic Nano-Rods in Hexagonal Configuration to Enhance Sensitivity of the Plasmonic Racetrack Resonator in Sensing Application. <i>Plasmonics</i> , 2017 , 12, 999-1006 | 2.4 | 45 |
| 7 | High-Sensitivity Plasmonic Sensor Based on Metal-Insulator-Metal Waveguide and Hexagonal-Ring Cavity. <i>IEEE Sensors Journal</i> , 2016 , 16, 3041-3046 | 4 | 75 |
| 6 | Dual wavelength demultiplexer based on metal-insulator-metal plasmonic circular ring resonators. <i>Journal of Modern Optics</i> , 2016 , 63, 1078-1086 | 1.1 | 49 |

| | | | |
|---|---|-----|----|
| 5 | A new design of tunable four-port wavelength demultiplexer by photonic crystal ring resonators. <i>Optik</i> , 2013 , 124, 5923-5926 | 2.5 | 47 |
| 4 | Realization of tunable optical filter by photonic crystal ring resonators. <i>Optik</i> , 2013 , 124, 5377-5380 | 2.5 | 38 |
| 3 | Design and simulation of wavelength demultiplexer based on heterostructure photonic crystals ring resonators. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2013 , 50, 97-101 | 3 | 80 |
| 2 | Heterostructure four channel wavelength demultiplexer using square photonic crystals ring resonators. <i>Journal of Electromagnetic Waves and Applications</i> , 2012 , 26, 1700-1707 | 1.3 | 33 |
| 1 | Numerical Simulations of Metamaterial Absorbers Employing Vanadium Dioxide. <i>Plasmonics</i> ,1 | 2.4 | 1 |