

Elena Arashkevich

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7359778/publications.pdf>

Version: 2024-02-01

59
papers

1,952
citations

236833

25
h-index

254106

43
g-index

59
all docs

59
docs citations

59
times ranked

1756
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Differential Impact of the Khatanga and Lena (Laptev Sea) Runoff on the Distribution and Grazing of Zooplankton. <i>Frontiers in Marine Science</i> , 2022, 9, . | 1.2 | 5 |
| 2 | Influence of Riverine Discharge and Timing of Ice Retreat on Particle Sedimentation Patterns on the Laptev Sea Shelf. <i>Journal of Geophysical Research: Oceans</i> , 2021, 126, e2021JC017462. | 1.0 | 8 |
| 3 | Vertical Variability of Primary Production and Features of the Subsurface Chlorophyll Maximum in the Laptev Sea in August–September, 2015, 2017, and 2018. <i>Oceanology</i> , 2020, 60, 189-204. | 0.3 | 6 |
| 4 | Distribution and grazing of the dominant mesozooplankton species in the Yenisei estuary and adjacent shelf in early summer (July 2016). <i>Continental Shelf Research</i> , 2020, 201, 104133. | 0.9 | 4 |
| 5 | Data on distribution, demographic structure and grazing of the dominant mesozooplankton species in the Yenisei estuary and adjacent shelf in early summer. <i>Data in Brief</i> , 2020, 31, 105856. | 0.5 | 1 |
| 6 | Structural and Functional Characteristics of Zooplankton in the Ob Estuary and Adjacent Shelf Areas of the Kara Sea in Summer. <i>Oceanology</i> , 2019, 59, 347-357. | 0.3 | 5 |
| 7 | Modelling optimal behavioural strategies in structured populations using a novel theoretical framework. <i>Scientific Reports</i> , 2019, 9, 15020. | 1.6 | 12 |
| 8 | Major, trace, and rare-earth elements in the zooplankton of the Laptev Sea in relation to community composition. <i>Environmental Science and Pollution Research</i> , 2019, 26, 23044-23060. | 2.7 | 18 |
| 9 | Picophytoplankton of the Laptev Sea in Autumn. <i>Doklady Earth Sciences</i> , 2019, 484, 207-210. | 0.2 | 2 |
| 10 | Spatial Variability of Primary Production and Chlorophyll in the Laptev Sea in August–September. <i>Oceanology</i> , 2019, 59, 678-691. | 0.3 | 17 |
| 11 | The Role of Plankton in the Vertical Flux in the East Siberian Sea Shelf. <i>Oceanology</i> , 2019, 59, 669-677. | 0.3 | 9 |
| 12 | Spatial variability of primary production and chlorophyll in the Laptev sea in august–september. <i>Russian Academy of Sciences Oceanology</i> , 2019, 59, 755-770. | 0.1 | 1 |
| 13 | Distribution and Feeding of Herbivorous Zooplankton in the Laptev Sea. <i>Oceanology</i> , 2018, 58, 381-395. | 0.3 | 10 |
| 14 | Feeding of the Dominant Herbivorous Plankton Species in the Black Sea and Their Role in Coccolithophorid Consumption. <i>Oceanology</i> , 2017, 57, 806-816. | 0.3 | 6 |
| 15 | Evaluation of ecosystem status in the shelf-slope zone of the northeastern Black Sea based on the trophic index (TRIX). <i>Oceanology</i> , 2016, 56, 114-117. | 0.3 | 1 |
| 16 | Marine environmental monitoring in the shelf zone of the Black Sea: Assessment of the current state of the pelagic ecosystem. <i>Oceanology</i> , 2015, 55, 871-876. | 0.3 | 15 |
| 17 | Thermal response of ingestion and egestion rates in the Arctic copepod <i>Calanus glacialis</i> and possible metabolic consequences in a warming ocean. <i>Polar Biology</i> , 2015, 38, 1025-1033. | 0.5 | 21 |
| 18 | Revisiting the Stability of Spatially Heterogeneous Predator–Prey Systems Under Eutrophication. <i>Bulletin of Mathematical Biology</i> , 2015, 77, 1886-1908. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Feeding of dominant zooplankton species and their grazing impact on autotrophic phytoplankton in the Yenisei Estuary in autumn. <i>Oceanology</i> , 2015, 55, 573-582. | 0.3 | 7 |
| 20 | Mesozooplankton grazing impact on phytoplankton in the northern regions of the Kara Sea in autumn. <i>Oceanology</i> , 2015, 55, 595-605. | 0.3 | 4 |
| 21 | A MSFD complementary approach for the assessment of pressures, knowledge and data gaps in Southern European Seas: The PERSEUS experience. <i>Marine Pollution Bulletin</i> , 2015, 95, 28-39. | 2.3 | 41 |
| 22 | Mesozooplankton in the open Black Sea: Regional and seasonal characteristics. <i>Journal of Marine Systems</i> , 2014, 135, 81-96. | 0.9 | 21 |
| 23 | Vertical Carbon Flux of Biogenic Matter in a Coastal Area of the Aegean Sea: The Importance of Appendicularians. <i>Estuaries and Coasts</i> , 2014, 37, 911-924. | 1.0 | 2 |
| 24 | Species composition of Black Sea marine planktonic copepods. <i>Journal of Marine Systems</i> , 2014, 135, 44-52. | 0.9 | 26 |
| 25 | Life in a warming ocean: thermal thresholds and metabolic balance of arctic zooplankton. <i>Journal of Plankton Research</i> , 2014, 36, 3-10. | 0.8 | 65 |
| 26 | Different effects of increased water temperature on egg production of <i>Calanus finmarchicus</i> and <i>C. glacialis</i> . <i>Oceanology</i> , 2013, 53, 547-553. | 0.3 | 14 |
| 27 | Revisiting the Role of Individual Variability in Population Persistence and Stability. <i>PLoS ONE</i> , 2013, 8, e70576. | 1.1 | 21 |
| 28 | Individual variability in the feeding rate leads to ecological differentiation in populations of planktonic copepods. <i>Doklady Biological Sciences</i> , 2012, 447, 377-380. | 0.2 | 0 |
| 29 | Nutrient-rich plankton communities stabilized via predator-prey interactions: revisiting the role of vertical heterogeneity. <i>Mathematical Medicine and Biology</i> , 2011, 28, 185-215. | 0.8 | 42 |
| 30 | Towards a correct description of zooplankton feeding in models: Taking into account food-mediated unsynchronized vertical migration. <i>Journal of Theoretical Biology</i> , 2010, 262, 346-360. | 0.8 | 24 |
| 31 | Structure of the zooplankton communities in the region of the Ob River's estuarine frontal zone. <i>Oceanology</i> , 2010, 50, 766-779. | 0.3 | 28 |
| 32 | The role of zooplankton in the transformation of the organic matter in the Ob estuary, on the shelf, and in the deep regions of the Kara Sea. <i>Oceanology</i> , 2010, 50, 780-792. | 0.3 | 14 |
| 33 | <i>Artemia parthenogenetica</i> (Branchiopoda: Anostraca) from the Large Aral Sea: Abundance, distribution, population structure and cyst production. <i>Journal of Marine Systems</i> , 2009, 76, 359-366. | 0.9 | 46 |
| 34 | Expeditionary studies in the western basin of the Aral Sea in September 2006. <i>Oceanology</i> , 2008, 48, 602-608. | 0.3 | 2 |
| 35 | Dividing mesozooplankton into upper and lower size groups: Applications to the grazing impact in the Marginal Ice Zone of the Barents Sea. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2008, 55, 2245-2256. | 0.6 | 41 |
| 36 | Influence of spatial heterogeneity on the type of zooplankton functional response: A study based on field observations. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2008, 55, 2285-2291. | 0.6 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Patterns of Zooplankton Functional Response in Communities with Vertical Heterogeneity: a Model Study. <i>Mathematical Modelling of Natural Phenomena</i> , 2008, 3, 131-148. | 0.9 | 26 |
| 38 | Plankton distribution and vertical flux of biogenic matter during high summer stratification in the Krka estuary (Eastern Adriatic). <i>Estuarine, Coastal and Shelf Science</i> , 2007, 71, 381-390. | 0.9 | 31 |
| 39 | The fate of production in the central Arctic Ocean – “top-down” regulation by zooplankton expatriates?. <i>Progress in Oceanography</i> , 2007, 72, 84-113. | 1.5 | 120 |
| 40 | Export or retention? Copepod abundance, faecal pellet production and vertical flux in the marginal ice zone through snap shots from the northern Barents Sea. <i>Polar Biology</i> , 2007, 30, 719-730. | 0.5 | 56 |
| 41 | Significance of vertical flux as a sink for surface water DMSP and as a source for the sediment surface in coastal zones of northern Europe. <i>Estuarine, Coastal and Shelf Science</i> , 2006, 68, 473-488. | 0.9 | 15 |
| 42 | Food webs and carbon flux in the Barents Sea. <i>Progress in Oceanography</i> , 2006, 71, 232-287. | 1.5 | 380 |
| 43 | Reproductive patterns of <i>Calanus finmarchicus</i> at the Norwegian midshelf in 1997. <i>Journal of Plankton Research</i> , 2004, 26, 839-849. | 0.8 | 12 |
| 44 | Seasonal moulting patterns and the generation cycle of <i>Calanus finmarchicus</i> in the NE Norwegian Sea, as inferred from gnathobase structures, and the size of gonads and oil sacs. <i>Marine Biology</i> , 2004, 146, 119-132. | 0.7 | 17 |
| 45 | Seasonal and spatial changes in biomass, structure, and development progress of the zooplankton community in the Barents Sea. <i>Journal of Marine Systems</i> , 2002, 38, 125-145. | 0.9 | 102 |
| 46 | <i>Calanus</i> spp. grazing affects egg production and vertical carbon flux (the marginal ice zone and open) Tj ETQq0 0 0 rgBT /Overlock 10 T | 0.9 | 21 |
| 47 | Seasonal variation in production, retention and export of zooplankton faecal pellets in the marginal ice zone and central Barents Sea. <i>Journal of Marine Systems</i> , 2002, 38, 175-188. | 0.9 | 82 |
| 48 | Seasonal variation in vertical flux of biogenic matter in the marginal ice zone and the central Barents Sea. <i>Journal of Marine Systems</i> , 2002, 38, 189-204. | 0.9 | 136 |
| 49 | Contribution of algal sinking and zooplankton grazing to downward flux in the Lazarev Sea (Southern Ocean) during the onset of phytoplankton bloom: a lagrangian study. <i>Marine Ecology - Progress Series</i> , 2002, 233, 73-88. | 0.9 | 28 |
| 50 | Seasonal changes in feeding, gonad development and lipid stores in <i>Calanus finmarchicus</i> and <i>C. hyperboreus</i> from Malangen, northern Norway. <i>Marine Biology</i> , 2001, 138, 1141-1152. | 0.7 | 50 |
| 51 | Production, retention and export of zooplankton faecal pellets on and off the Iberian shelf, north-west Spain. <i>Progress in Oceanography</i> , 2001, 51, 423-441. | 1.5 | 48 |
| 52 | Vertical flux of biogenic matter during a Lagrangian study off the NW Spanish continental margin. <i>Progress in Oceanography</i> , 2001, 51, 443-466. | 1.5 | 39 |
| 53 | Seasonal variation in Zooplankton and suspended faecal pellets in the subarctic Norwegian Baisfjorden, in 1996. <i>Sarsia</i> , 2000, 85, 439-452. | 0.5 | 25 |
| 54 | Comparison of the springtime vertical export of biogenic matter in three northern Norwegian fjords. <i>Marine Ecology - Progress Series</i> , 2000, 201, 73-89. | 0.9 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Plankton Communities in the Eastern Mediterranean Coastal Waters. , 1999, , 141-158. | | 0 |
| 56 | Diapause in the life cycle of <i>Calanoides carinatus</i> (Kroyer), (Copepoda, Calanoida). <i>Hydrobiologia</i> , 1996, 320, 197-208. | 1.0 | 36 |
| 57 | Zooplankton dynamics in the northern Benguela ecosystem, with special reference to the copepod <i>Calanoides carinatus</i> . <i>African Journal of Marine Science</i> , 1992, 12, 545-560. | 0.6 | 34 |
| 58 | The ecology of the <i>Calanus ponticus</i> population in the deeper layer of its concentration in the Black Sea. <i>Journal of Plankton Research</i> , 1992, 14, 447-458. | 0.8 | 37 |
| 59 | <i>Pyrosoma atlanticum</i> (Tunicata, Thaliacea): grazing impact on phytoplankton standing stock and role in organic carbon flux. <i>Journal of Plankton Research</i> , 1992, 14, 799-809. | 0.8 | 33 |