

Anne-Marie Dupuy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/735999/anne-marie-dupuy-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149 papers	4,204 citations	37 h-index	59 g-index
152 ext. papers	4,866 ext. citations	4.7 avg, IF	4.83 L-index

#	Paper	IF	Citations
149	Comparison of four immunoassays to an HPLC method for the therapeutic drug monitoring of methotrexate: Influence of the hydroxylated metabolite levels and impact on clinical threshold. <i>Journal of Oncology Pharmacy Practice</i> , 2022 , 28, 55-63	1.7	2
148	Fibroblast Growth Factor 19 stimulates water intake.. <i>Molecular Metabolism</i> , 2022 , 101483	8.8	1
147	Analytical evaluation of the performances of a new procalcitonin immunoassay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 ,	5.9	0
146	Colchicine to Prevent Sympathetic Denervation after an Acute Myocardial Infarction: The COLD-MI Trial Protocol. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	1
145	Letter in reply to the letter to the editor of Geerts N and Schanhorst V with the title "Roche Troponin T hs-STAT meets all expert opinion analytical laboratory practice recommendations for the use of the differential diagnosis of acute coronary syndrome". <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1299-1306	5.9	
144	Admission High-Sensitive Cardiac Troponin T Level Increase Is Independently Associated with Higher Mortality in Critically Ill Patients with COVID-19: A Multicenter Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	7
143	Insulin resistance is linked to a specific profile of immune activation in human subjects. <i>Scientific Reports</i> , 2021 , 11, 12314	4.9	
142	Soluble urokinase-type plasminogen activator receptor strongly predicts global mortality in acute heart failure patients: insight from the STADE-HF registry. <i>Future Science OA</i> , 2021 , 7, FSO697	2.7	0
141	Long term pronostic value of suPAR in chronic heart failure: reclassification of patients with low MAGGIC score. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1299-1306	5.9	2
140	STADE-HF (sST2 As a help for management of HF): a pilot study. <i>ESC Heart Failure</i> , 2020 , 7, 774-778	3.7	3
139	Absolute Change in High Sensitivity Cardiac Troponin I for Three Hours is Useful for Diagnosing Acute Myocardial Infarction in the Emergency Department: How to Get to Best Benefit From HS-Troponins in Clinical Practice?. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 488-489	3.1	
138	Absolute Change in High Sensitivity Cardiac Troponin I for Three Hours is Useful for Diagnosing Acute Myocardial Infarction in the Emergency Department: How to Get to Best Benefit From HS-Troponins in Clinical Practice?. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 488-489	3.1	
137	sST2 as a value-added biomarker in heart failure. <i>Clinica Chimica Acta</i> , 2020 , 501, 120-130	6.2	20
136	Analytical performances of a novel point-of-care procalcitonin assay. <i>Practical Laboratory Medicine</i> , 2020 , 18, e00145	1.7	4
135	Bioanalytical Performance of a New Particle-Enhanced Method for Measuring Procalcitonin. <i>Diagnostics</i> , 2020 , 10,	3.8	3
134	Multimarker approach including CRP, sST2 and GDF-15 for prognostic stratification in stable heart failure. <i>ESC Heart Failure</i> , 2020 , 7, 2230-2239	3.7	16
133	Identification of distinct immune activation profiles in adult humans. <i>Scientific Reports</i> , 2020 , 10, 20824	4.9	2

132	Modification of Muscle-Related Hormones in Women with Obesity: Potential Impact on Bone Metabolism. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
131	Oral contraceptives partially protect from bone loss in young women with anorexia nervosa. <i>Fertility and Sterility</i> , 2019 , 111, 1020-1029.e2	4.8	9
130	Multilevel qualification of a large set of blood gas analyzers: Which performance goals?. <i>Clinical Biochemistry</i> , 2019 , 74, 47-53	3.5	1
129	Is high-sensitivity troponin, alone or in combination with copeptin, sensitive enough for ruling out NSTEMI in very early presenters at admission? A post hoc analysis performed in emergency departments. <i>BMJ Open</i> , 2019 , 9, e023994	3	2
128	Exploring collagen remodeling and regulation as prognosis biomarkers in stable heart failure. <i>Clinica Chimica Acta</i> , 2019 , 490, 167-171	6.2	18
127	Evaluation of Point of Care Analyzer for Hemoglobin A1c. <i>Journal of Diabetes Science and Technology</i> , 2019 , 13, 150-151	4.1	0
126	High dietary intake of palm oils compromises glucose tolerance whereas high dietary intake of olive oil compromises liver lipid metabolism and integrity. <i>European Journal of Nutrition</i> , 2019 , 58, 3091-3107	5.2	8
125	Evaluation of the sST2-guided optimization of medical treatments of patients admitted for heart failure, to prevent readmission: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2018 , 66, 45-50	2.3	5
124	Establishment of reference values in a healthy population and interpretation of serum PTH concentrations in hemodialyzed patients according to the KDIGO Guidelines using the Lumipulse® G whole PTH (3rd generation) assay. <i>Clinical Biochemistry</i> , 2018 , 54, 119-122	3.5	8
123	Effects of the two types of anorexia nervosa (binge eating/purging and restrictive) on bone metabolism in female patients. <i>Clinical Endocrinology</i> , 2018 , 88, 863-872	3.4	4
122	Point-of-care creatinine testing in patients receiving contrast-enhanced computed tomography scan. <i>Clinica Chimica Acta</i> , 2018 , 478, 111-113	6.2	12
121	Stability of routine biochemical analytes in whole blood and plasma/serum: focus on potassium stability from lithium heparin. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 413-421	5.9	20
120	Letter to the editor concerning "comparative prognostic value of postprocedural creatine kinase myocardial band and high-sensitivity troponin T in patients with non-ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention". <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 633-634	2.7	
119	An hs-TNT Second Peak Associated with High CRP at Day 2 Appears as Potential Biomarkers of Micro-Vascular Occlusion on Magnetic Resonance Imaging after Reperfused ST-Segment Elevation Myocardial Infarction. <i>Cardiology</i> , 2018 , 140, 227-236	1.6	6
118	Comparison of Barricor® lithium heparin tubes for selected routine biochemical analytes and evaluation of post centrifugation stability. <i>Biochemia Medica</i> , 2018 , 28, 020902	2.5	13
117	Triglycerides and glycated hemoglobin for screening insulin resistance in obese patients. <i>Clinical Biochemistry</i> , 2018 , 53, 8-12	3.5	6
116	sST2 as a New Biomarker of Chronic Kidney Disease-Induced Cardiac Remodeling: Impact on Risk Prediction. <i>Mediators of Inflammation</i> , 2018 , 2018, 3952526	4.3	13
115	Moving from the second to the third generation Roche PTH assays: what are the consequences for clinical practice?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 57, 244-249	5.9	7

114	Continuous Veno-Venous High Cut-Off Hemodialysis Compared to Continuous Veno-Venous Hemodiafiltration in Intensive Care Unit Acute Kidney Injury Patients. <i>Blood Purification</i> , 2018 , 46, 248-256	3.1	8
113	The effect of an adverse psychological environment on salivary cortisol levels in the elderly differs by genotype. <i>Neurobiology of Stress</i> , 2017 , 7, 38-46	7.6	8
112	Rapid Rule-out of Acute Myocardial Infarction With a Single High-Sensitivity Cardiac Troponin T Measurement Below the Limit of Detection: A Collaborative Meta-analysis. <i>Annals of Internal Medicine</i> , 2017 , 166, 715-724	8	163
111	Treatment tolerance and patient-reported outcomes favor online hemodiafiltration compared to high-flux hemodialysis in the elderly. <i>Kidney International</i> , 2017 , 91, 1495-1509	9.9	69
110	Heterogeneity in HPA axis dysregulation and serotonergic vulnerability to depression. <i>Psychoneuroendocrinology</i> , 2017 , 77, 90-94	5	38
109	COLIN trial: Value of colchicine in the treatment of patients with acute myocardial infarction and inflammatory response. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 395-402	2.7	53
108	Plasma PCSK9 concentrations during the course of nondiabetic chronic kidney disease: Relationship with glomerular filtration rate and lipid metabolism. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 87-93	4.9	18
107	Analytical evaluation of point-of-care procalcitonin (PCT) and clinical performances in an unselected population as compared with central lab PCT assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, e167-e171	5.9	9
106	Analytical evaluation of Lumipulse® BRAHMS PCT CLEIA assay and clinical performances in an unselected population as compared with central lab PCT assay. <i>Clinical Biochemistry</i> , 2017 , 50, 248-250	3.5	3
105	On-line hemodiafiltration did not induce an overproduction of oxidative stress and inflammatory cytokines in intensive care unit-acute kidney injury. <i>BMC Nephrology</i> , 2017 , 18, 371	2.7	6
104	Urinary Biomarkers IGFBP7 and TIMP-2 for the Diagnostic Assessment of Transient and Persistent Acute Kidney Injury in Critically Ill Patients. <i>PLoS ONE</i> , 2017 , 12, e0169674	3.7	15
103	Impact of sleep disturbances on kidney function decline in the elderly. <i>European Respiratory Journal</i> , 2016 , 47, 860-8	13.6	14
102	Copeptin and high-sensitivity cardiac troponin to exclude severe coronary stenosis in patients with chest pain and coronary artery disease. <i>American Journal of Emergency Medicine</i> , 2016 , 34, 493-8	2.9	1
101	Cardiovascular risk stratification in hemodialysis patients in the era of highly sensitive troponins: should we choose between hs-troponin I and hs-troponin T?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 673-82	5.9	5
100	Kinetics of high-sensitivity cardiac troponin T and I differ in patients with ST-segment elevation myocardial infarction treated by primary coronary intervention. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016 , 5, 354-63	4.3	36
99	Skeletal Muscle Insulin Resistance and Absence of Inflammation Characterize Insulin-Resistant Grade I Obese Women. <i>PLoS ONE</i> , 2016 , 11, e0154119	3.7	19
98	Multi-Marker Strategy in Heart Failure: Combination of ST2 and CRP Predicts Poor Outcome. <i>PLoS ONE</i> , 2016 , 11, e0157159	3.7	25
97	How to interpret cardiac biomarkers in renal failure and elderly?. <i>Annales De Biologie Clinique</i> , 2016 , 74, 413-9	0.4	1

96	Diagnostic and prognostic value of soluble CD14 subtype (Presepsin) for sepsis and community-acquired pneumonia in ICU patients. <i>Annals of Intensive Care</i> , 2016 , 6, 59	8.9	66
95	Monoclonal gammopathy . <i>Annales De Biologie Clinique</i> , 2016 , 74, 286-92	0.4	
94	Evaluation of the New Siemens Tacrolimus Assay on the Dimension EXL Integrated Chemistry System Analyzer: Comparison With an Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry Method. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 808-812	3.2	11
93	CT-pro-AVP as a tool for assessment of intravascular volume depletion in severe hyponatremia. <i>Clinical Biochemistry</i> , 2015 , 48, 640-5	3.5	9
92	Analytical evaluation of point of care cTnT and clinical performances in an unselected population as compared with central laboratory highly sensitive cTnT. <i>Clinical Biochemistry</i> , 2015 , 48, 334-9	3.5	9
91	Evaluation of QMS everolimus assay using Indiko analyzer: comparison with an ultra-performance liquid chromatography-tandem mass spectrometry method. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 275-82	3.2	9
90	Osteoprotegerin and sclerostin in chronic kidney disease prior to dialysis: potential partners in vascular calcifications. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1345-56	4.3	81
89	Markers of bone remodeling are associated with arterial stiffness in renal transplanted subjects. <i>Journal of Nephrology</i> , 2015 , 28, 765-72	4.8	8
88	Performances of the heart fatty acid protein assay for the rapid diagnosis of acute myocardial infarction in ED patients. <i>American Journal of Emergency Medicine</i> , 2015 , 33, 326-30	2.9	12
87	Estimation of age- and comorbidities-adjusted percentiles of high-sensitivity cardiac troponin T levels in the elderly. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 691-8	5.9	14
86	Kinetics of high-sensitivity cardiac troponin T or troponin I compared to creatine kinase in patients with revascularized acute myocardial infarction. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 707-14	5.9	26
85	Evaluation of five immunoturbidimetric assays for urinary albumin quantification and their impact on albuminuria categorization. <i>Clinical Biochemistry</i> , 2014 , 47, 250-3	3.5	4
84	Comparison of Arkray/ELITech ADAMS HA-8180V with Bio-Rad Variant, II Turbo2.0 and Tosoh Bioscience HLC-723G8 for HbA1c determination. <i>Journal of Clinical Laboratory Analysis</i> , 2014 , 28, 428-34	3	7
83	Evaluation of NM-BAPTA method for plasma total calcium measurement on Cobas 8000 . <i>Clinical Biochemistry</i> , 2014 , 47, 636-9	3.5	13
82	Cerebrospinal fluid and serum cytokine profiles in narcolepsy with cataplexy: a case-control study. <i>Brain, Behavior, and Immunity</i> , 2014 , 37, 260-6	16.6	31
81	A meta-analysis of genome-wide association studies identifies ORM1 as a novel gene controlling thrombin generation potential. <i>Blood</i> , 2014 , 123, 777-85	2.2	14
80	Diagnostic accuracy of combined cardiac troponin and copeptin assessment for early rule-out of myocardial infarction: a systematic review and meta-analysis. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 18-27	4.3	72
79	Plasma brain natriuretic peptide and troponin levels in severe sepsis and septic shock: relationships with systolic myocardial dysfunction and intensive care unit mortality. <i>Journal of Intensive Care Medicine</i> , 2014 , 29, 229-37	3.3	39

78	Gender-specific associations between lipids and cognitive decline in the elderly. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1056-66	1.2	34
77	Role of biomarkers in the management of antibiotic therapy: an expert panel review: I - currently available biomarkers for clinical use in acute infections. <i>Annals of Intensive Care</i> , 2013 , 3, 22	8.9	65
76	Role of biomarkers in the management of antibiotic therapy: an expert panel review II: clinical use of biomarkers for initiation or discontinuation of antibiotic therapy. <i>Annals of Intensive Care</i> , 2013 , 3, 21	8.9	49
75	Grape polyphenols prevent fructose-induced oxidative stress and insulin resistance in first-degree relatives of type 2 diabetic patients. <i>Diabetes Care</i> , 2013 , 36, 1454-61	14.6	87
74	Validation of a new standardized cystatin C turbidimetric assay: evaluation of the three novel CKD-EPI equations in hypertensive patients. <i>Clinical Biochemistry</i> , 2013 , 46, 1542-7	3.5	12
73	Early rule out of acute myocardial infarction in ED patients: value of combined high-sensitivity cardiac troponin T and ultrasensitive copeptin assays at admission. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 1302-8	2.9	33
72	Biological variability of hs-cardiac troponin T on the Roche Cobas 8000/e602 μ immunoanalyzer. <i>Clinica Chimica Acta</i> , 2013 , 425, 62-3	6.2	9
71	Glomerular filtration rate as a determinant of free light chains in renal transplantation. <i>Clinical Biochemistry</i> , 2013 , 46, 1764-6	3.5	5
70	Implications of adjustment of high-sensitivity cardiac troponin T assay. <i>Clinical Chemistry</i> , 2013 , 59, 570-5	3.5	13
69	Genome-wide association analysis identifies a susceptibility locus for pulmonary arterial hypertension. <i>Nature Genetics</i> , 2013 , 45, 518-21	36.3	82
68	Proadrenomedullin, a useful tool for risk stratification in high Pneumonia Severity Index score community acquired pneumonia. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 215-21	2.9	49
67	A combined index of cardiac biomarkers as a risk factor for early cardiovascular mortality in hemodialysis patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1865-74	5.9	11
66	Analytical performance and clinical use of a hemoglobin A1c point-of-care analyzer in a pediatric unit. <i>Journal of Diabetes Science and Technology</i> , 2013 , 7, 1408-9	4.1	1
65	Performance evaluation of human cytokines profiles obtained by various multiplexed-based technologies underlines a need for standardization. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1385-93	5.9	17
64	Comparable incremental value of standard and nonstandard lipids for coronary heart disease risk assessment in elderly adults: the Three City Study. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1234-6	5.6	
63	Etanercept normalises left ventricular mass in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 881-7	2.4	32
62	Sex differences in the associations between lipid levels and incident dementia. <i>Journal of Alzheimer's Disease</i> , 2013 , 34, 519-28	4.3	47
61	Depletion of proBNP1-108 in patients with heart failure prevents cross-reactivity with natriuretic peptides. <i>PLoS ONE</i> , 2013 , 8, e75174	3.7	6

60	FGF-23 removal is improved by on-line high-efficiency hemodiafiltration compared to conventional high flux hemodialysis. <i>Journal of Nephrology</i> , 2013 , 26, 342-9	4.8	29
59	Vitamin E-coated polysulfone membrane improved red blood cell antioxidant status in hemodialysis patients. <i>Journal of Nephrology</i> , 2013 , 26, 556-63	4.8	16
58	Can a clinical decision rule help ductus arteriosus management in preterm neonates?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, e213-8	3.1	8
57	Immunonutrition before and during radiochemotherapy: improvement of inflammatory parameters in head and neck cancer patients. <i>Supportive Care in Cancer</i> , 2012 , 20, 3129-35	3.9	26
56	Homocysteine as a determinant of left ventricular ejection fraction in patients with diabetes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1099-106	5.9	5
55	Bone biomarkers help grading severity of coronary calcifications in non dialysis chronic kidney disease patients. <i>PLoS ONE</i> , 2012 , 7, e36175	3.7	22
54	Low serum IL-6 is associated with high 6-minute walking performance in asymptomatic women aged 20 to 70years. <i>Experimental Gerontology</i> , 2012 , 47, 143-8	4.5	16
53	Etanercept concentration in patients with rheumatoid arthritis and its potential influence on treatment decisions: a pilot study. <i>Journal of Rheumatology</i> , 2012 , 39, 1533-8	4.1	22
52	Low-grade chronic inflammation and superoxide anion production by NADPH oxidase are the main determinants of physical frailty in older adults. <i>Free Radical Research</i> , 2012 , 46, 1108-14	4	34
51	Evolution of lipid levels in HIV-infected children treated or not with HAART in Abidjan, Cote d'Ivoire. <i>Journal of Tropical Pediatrics</i> , 2012 , 58, 43-9	1.2	1
50	Lipid lowering agents, cognitive decline, and dementia: the three-city study. <i>Journal of Alzheimer's Disease</i> , 2012 , 30, 629-37	4.3	55
49	Caution in interpreting results from imputation analysis when linkage disequilibrium extends over a large distance: a case study on venous thrombosis. <i>PLoS ONE</i> , 2012 , 7, e38538	3.7	16
48	Evaluation of two automated capillary electrophoresis systems for human serum protein analysis. <i>Clinical Biochemistry</i> , 2011 , 44, 1473-9	3.5	16
47	KNG1 Ile581Thr and susceptibility to venous thrombosis. <i>Blood</i> , 2011 , 117, 3692-4	2.2	43
46	Adverse childhood environment and late-life cognitive functioning. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 503-10	3.9	60
45	War exposure, 5-HTTLPR genotype and lifetime risk of depression. <i>British Journal of Psychiatry</i> , 2011 , 199, 43-8	5.4	11
44	Reduced glomerular filtration rate, inflammation and HDL cholesterol as main determinants of superoxide production in non-dialysis chronic kidney disease patients. <i>Free Radical Research</i> , 2011 , 45, 735-45	4	6
43	Cystatin C is a reliable marker for estimation of glomerular filtration rate in renal transplantation: validation of a new turbidimetric assay using monospecific sheep antibodies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 265-70	5.9	8

42	Genome-wide scan identifies TNIP1, PSORS1C1, and RHOB as novel risk loci for systemic sclerosis. <i>PLoS Genetics</i> , 2011 , 7, e1002091	6	176
41	Analytical performances of cystatin C turbidimetric assay: which impact on accuracy of glomerular filtration rate estimation in renal transplantation?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 50, 133-8	5.9	4
40	Genetics of venous thrombosis: insights from a new genome wide association study. <i>PLoS ONE</i> , 2011 , 6, e25581	3.7	105
39	Biocompatibility of heparin-grafted hemodialysis membranes: impact on monocyte chemoattractant protein-1 circulating level and oxidative status. <i>Hemodialysis International</i> , 2010 , 14, 403-10	1.7	22
38	Evaluation of two sirolimus assays using the ARCHITECT-i1000() CMIA or RxL() ACMA methods in comparison with the IMx() MEIA method. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 1523-32	5.9	7
37	Gender and genotype modulation of the association between lipid levels and depressive symptomatology in community-dwelling elderly (the ESPRIT study). <i>Biological Psychiatry</i> , 2010 , 68, 125-32	7.9	60
36	Long-term post-operative cognitive decline in the elderly: the effects of anesthesia type, apolipoprotein E genotype, and clinical antecedents. <i>Journal of Alzheimer's Disease</i> , 2010 , 22 Suppl 3, 105-13	4.3	37
35	A fenugreek seed extract selectively reduces spontaneous fat intake in overweight subjects. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 449-55	2.8	48
34	Appendicular skeletal muscle mass is the strongest independent factor associated with femoral neck bone mineral density in adult and older men. <i>Experimental Gerontology</i> , 2010 , 45, 679-84	4.5	52
33	Determinants of homocysteine levels in Ivorian rural population. <i>International Journal for Vitamin and Nutrition Research</i> , 2009 , 79, 319-27	1.7	6
32	Clinical efficacy of two cardiac troponin I assays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009 , 47, 1013-5	5.9	
31	A cut-off value of plasma osteoprotegerin level may predict the presence of coronary artery calcifications in chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 3389-97	4.3	51
30	Homocysteine and inflammation as main determinants of oxidative stress in the elderly. <i>Free Radical Biology and Medicine</i> , 2009 , 46, 737-44	7.8	43
29	Low sit-to-stand performance is associated with low femoral neck bone mineral density in healthy women. <i>Calcified Tissue International</i> , 2009 , 84, 266-75	3.9	7
28	Lipodystrophy and metabolic disorders in HIV-1-infected adults on 4- to 9-year antiretroviral therapy in Senegal: a case-control study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 51, 224-30	3.1	47
27	Association of adverse childhood environment and 5-HTTLPR Genotype with late-life depression. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1281-8	4.6	91
26	Biomarkers of inflammation and malnutrition associated with early death in healthy elderly people. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 840-6	5.6	63
25	Osteoprotegerin, thiazolidinediones treatment, and silent myocardial ischemia in type 2 diabetic patients. <i>Diabetes Care</i> , 2008 , 31, 593-5	14.6	10

24	Fine-tuning of the prediction of mortality in hemodialysis patients by use of cytokine proteomic determination. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 423-30	6.9	25
23	Prohormone brain natriuretic peptide (proBNP), BNP and N-terminal-proBNP circulating levels in chronic hemodialysis patients. Correlation with ventricular function, fluid removal and effect of hemodiafiltration. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008 , 46, 1019-24	5.9	31
22	Creatinine index and transthyretin as additive predictors of mortality in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 345-53	4.3	33
21	Osteoprotegerin: a novel independent marker for silent myocardial ischemia in asymptomatic diabetic patients. <i>Diabetes Care</i> , 2007 , 30, 2934-9	14.6	57
20	Physical activity modulates heat shock protein-72 expression and limits oxidative damage accumulation in a healthy elderly population aged 60-90 years. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 1413-9	6.4	22
19	Non-degenerative mild cognitive impairment in elderly people and use of anticholinergic drugs: longitudinal cohort study. <i>BMJ, The</i> , 2006 , 332, 455-9	5.9	375
18	Assay for measurement of intact B-type natriuretic peptide prohormone in blood. <i>Clinical Chemistry</i> , 2006 , 52, 1054-61	5.5	112
17	Plasma osteoprotegerin is associated with mortality in hemodialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 262-70	12.7	138
16	Functional Vitamin E deficiency in ApoE4 patients with Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006 , 21, 198-204	2.6	16
15	Association of aminothiols with the clinical outcome in hemodialysis patients: comparison of chromatography and immunoassay for homocysteine determination. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006 , 44, 949-54	5.9	2
14	Intradialytic parenteral nutrition: comparison of olive oil versus soybean oil-based lipid emulsions. <i>British Journal of Nutrition</i> , 2006 , 95, 152-9	3.6	42
13	Overproduction of reactive oxygen species in end-stage renal disease patients: a potential component of hemodialysis-associated inflammation. <i>Hemodialysis International</i> , 2005 , 9, 37-46	1.7	137
12	Association between novel indices of malnutrition-inflammation complex syndrome and cardiovascular disease in hemodialysis patients. <i>Hemodialysis International</i> , 2005 , 9, 159-68	1.7	20
11	Albumin and transthyretin as risk factors for cataract: the POLA study. <i>JAMA Ophthalmology</i> , 2005 , 123, 225-32		19
10	Protein biochip systems for the clinical laboratory. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005 , 43, 1291-302	5.9	54
9	Osteoprotegerin is associated with silent coronary artery disease in high-risk but asymptomatic type 2 diabetic patients. <i>Diabetes Care</i> , 2005 , 28, 2176-80	14.6	75
8	Evaluation of the ABX Pentra 400: a newly available clinical chemistry analyser. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005 , 43, 782-92	5.9	6
7	Measurement of circulating troponin I enhances the prognostic value of C-reactive protein in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2313-8	4.3	16

6	Fenofibrate improves the atherogenic lipid profile and enhances LDL resistance to oxidation in HIV-positive adults. <i>Atherosclerosis</i> , 2004 , 172, 273-9	3.1	68
5	Immunoturbidimetric determination of C-reactive protein (CRP) and high-sensitivity CRP on heparin plasma. Comparison with serum determination. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003 , 41, 948-9	5.9	32
4	Vitamin E supplementation increases LDL resistance to ex vivo oxidation in hemodialysis patients. <i>International Journal for Vitamin and Nutrition Research</i> , 2003 , 73, 290-6	1.7	11
3	Small dense LDL and atherogenic lipid profile in HIV-positive adults: influence of lopinavir/ritonavir-containing regimen. <i>Aids</i> , 2003 , 17, 772-4	3.5	15
2	Discrepancies between apolipoprotein E phenotyping and genotyping in the elderly. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001 , 39, 405-13	5.9	4
1	Antibody immobilization on swollen polystyrene tubes for the radioimmunological determination of total human serum IgE. <i>Clinica Chimica Acta</i> , 1988 , 176, 91-9	6.2	3