Pierrich Plusquellec

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7361703/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Characterization of Children with Autism Spectrum Disorder's Interactions with a Service Dog During Their First Encounter. Anthrozoos, 2022, 35, 867-889.	0.7	4
2	On deception and lying: An overview of over 100 years of social science research. Applied Cognitive Psychology, 2022, 36, 805-819.	0.9	7
3	Visual Exploration and Observation of Real-Life Interactions Between Children with ASD and Service Dogs. Journal of Autism and Developmental Disorders, 2021, 51, 3785-3805.	1.7	8
4	The detection of deception during trials: Ignoring the nonverbal communication of witnesses is not the solution—A response to Vrij and Turgeon (2018). International Journal of Evidence and Proof, 2020, 24, 3-11.	0.2	5
5	Benefit of Practice of the Stroop Test in Young and Older Adults: Pattern of Gain and Impact of Educational Level. Experimental Aging Research, 2020, 46, 52-67.	0.6	6
6	Acute and chronic stress among workers in residential treatment centers for youth: Effects on restraint and seclusion. Children and Youth Services Review, 2020, 118, 105411.	1.0	5
7	The Analysis of Nonverbal Communication: The Dangers of Pseudoscience in Security and Justice Contexts. Anuario De Psicologia Juridica, 2020, 30, 1-12.	0.5	32
8	Fear/Reactivity in working dogs: An analysis of 37 years of behavioural data from the Mira Foundation's future service dogs. Applied Animal Behaviour Science, 2019, 221, 104864.	0.8	17
9	Acute Stress Assessment From Excess Cortisol Secretion: Fundamentals and Perspectives. Frontiers in Endocrinology, 2019, 10, 749.	1.5	15
10	The 1000 Most Cited Papers on Visible Nonverbal Behavior: A Bibliometric Analysis. Journal of Nonverbal Behavior, 2018, 42, 347-377.	0.6	26
11	Blood lead levels and hypothalamic-pituitary-adrenal function in middle-aged individuals. Environmental Research, 2018, 160, 554-561.	3.7	4
12	Lead exposure is related to hypercortisolemic profiles and allostatic load in Brazilian older adults. Environmental Research, 2017, 154, 261-268.	3.7	21
13	Association between heavy metal exposure and poor working memory and possible mediation effect of antioxidant defenses during aging. Science of the Total Environment, 2017, 575, 750-757.	3.9	15
14	Prenatal and early-life polychlorinated biphenyl (PCB) levels and behavior in Inuit preschoolers. Environment International, 2015, 78, 90-94.	4.8	23
15	Cross-Country Differences in Basal and Stress-Induced Cortisol Secretion in Older Adults. PLoS ONE, 2014, 9, e105968.	1.1	13
16	Household crowding is associated with higher allostatic load among the Inuit. Journal of Epidemiology and Community Health, 2014, 68, 363-369.	2.0	49
17	The DeStress for Success Program: Effects of a stress education program on cortisol levels and depressive symptomatology in adolescents making the transition to high school. Neuroscience, 2013, 249, 74-87.	1.1	39
18	Early menarche predicts increased depressive symptoms and cortisol levels in Quebec girls ages 11 to 13. Development and Psychopathology, 2013, 25, 1017-1027.	1.4	24

#	Article	IF	CITATIONS
19	Prenatal Methylmercury, Postnatal Lead Exposure, and Evidence of Attention Deficit/Hyperactivity Disorder among Inuit Children in Arctic QuA©bec. Environmental Health Perspectives, 2012, 120, 1456-1461.	2.8	168
20	Salivary cortisol levels are associated with resource control in a competitive situation in 19month-old boys. Hormones and Behavior, 2011, 60, 159-164.	1.0	5
21	A transdisciplinary perspective of chronic stress in relation to psychopathology throughout life span development. Development and Psychopathology, 2011, 23, 725-776.	1.4	210
22	Environmental contaminants and human health in the Canadian Arctic. Science of the Total Environment, 2010, 408, 5165-5234.	3.9	224
23	The relation of environmental contaminants exposure to behavioral indicators in Inuit preschoolers in Arctic Quebec. NeuroToxicology, 2010, 31, 17-25.	1.4	98
24	Alteration of infant attention and activity by polychlorinated biphenyls: Unravelling critical windows of susceptibility using physiologically based pharmacokinetic modeling. NeuroToxicology, 2010, 31, 424-431.	1.4	51
25	Impairment of Infant Behaviour by Polychlorinated Biphenyls (PCBs): Physiologically-Based Pharmacokinetic (PBPK) Modeling Reveals a Critical Time Window for Postnatal Exposure. Epidemiology, 2009, 20, S22-S23.	1.2	0
26	Dominance among unfamiliar peers starts in infancy. Infant Mental Health Journal, 2007, 28, 324-343.	0.7	9
27	The relation of low-level prenatal lead exposure to behavioral indicators of attention in Inuit infants in Arctic Quebec. Neurotoxicology and Teratology, 2007, 29, 527-537.	1.2	69
28	Behavioural characteristics of two dairy breeds of cows selected (Hérens) or not (Brune des Alpes) for fighting and dominance ability. Applied Animal Behaviour Science, 2001, 72, 1-21.	0.8	52
29	EARLY PREDICTORS OF DOMINANCE ABILITY IN HEIFERS (BOS TAURUS, L.) OF THE HÉRENS BREED. Behaviour, 2001, 138, 1009-1031.	0.4	13
30	La synergologie, une lecture pseudoscientifique du langage corporel. Revue De Psychoéducation, 0, 44, 425-455.	0.3	12
31	Étude pilote des effets du programme DéStresse et Progresse chez des élÃ∵ves de 6eÂannée du primaire intégrés dans une école secondaire. â^šÃ¢ducation Et Francophonie, 0, 43, 6-29.	0.1	3
32	Stress et fatigue chez les éducateurs en centre de réadaptation pour jeunesÂ: influence sur leur recours aux contentions et isolements. Revue De Psychoéducation, 0, 50, 121-143.	0.3	1