Marcelo Assumpo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7361996/marcelo-assumpcao-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers3,222
citations30
h-index54
g-index120
ext. papers3,676
ext. citations3.6
avg, IF5.12
L-index

#	Paper	IF	Citations
100	Effect of the cold Nazca Slab on the depth of the 660 km discontinuity in South America. <i>Journal of South American Earth Sciences</i> , 2021 , 112, 103607	2	1
99	Lithospheric Architecture of the Paranapanema Block and Adjacent Nuclei Using Multiple-Frequency P-Wave Seismic Tomography. <i>Journal of Geophysical Research: Solid Earth</i> , 2021 , 126, e2020JB021183	3.6	1
98	Mantle dynamics of the Andean Subduction Zone from continent-scale teleseismic S-wave tomography. <i>Geophysical Journal International</i> , 2020 , 224, 1553-1571	2.6	5
97	The 1885 M´6.9 Earthquake in the French Guianaâ B razil Border: The Largest Midplate Event in the Nineteenth Century in South America. <i>Seismological Research Letters</i> , 2020 , 91, 2497-2510	3	3
96	Joint Inversion of Receiver Functions and Surface-Wave Dispersion in the Pantanal Wetlands: Implications for Basin Formation. <i>Journal of Geophysical Research: Solid Earth</i> , 2020 , 125, e2019JB01833	3 .6	2
95	Ambient seismic noise tomography in west-central and Southern Brazil, characterizing the crustal structure of the Chaco-Paran[Pantanal and Paran[basins. <i>Geophysical Journal International</i> , 2020 , 220, 2074-2085	2.6	3
94	Using Seismic Noise Levels to Monitor Social Isolation: An Example From Rio de Janeiro, Brazil. <i>Geophysical Research Letters</i> , 2020 , 47, e2020GL088748	4.9	15
93	Delimiting the Neoproterozoic SB Francisco Paleocontinental Block with P-wave traveltime tomography. <i>Geophysical Journal International</i> , 2019 , 219, 633-644	2.6	13
92	Probabilistic seismic hazard analysis for a nuclear power plant site in southeast Brazil. <i>Journal of Seismology</i> , 2019 , 23, 1-23	1.5	10
91	Teleseismic P Wave Tomography Beneath the Pantanal, Paran and Chaco-Paran Basins, SE South America: Delimiting Lithospheric Blocks of the SW Gondwana Assemblage. <i>Journal of Geophysical Research: Solid Earth</i> , 2019 , 124, 7120-7137	3.6	9
90	An Updated Crustal Thickness Map of Central South America Based on Receiver Function Measurements in the Region of the Chaco, Pantanal, and Paran Basins, Southwestern Brazil. Journal of Geophysical Research: Solid Earth, 2019 , 124, 8491-8505	3.6	13
89	Crustal Structure of the Collision-Subduction Zone in South of Iran Using Virtual Seismometers. <i>Scientific Reports</i> , 2019 , 9, 10851	4.9	4
88	Seismic Intensity Attenuation for Intraplate Earthquakes in Brazil with the Re-Evaluation of Historical Seismicity. <i>Seismological Research Letters</i> , 2019 , 90, 2217-2226	3	4
87	Rupture lengths of intraplate earthquakes in Brazil determined by relative location of aftershocks: Evidence for depth dependence of stress drops. <i>Journal of South American Earth Sciences</i> , 2019 , 89, 246	-258	4
86	Focal mechanism of the 5.1Mw 2014 Lloja earthquake, Bolivia: Probing the transition between extensional stresses of the central Altiplano and compressional stresses of the sub-Andes. <i>Journal of South American Earth Sciences</i> , 2019 , 91, 102-107	2	1
85	The intraplate Maranh® earthquake of 2017 January 3, northern Brazil: evidence for uniform regional stresses along the Brazilian equatorial margin. <i>Geophysical Journal International</i> , 2018 , 213, 387-396	2.6	9
84	Mantle anisotropy and asthenospheric flow around cratons in southeastern South America. <i>Geophysical Journal International</i> , 2018 , 215, 494-506	2.6	6

83	Sismicidade do Nordeste do Brasil. <i>Revista Brasileira De Geofisica</i> , 2018 , 1,	1.2	14
82	Clculo de Magnitudes e Relaß Freqficia-Magnitudes dos Sismos de Joß Cfhara, RN. <i>Revista</i> Brasileira De Geofisica, 2018 , 7, 107	1.2	3
81	Reservoir-Triggered Seismicity in Brazil: Statistical Characteristics in a Midplate Environment. <i>Bulletin of the Seismological Society of America</i> , 2018 , 108, 3046-3061	2.3	6
80	The Brazilian Seismographic Network (RSBR): Improving Seismic Monitoring in Brazil. <i>Seismological Research Letters</i> , 2018 , 89, 452-457	3	29
79	Improved epicentral relocation in the offshore Campos basin, SE Brazil, with the RSTT 3D model. Journal of South American Earth Sciences, 2018 , 85, 121-125	2	2
78	Intraplate seismicity in mid-plate South America: correlations with geophysical lithospheric parameters. <i>Geological Society Special Publication</i> , 2017 , 432, 73-90	1.7	13
77	Earthquake source properties of a shallow induced seismic sequence in SE Brazil. <i>Journal of Geophysical Research: Solid Earth</i> , 2017 , 122, 2784-2797	3.6	6
76	Improving the characterization of the seismic source in Bebedouro, ParaníBasin, Brazil: further evidence of seismicity triggered by hydraulic stimulation in water wells. <i>Geophysical Journal International</i> , 2017 , 210, 594-608	2.6	1
75	Lithospheric Features of the SB Francisco Craton. Regional Geology Reviews, 2017, 15-25	2.5	7
74	Crustal structure of the Amazonian Craton and adjacent provinces in Brazil. <i>Journal of South American Earth Sciences</i> , 2017 , 79, 431-442	2	12
73	Determination of the fault plane and rupture size of the 2013 Santa Cruz earthquake, Bolivia, 5.2 Mw, by relative location of the aftershocks. <i>Journal of South American Earth Sciences</i> , 2016 , 71, 54-6	2 ²	2
7 ²	The tailings dam failure of 5 November 2015 in SE Brazil and its preceding seismic sequence. <i>Geophysical Research Letters</i> , 2016 , 43, 4929-4936	4.9	38
71	Thin crust beneath the Chaco-Paran Basin by surface-wave tomography. <i>Journal of South American Earth Sciences</i> , 2016 , 66, 1-14	2	11
70	The 2009 earthquake, magnitude mb 4.8, in the Pantanal Wetlands, west-central Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2016 , 88, 1253-64	1.4	13
69	Path-specific, dispersion-based velocity models and moment tensors of moderate events recorded at few distant stations: Examples from Brazil and Greece. <i>Journal of South American Earth Sciences</i> , 2016 , 71, 344-358	2	12
68	Intraplate stress field in South America from earthquake focal mechanisms. <i>Journal of South American Earth Sciences</i> , 2016 , 71, 278-295	2	35
67	Estimating the 2008 Quetame (Colombia) earthquake source parameters from seismic data and InSAR measurements. <i>Journal of South American Earth Sciences</i> , 2016 , 72, 250-265	2	8
66	Influence of the continental margin on the stress field and seismicity in the intraplate Acara [®] Seismic Zone, NE Brazil. <i>Geophysical Journal International</i> , 2015 , 202, 1453-1462	2.6	10

65	The Mara Rosa 2010 GT-5 earthquake and its possible relationship with the continental-scale transbrasiliano lineament. <i>Journal of South American Earth Sciences</i> , 2015 , 60, 1-9	2	17
64	The 2012â�013 Montes Claros earthquake series in the SB Francisco Craton, Brazil: new evidence for non-uniform intraplate stresses in mid-plate South America. <i>Geophysical Journal International</i> , 2015 , 200, 216-226	2.6	15
63	Earthquake sequences in the southern block of the Pernambuco Lineament, NE Brazil: Stress field and seismotectonic implications. <i>Tectonophysics</i> , 2014 , 633, 211-220	3.1	12
62	Crustal thickness map of Brazil: Data compilation and main features. <i>Journal of South American Earth Sciences</i> , 2013 , 43, 74-85	2	78
61	Testing the influence of far-field topographic forcing on subduction initiation at a passive margin. <i>Tectonophysics</i> , 2013 , 608, 517-524	3.1	27
60	Upper crustal earthquake swarms in SB Caetano: Reactivation of the Pernambuco shear zone and trending branches in intraplate Brazil. <i>Tectonophysics</i> , 2013 , 608, 804-811	3.1	23
59	Models of crustal thickness for South America from seismic refraction, receiver functions and surface wave tomography. <i>Tectonophysics</i> , 2013 , 609, 82-96	3.1	100
58	Gravity derived Moho for South America. <i>Tectonophysics</i> , 2013 , 609, 456-467	3.1	80
57	Intra-plate seismicity and flexural stresses in central Brazil. <i>Geophysical Research Letters</i> , 2013 , 40, 487	- 49 .1 ₉	30
56	The 2012 Montes Claros earthquake sequence in the SB Francisco craton: another evidence of inverse faulting and compressional stresses in Eastern Brazil 2013 ,		1
55	Spectral analysis of Brazilian data and comparison with ground-motion models 2013,		2
54	Basement depths in the Parecis Basin (Amazon) with receiver functions from small local earthquakes in the Porto dos Gaöhos seismic zone. <i>Journal of South American Earth Sciences</i> , 2011 , 32, 142-151	2	4
53	Upper-mantle seismic structure beneath SE and Central Brazil from P- and S-wave regional traveltime tomography. <i>Geophysical Journal International</i> , 2011 , 184, 268-286	2.6	51
52	The SB Vicente earthquake of 2008 April and seismicity in the continental shelf off SE Brazil: further evidence for flexural stresses. <i>Geophysical Journal International</i> , 2011 , 187, 1076-1088	2.6	19
51	Genetic algorithm inversion of the average 1D crustal structure using local and regional earthquakes. <i>Computers and Geosciences</i> , 2011 , 37, 1372-1380	4.5	8
50	Coda wave attenuation in the Parecis Basin, Amazon Craton, Brazil: sensitivity to basement depth. <i>Journal of Seismology</i> , 2011 , 15, 391-409	1.5	10
49	Upper-mantle seismic anisotropy from SKS splitting in the South American stable platform: A test of asthenospheric flow models beneath the lithosphere. <i>Lithosphere</i> , 2011 , 3, 173-180	2.7	22
48	Intraplate earthquake swarm in Belo Jardim, NE Brazil: reactivation of a major Neoproterozoic shear zone (Pernambuco Lineament). <i>Geophysical Journal International</i> , 2010 , 180, 1303-1312	2.6	29

(2004-2010)

47	Moho map of South America from receiver functions and surface waves. <i>Journal of Geophysical Research</i> , 2010 , 115,		61
46	Seismic activity triggered by water wells in the Paran Basin, Brazil. Water Resources Research, 2010 , 46,	5.4	13
45	The intracratonic Carabasâltacarambi earthquake of December 09, 2007 (4.9 mb), Minas Gerais State, Brazil. <i>Tectonophysics</i> , 2010 , 480, 48-56	3.1	20
44	Inversion of teleseismic receiver function and magnetotelluric sounding to determine basement depth in the ParaníBasin, SE Brazil. <i>Journal of Applied Geophysics</i> , 2009 , 68, 231-242	1.7	11
43	The intraplate Porto dos Galhos seismic zone in the Amazon craton âlBrazil. <i>Tectonophysics</i> , 2009 , 469, 37-47	3.1	22
42	Deep crustal structure of the ParaníBasin from receiver functions and Rayleigh-wave dispersion: Evidence for a fragmented cratonic root. <i>Journal of Geophysical Research</i> , 2008 , 113,		48
41	Induced seismicity in the Castanh® reservoir, NE Brazil âlPreliminary results. <i>Tectonophysics</i> , 2008 , 456, 103-110	3.1	11
40	Upper mantle structure of South America from joint inversion of waveforms and fundamental mode group velocities of Rayleigh waves. <i>Journal of Geophysical Research</i> , 2007 , 112,		114
39	FeiBs crustais determinadas pela anlize azimutal da funß do receptor, na regiß da estaß sismolßica de Rio Claro (RCLB). <i>Revista Brasileira De Geofisica</i> , 2007 , 25, 399-411	1.2	2
38	Upper mantle anisotropy in SE and Central Brazil from SKS splitting: Evidence of asthenospheric flow around a cratonic keel. <i>Earth and Planetary Science Letters</i> , 2006 , 250, 224-240	5.3	50
37	Crustal and upper mantle structure in the intracratonic Paran Basin, SE Brazil, from surface wave dispersion using genetic algorithms. <i>Journal of South American Earth Sciences</i> , 2006 , 21, 173-184	2	29
36	Effect of lateral variation and model parameterization on surface wave dispersion inversion to estimate the average shallow structure in the ParaníBasin. <i>Journal of Seismology</i> , 2005 , 9, 449-462	1.5	7
35	Intraplate seismicity in SE Brazil: stress concentration in lithospheric thin spots. <i>Geophysical Journal International</i> , 2004 , 159, 390-399	2.6	69
34	Multi-objective inversion of surface waves and receiver functions by competent genetic algorithm applied to the crustal structure of the ParaníBasin, SE Brazil. <i>Geophysical Research Letters</i> , 2004 , 31, n/a-n/a	4.9	17
33	Seismic studies of the Brasila fold belt at the western border of the Sö Francisco Craton, Central Brazil, using receiver function, surface-wave dispersion and teleseismic tomography. <i>Tectonophysics</i> , 2004 , 388, 173-185	3.1	39
32	Group-velocity tomography and lithospheric S-velocity structure of the South American continent. <i>Physics of the Earth and Planetary Interiors</i> , 2004 , 147, 315-331	2.3	71
31	Crustal structure of the Ribeira fold belt, SE Brazil, derived from receiver functions. <i>Journal of South American Earth Sciences</i> , 2004 , 16, 743-758	2	31
30	Blsp02: Projeto De Estudo Sismolĝico Da Crosta E Manto Superior No Brasil 2004 ,		3

29	Basement Depth In The Paran Basin From Joint Inversion Of Teleseismic Receiver Functions And Magnetotelluric Sounding 2004 ,		2
28	Seismic velocity anomalies beneath SE Brazil from P and S wave travel time inversions. <i>Journal of Geophysical Research</i> , 2003 , 108,		48
27	Shear wave splitting in SE Brazil: an effect of active or fossil upper mantle flow, or both?. <i>Earth and Planetary Science Letters</i> , 2003 , 211, 79-95	5.3	29
26	Reservoir-induced Seismicity in Brazil 2002 , 159, 597-617		26
25	Crustal thicknesses in SE Brazilian Shield by receiver function analysis: Implications for isostatic compensation. <i>Journal of Geophysical Research</i> , 2002 , 107, ESE 2-1-ESE 2-14		57
24	Reservoir-induced Seismicity in Brazil 2002 , 597-617		1
23	Surface Wave Dispersion Inversion Using Improved Genetic Algorithm 2001 ,		2
22	Genetic Algorithm-Finite Element Inversion of Stress Field of Brazil. <i>Chinese Journal of Geophysics</i> , 2000 , 43, 191-199		3
21	Quaternary tectonics in Brazil. <i>Episodes</i> , 1999 , 22, 221-225	1.6	75
20	Focal mechanisms of small earthquakes in the southeastern Brazilian shield: a test of stress models of the South American plate. <i>Geophysical Journal International</i> , 1998 , 133, 490-498	2.6	25
19	Superposition of local and regional stresses in northeast Brazil: evidence from focal mechanisms around the Potiguar marginal basin. <i>Geophysical Journal International</i> , 1998 , 134, 341-355	2.6	80
18	Stress orientations in Brazilian sedimentary basins from breakout analysis: implications for force models in the South American plate. <i>Geophysical Journal International</i> , 1997 , 130, 112-124	2.6	60
17	Seismicity patterns and focal mechanisms in southeastern Brazil. <i>Revista Brasileira De Geofisica</i> , 1997 , 15, 119-132	1.2	8
16	Tectonic implications of S-wave anisotropy beneath SE Brazil. <i>Geophysical Journal International</i> , 1996 , 126, 1-10	2.6	77
15	Seismic evidence for a fossil mantle plume beneath South America and implications for plate driving forces. <i>Nature</i> , 1995 , 378, 25-31	50.4	231
14	Correlation of seismicity and water level in the Aʿʿʾ reservoirāĒn example from Northeast Brazil. Bulletin of the Seismological Society of America, 1995 , 85, 1483-1489	2.3	46
13	Effect of the Altiplano-Puna plateau, South America, on the regional intraplate stresses. <i>Tectonophysics</i> , 1993 , 221, 475-496	3.1	36
12	The regional intraplate stress field in South America. <i>Journal of Geophysical Research</i> , 1992 , 97, 11889		129

LIST OF PUBLICATIONS

-	11	Global patterns of tectonic stress. <i>Nature</i> , 1989 , 341, 291-298	50.4	507
-	10	The 1986âl 1988 intraplate earthquake sequence near Job Chara, northeast Brazilâl volution of seismicity. <i>Tectonophysics</i> , 1989 , 167, 117-131	3.1	38
٥	9	Source mechanisms of moderate-size earthquakes and stress orientation in mid-plate South America. <i>Geophysical Journal International</i> , 1988 , 92, 253-267	2.6	70
8	8	A continuing intraplate earthquake sequence near Job Chara, northeastern Brazil-Preliminary results. <i>Geophysical Research Letters</i> , 1987 , 14, 1042-1045	4.9	25
7	7	Fault plane solutions of intraplate earthquakes in brazil: Some constraints on the regional stress field. <i>Tectonophysics</i> , 1985 , 113, 283-293	3.1	28
(6	PmKP phases misidentified by LASA as Brazilian events. <i>Geophysical Journal International</i> , 1983 , 72, 265	-2.761	
ţ	5	A regional magnitude scale for Brazil. Bulletin of the Seismological Society of America, 1983, 73, 237-246	2.3	42
2	4	The NW Scotland earthquake swarm of 1974. <i>Geophysical Journal International</i> , 1981 , 67, 577-586	2.6	18
3	3	Determination of Moho dip using PS reflections. <i>Geophysical Journal International</i> , 1980 , 60, 77-84	2.6	8
2	2	LISPB V. Studies of crustal shear waves. <i>Geophysical Journal International</i> , 1978 , 54, 61-73	2.6	57
-	1	Intraplate seismicity in Brazil50-71		19