Erick M Remer

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7362361/erick-m-remer-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 166
 7,436
 41
 83

 papers
 citations
 h-index
 g-index

 172
 8,573
 4.4
 5.54

 ext. papers
 ext. citations
 avg, IF
 L-index

| # | Paper | IF | Citations |
|-----|---|--------|-----------|
| 166 | ACR Appropriateness Criteria Adrenal Mass Evaluation: 2021 Update. <i>Journal of the American College of Radiology</i> , 2021 , 18, S251-S267 | 3.5 | 4 |
| 165 | Long-term inter-platform reproducibility, bias, and linearity of commercial PDFF MRI methods for fat quantification: a multi-center, multi-vendor phantom study. <i>European Radiology</i> , 2021 , 31, 7566-7574 | 48 | 1 |
| 164 | Infiltrative Renal Malignancies: Imaging Features, Prognostic Implications, and Mimics. <i>Radiographics</i> , 2021 , 41, 487-508 | 5.4 | 2 |
| 163 | A Critical Analysis of Computed Tomography Washout in Lipid-Poor Adrenal Incidentalomas. <i>Annals of Surgical Oncology</i> , 2021 , 28, 2756-2762 | 3.1 | 4 |
| 162 | Lexicon for renal mass terms at CT and MRI: a consensus of the society of abdominal radiology disease-focused panel on renal cell carcinoma. <i>Abdominal Radiology</i> , 2021 , 46, 703-722 | 3 | 4 |
| 161 | Clinical Importance of Incidental Homogeneous Renal Masses That Measure 10-40 mm and 21-39 HU at Portal Venous Phase CT: A 12-Institution Retrospective Cohort Study. <i>American Journal of Roentgenology</i> , 2021 , 217, 135-140 | 5.4 | 4 |
| 160 | Infiltrative Renal Masses: Clinical Significance and Fidelity of Documentation. <i>European Urology Oncology</i> , 2021 , 4, 264-273 | 6.7 | 8 |
| 159 | Importance of incorporating quantitative imaging biomarker technical performance characteristics when estimating treatment effects. <i>Clinical Trials</i> , 2021 , 18, 197-206 | 2.2 | 1 |
| 158 | Adrenal hemorrhage and hemorrhagic masses; diagnostic workup and imaging findings. <i>British Journal of Radiology</i> , 2021 , 94, 20210753 | 3.4 | О |
| 157 | Invited Commentary: A Team Approach-Contemporary Diagnosis and Management of Renal Cell Carcinoma. <i>Radiographics</i> , 2021 , 41, E153-E154 | 5.4 | O |
| 156 | Lower peripouch fat area is related with increased frequency of pouch prolapse and floppy pouch complex in inflammatory bowel disease patients. <i>International Journal of Colorectal Disease</i> , 2020 , 35, 665-674 | 3 | 3 |
| 155 | Split renal function in patients with renal masses: utility of parenchymal volume analysis vs nuclear renal scans. <i>BJU International</i> , 2020 , 125, 686-694 | 5.6 | 4 |
| 154 | Infiltrative Renal Masses: Clinical Challenges. <i>Urology</i> , 2020 , 145, 3-8 | 1.6 | O |
| 153 | Mimics and Pitfalls in Renal Imaging. Radiologic Clinics of North America, 2020, 58, 885-896 | 2.3 | |
| 152 | A Modern Assessment of Cancer Risk in Adrenal Incidentalomas: Analysis of 2219 Patients. <i>Annals of Surgery</i> , 2020 , 275, | 7.8 | 20 |
| 151 | Imaging of the acute scrotum: keys to a rapid diagnosis of acute scrotal disorders. <i>Abdominal Radiology</i> , 2020 , 45, 2063-2081 | 3 | 8 |
| 150 | Mimics, pitfalls, and misdiagnoses of adrenal masses on CT and MRI. Abdominal Radiology, 2020 , 45, 982 | -31000 | 9 |

(2018-2019)

| 149 | Renal and adrenal masses containing fat at MRI: Proposed nomenclature by the society of abdominal radiology disease-focused panel on renal cell carcinoma. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 49, 917-926 | 5.6 | 15 |
|-----|---|------|-----|
| 148 | The Complete Spectrum of Infiltrative Renal Masses: Clinical Characteristics and Prognostic Implications. <i>Urology</i> , 2019 , 130, 86-92 | 1.6 | 8 |
| 147 | Active Surveillance Versus Nephron-Sparing Surgery for a Bosniak IIF or III Renal Cyst: A Cost-Effectiveness Analysis. <i>American Journal of Roentgenology</i> , 2019 , 212, 830-838 | 5.4 | 16 |
| 146 | Vascularized Parenchymal Mass Preserved with Partial Nephrectomy: Functional Impact and Predictive Factors. <i>European Urology Oncology</i> , 2019 , 2, 97-103 | 6.7 | 9 |
| 145 | Imaging in Suspected Renal Colic: Systematic Review of the Literature and Multispecialty Consensus. <i>Annals of Emergency Medicine</i> , 2019 , 74, 391-399 | 2.1 | 4 |
| 144 | Imaging in Suspected Renal Colic: Systematic Review of the Literature and Multispecialty Consensus. <i>Journal of the American College of Radiology</i> , 2019 , 16, 1132-1143 | 3.5 | 4 |
| 143 | Bosniak Classification of Cystic Renal Masses, Version 2019: An Update Proposal and Needs Assessment. <i>Radiology</i> , 2019 , 292, 475-488 | 20.5 | 132 |
| 142 | Nonrenal Systemic Arterial Calcification Predicts the Formation of Kidney Stones. <i>Journal of Endourology</i> , 2019 , 33, 1032-1034 | 2.7 | 5 |
| 141 | Multi-institutional analysis of CT and MRI reports evaluating indeterminate renal masses: comparison to a national survey investigating desired report elements. <i>Abdominal Radiology</i> , 2018 , 43, 3493-3502 | 3 | 16 |
| 140 | Peripouch Fat Area Measured on MRI Image and Its Association With Adverse Pouch Outcomes. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 806-817 | 4.5 | 10 |
| 139 | Cystic renal masses: An imaging update. European Journal of Radiology, 2018, 99, 103-110 | 4.7 | 4 |
| 138 | Patterns of Kidney Function Decline in Autosomal Dominant Polycystic Kidney Disease: A Post Hoc Analysis From the HALT-PKD Trials. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 666-676 | 7.4 | 18 |
| 137 | The Impact of Thiazides and Potassium Citrate on Bone Mineral Density Evaluated by CT Scan in Stone Formers. <i>Journal of Endourology</i> , 2018 , 32, 559-564 | 2.7 | 6 |
| 136 | Tumor Contact Surface Area As a Predictor of Functional Outcomes After Standard Partial Nephrectomy: Utility and Limitations. <i>Urology</i> , 2018 , 116, 106-113 | 1.6 | 6 |
| 135 | Ischemia and Functional Recovery from Partial Nephrectomy: Refined Perspectives. <i>European Urology Focus</i> , 2018 , 4, 572-578 | 5.1 | 26 |
| 134 | Society of Abdominal Radiology disease-focused panel on renal cell carcinoma: update on past, current, and future goals. <i>Abdominal Radiology</i> , 2018 , 43, 2213-2220 | 3 | 3 |
| 133 | Clinical Implication of Enlarged Prostate in Patients with the Ileal Pouch-anal Anastomosis for Inflammatory Bowel Disease. <i>Gastroenterology Research</i> , 2018 , 11, 5-10 | 1.8 | 1 |
| 132 | 2017 AUA Renal Mass and Localized Renal Cancer Guidelines: Imaging Implications. <i>Radiographics</i> , 2018 , 38, 2021-2033 | 5.4 | 35 |

| 131 | Acute Kidney Injury after Partial Nephrectomy of Solitary Kidneys: Impact on Long-Term Stability of Renal Function. <i>Journal of Urology</i> , 2018 , 200, 1295-1301 | 2.5 | 27 |
|--------------------------|--|---------------------------------|-------------------|
| 130 | ACR Appropriateness Criteria Post-treatment[Follow-up Prostate Cancer. <i>Journal of the American College of Radiology</i> , 2018 , 15, S132-S149 | 3.5 | 19 |
| 129 | Devascularized Parenchymal Mass Associated with Partial Nephrectomy: Predictive Factors and Impact on Functional Recovery. <i>Journal of Urology</i> , 2017 , 198, 787-794 | 2.5 | 15 |
| 128 | ACR Appropriateness Criteria Hematospermia. <i>Journal of the American College of Radiology</i> , 2017 , 14, S154-S159 | 3.5 | 7 |
| 127 | ACR Appropriateness Criteria Prostate Cancer-Pretreatment Detection, Surveillance, and Staging. <i>Journal of the American College of Radiology</i> , 2017 , 14, S245-S257 | 3.5 | 30 |
| 126 | ACR Appropriateness Criteria Renal Transplant Dysfunction. <i>Journal of the American College of Radiology</i> , 2017 , 14, S272-S281 | 3.5 | 6 |
| 125 | Computerized Tomography Based Diagnosis of Visceral Obesity and Hepatic Steatosis is Associated with Low Urine pH. <i>Journal of Urology</i> , 2017 , 198, 1085-1090 | 2.5 | 13 |
| 124 | Vascular Disease and Kidney Stones: Abdominal Aortic Calcifications Are Associated with Low Urine pH and Hypocitraturia. <i>Journal of Endourology</i> , 2017 , 31, 956-961 | 2.7 | 11 |
| 123 | Visceral Adiposity Predicts Severity of Acute Pancreatitis. <i>Pancreas</i> , 2017 , 46, 776-781 | 2.6 | 23 |
| | | | |
| 122 | Excised Parenchymal Mass During Partial Nephrectomy: Functional Implications. <i>Urology</i> , 2017 , 103, 12 | 9 1 1635 | 16 |
| 122 | Excised Parenchymal Mass During Partial Nephrectomy: Functional Implications. <i>Urology</i> , 2017 , 103, 12 Pelvic MRI and CT images are interchangeable for measuring peripouch fat. <i>Scientific Reports</i> , 2017 , 7, 12443 | 9 <u>1</u> 165 | 16 |
| | Pelvic MRI and CT images are interchangeable for measuring peripouch fat. <i>Scientific Reports</i> , 2017 , | | _ |
| 121 | Pelvic MRI and CT images are interchangeable for measuring peripouch fat. <i>Scientific Reports</i> , 2017 , 7, 12443 Identification of the distinguishing features of CrohnB disease and ischemic colitis using computed | 4·9 3·3 | 6 |
| 121 | Pelvic MRI and CT images are interchangeable for measuring peripouch fat. <i>Scientific Reports</i> , 2017 , 7, 12443 Identification of the distinguishing features of Crohn® disease and ischemic colitis using computed tomographic enterography. <i>Gastroenterology Report</i> , 2017 , 5, 219-225 Change in Psoas Muscle Volume as a Predictor of Outcomes in Patients Treated with | 4·9 3·3 | 6 5 |
| 121 120 119 | Pelvic MRI and CT images are interchangeable for measuring peripouch fat. <i>Scientific Reports</i> , 2017 , 7, 12443 Identification of the distinguishing features of Crohn® disease and ischemic colitis using computed tomographic enterography. <i>Gastroenterology Report</i> , 2017 , 5, 219-225 Change in Psoas Muscle Volume as a Predictor of Outcomes in Patients Treated with Chemotherapy and Radical Cystectomy for Muscle-Invasive Bladder Cancer. <i>Bladder Cancer</i> , 2017 , 3, 57 Comparative Effectiveness of Tumor Response Assessment Methods: Standard of Care Versus | 4·9 3·3 - 6 3 | 6 5 28 |
| 121 120 119 | Pelvic MRI and CT images are interchangeable for measuring peripouch fat. <i>Scientific Reports</i> , 2017 , 7, 12443 Identification of the distinguishing features of Crohn® disease and ischemic colitis using computed tomographic enterography. <i>Gastroenterology Report</i> , 2017 , 5, 219-225 Change in Psoas Muscle Volume as a Predictor of Outcomes in Patients Treated with Chemotherapy and Radical Cystectomy for Muscle-Invasive Bladder Cancer. <i>Bladder Cancer</i> , 2017 , 3, 57 Comparative Effectiveness of Tumor Response Assessment Methods: Standard of Care Versus Computer-Assisted Response Evaluation. <i>JCO Clinical Cancer Informatics</i> , 2017 , 1, 1-16 Functional Comparison of Renal Tumor Enucleation Versus Standard Partial Nephrectomy. | 4.9 3.3 -63 5.2 | 6 5 28 |
| 121 120 119 118 | Pelvic MRI and CT images are interchangeable for measuring peripouch fat. <i>Scientific Reports</i> , 2017 , 7, 12443 Identification of the distinguishing features of Crohn® disease and ischemic colitis using computed tomographic enterography. <i>Gastroenterology Report</i> , 2017 , 5, 219-225 Change in Psoas Muscle Volume as a Predictor of Outcomes in Patients Treated with Chemotherapy and Radical Cystectomy for Muscle-Invasive Bladder Cancer. <i>Bladder Cancer</i> , 2017 , 3, 57 Comparative Effectiveness of Tumor Response Assessment Methods: Standard of Care Versus Computer-Assisted Response Evaluation. <i>JCO Clinical Cancer Informatics</i> , 2017 , 1, 1-16 Functional Comparison of Renal Tumor Enucleation Versus Standard Partial Nephrectomy. <i>European Urology Focus</i> , 2017 , 3, 437-443 Added Value of Covered Stents in Transjugular Intrahepatic Portosystemic Shunt: A Large | 4.9 3.3 -63 5.2 5.1 | 6 5 28 3 |

(2015-2016)

| 113 | ACR Appropriateness Criteria Staging of Testicular Malignancy. <i>Journal of the American College of Radiology</i> , 2016 , 13, 1203-1209 | 3.5 | 13 |
|-----|---|-------|-----|
| 112 | Imaging Manifestations of Hematologic Diseases with Renal and Perinephric Involvement. <i>Radiographics</i> , 2016 , 36, 1038-54 | 5.4 | 21 |
| 111 | Acute Ipsilateral Renal Dysfunction after Partial Nephrectomy in Patients with a Contralateral Kidney: Spectrum Score to Unmask Ischemic Injury. <i>European Urology</i> , 2016 , 70, 692-698 | 10.2 | 14 |
| 110 | ACR Appropriateness Criteria Renal Cell Carcinoma Staging. <i>Journal of the American College of Radiology</i> , 2016 , 13, 518-25 | 3.5 | 28 |
| 109 | Functional Recovery From Extended Warm Ischemia Associated With Partial Nephrectomy. <i>Urology</i> , 2016 , 87, 106-13 | 1.6 | 18 |
| 108 | Proteinuria in Patients Undergoing Renal Cancer Surgery: Impact on Overall Survival and Stability of Renal Function. <i>European Urology Focus</i> , 2016 , 2, 616-622 | 5.1 | 7 |
| 107 | Preoperative Prediction and Postoperative Surgeon Assessment of Volume Preservation Associated With Partial Nephrectomy: Comparison With Measured Volume Preservation. <i>Urology</i> , 2016 , 93, 124-9 | 1.6 | 9 |
| 106 | Diagnostic Accuracy of CT Enterography for Active Inflammatory Terminal Ileal Crohn Disease: Comparison of Full-Dose and Half-Dose Images Reconstructed with FBP and Half-Dose Images with SAFIRE. <i>Radiology</i> , 2016 , 280, 436-45 | 20.5 | 33 |
| 105 | Ethical Issues in Radiology Journalism, Peer Review, and Research. <i>American Journal of Roentgenology</i> , 2016 , 207, 820-825 | 5.4 | 4 |
| 104 | Decline in renal function after partial nephrectomy: etiology and prevention. <i>Journal of Urology</i> , 2015 , 193, 1889-98 | 2.5 | 182 |
| 103 | Analysis of Atrophy After Clamped Partial Nephrectomy and Potential Impact of Ischemia. <i>Urology</i> , 2015 , 85, 1417-22 | 1.6 | 11 |
| 102 | Comparison of 2 Computed Tomography-based Methods to Estimate Preoperative and Postoperative Renal Parenchymal Volume and Correlation With Functional Changes After Partial Nephrectomy. <i>Urology</i> , 2015 , 86, 80-6 | 1.6 | 9 |
| 101 | Low-dose computed tomography in the evaluation of urolithiasis. <i>Journal of Endourology</i> , 2015 , 29, 504 | -1.17 | 10 |
| 100 | Laparoscopic Cryoablation for Renal Cell Carcinoma: 100-Month Oncologic Outcomes. <i>Journal of Urology</i> , 2015 , 194, 892-6 | 2.5 | 37 |
| 99 | ACR Appropriateness Criteria indeterminate renal mass. <i>Journal of the American College of Radiology</i> , 2015 , 12, 333-41 | 3.5 | 53 |
| 98 | Laparoscopic vs percutaneous cryoablation for the small renal mass: 15-year experience at a single center. <i>Urology</i> , 2015 , 85, 850-5 | 1.6 | 39 |
| 97 | Iatrogenic hepatopancreaticobiliary injuries: a review. <i>Seminars in Interventional Radiology</i> , 2015 , 32, 182-94 | 1.6 | 18 |
| 96 | Acute Urinary Tract Disorders. <i>Radiologic Clinics of North America</i> , 2015 , 53, 1273-92 | 2.3 | 6 |

| 95 | CT-Guided Transgluteal Biopsy for Systematic Random Sampling of the Prostate in Patients Without Rectal Access. <i>American Journal of Roentgenology</i> , 2015 , 205, 578-83 | 5.4 | 12 |
|----|---|------|----|
| 94 | Diagnosis and management of Budd Chiari syndrome: an update. <i>CardioVascular and Interventional Radiology</i> , 2015 , 38, 1-12 | 2.7 | 38 |
| 93 | Imaging of adrenal and renal hemorrhage. Abdominal Imaging, 2015, 40, 2747-60 | | 24 |
| 92 | Adrenal incidentalomas: a disease of modern technology offering opportunities for improved patient care. <i>Endocrinology and Metabolism Clinics of North America</i> , 2015 , 44, 335-54 | 5.5 | 19 |
| 91 | Assessment of sarcopenia as predictor of response and outcome after neoadjuvant chemotherapy (NAC) and radical cystectomy (RC) in muscle-invasive bladder cancer (MIBC) <i>Journal of Clinical Oncology</i> , 2015 , 33, e15512-e15512 | 2.2 | 1 |
| 90 | Benign and malignant tumors of the rectum and perirectal region. <i>Abdominal Imaging</i> , 2014 , 39, 824-52 | | 22 |
| 89 | Biochemical and radiological relationships in patients with pheochromocytoma: lessons from a case control study. <i>Clinical Endocrinology</i> , 2014 , 80, 790-6 | 3.4 | 16 |
| 88 | Compensatory hypertrophy after partial and radical nephrectomy in adults. <i>Journal of Urology</i> , 2014 , 192, 1612-8 | 2.5 | 51 |
| 87 | Assessment of outcomes in partial nephrectomy incorporating detailed functional analysis. <i>Urology</i> , 2014 , 84, 1128-33 | 1.6 | 6 |
| 86 | Detection of urolithiasis: comparison of 100% tube exposure images reconstructed with filtered back projection and 50% tube exposure images reconstructed with sinogram-affirmed iterative reconstruction. <i>Radiology</i> , 2014 , 272, 749-56 | 20.5 | 25 |
| 85 | Renal oncocytosis. <i>Journal of Urology</i> , 2014 , 192, 1225-6 | 2.5 | 1 |
| 84 | ACR appropriateness criteria post-treatment follow-up of renal cell carcinoma. <i>Journal of the American College of Radiology</i> , 2014 , 11, 443-9 | 3.5 | 20 |
| 83 | Predictors of precision of excision and reconstruction in partial nephrectomy. <i>Journal of Urology</i> , 2014 , 192, 30-5 | 2.5 | 37 |
| 82 | Poorly functioning kidneys recover from ischemia after partial nephrectomy as well as strongly functioning kidneys. <i>Journal of Urology</i> , 2014 , 192, 665-70 | 2.5 | 40 |
| 81 | ACR Appropriateness Criteria([]) on renal failure. <i>American Journal of Medicine</i> , 2014 , 127, 1041-1048.e | 12.4 | 28 |
| 80 | Flank muscle volume changes after open and laparoscopic partial nephrectomy. <i>Journal of Endourology</i> , 2014 , 28, 1202-7 | 2.7 | 16 |
| 79 | Active surveillance for renal angiomyolipoma: outcomes and factors predictive of delayed intervention. <i>BJU International</i> , 2014 , 114, 412-7 | 5.6 | 46 |
| 78 | Utilizing pre-therapy clinical schema and initial CT changes to predict progression-free survival in patients with metastatic renal cell carcinoma on VEGF-targeted therapy: a preliminary analysis. | 2.8 | 22 |

(2012-2013)

| 77 | Development of a clinical prediction model for assessment of malignancy risk in Bosniak III renal lesions. <i>Urology</i> , 2013 , 82, 630-5 | 1.6 | 18 |
|----|---|-------------------|-----|
| 76 | Probe ablation as salvage therapy for renal tumors in von Hippel-Lindau patients: the Cleveland Clinic experience with 3 years follow-up. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 686-92 | 2.8 | 25 |
| 75 | Parenchymal volume preservation and ischemia during partial nephrectomy: functional and volumetric analysis. <i>Urology</i> , 2013 , 82, 263-8 | 1.6 | 187 |
| 74 | ACR Appropriateness Criteria prostate cancerpretreatment detection, staging, and surveillance. <i>Journal of the American College of Radiology</i> , 2013 , 10, 83-92 | 3.5 | 59 |
| 73 | Imaging of Renal Cell Carcinoma 2013 , 53-82 | | |
| 72 | Stone characteristics on noncontrast computed tomography: establishing definitive patterns to discriminate calcium and uric acid compositions. <i>Urology</i> , 2013 , 82, 539-46 | 1.6 | 15 |
| 71 | Imaging evaluation of laparoscopic greater curvature plication: preliminary observations. <i>American Journal of Roentgenology</i> , 2013 , 201, W262-70 | 5.4 | 1 |
| 70 | ACR appropriateness criteria for follow-up of renal cell carcinoma. <i>American Journal of Roentgenology</i> , 2013 , 200, W217 | 5.4 | |
| 69 | Evaluation of patients with adrenal incidentalomas. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2013 , 20, 161-9 | 4 | 18 |
| 68 | LI-RADS: a case-based review of the new categorization of liver findings in patients with end-stage liver disease. <i>Radiographics</i> , 2012 , 32, 1977-95 | 5.4 | 76 |
| 67 | Contrast-to-noise ratio and low-contrast object resolution on full- and low-dose MDCT: SAFIRE versus filtered back projection in a low-contrast object phantom and in the liver. <i>American Journal of Roentgenology</i> , 2012 , 199, 8-18 | 5.4 | 134 |
| 66 | Characteristics and distinguishing features of hepatocellular adenoma and focal nodular hyperplasia on gadoxetate disodium-enhanced MRI. <i>American Journal of Roentgenology</i> , 2012 , 198, 115 | -2 3 1 | 72 |
| 65 | Bosniak category IIF and III cystic renal lesions: outcomes and associations. <i>Radiology</i> , 2012 , 262, 152-60 | 20.5 | 116 |
| 64 | Adrenal imaging: a primer for oncosurgeons. <i>Journal of Surgical Oncology</i> , 2012 , 106, 543-8 | 2.8 | 4 |
| 63 | Imaging of the retroperitoneum. Radiologic Clinics of North America, 2012, 50, 333-55, vii | 2.3 | 43 |
| 62 | Duodenal diverticulitis followed by enterolith-associated small bowel obstruction. <i>Emergency Radiology</i> , 2012 , 19, 261-4 | 3 | 1 |
| 61 | Analysis of baseline parameters in the HALT polycystic kidney disease trials. <i>Kidney International</i> , 2012 , 81, 577-85 | 9.9 | 65 |
| 60 | ACR Appropriateness Criteria [] acute onset of scrotal painwithout trauma, without antecedent mass. <i>Ultrasound Quarterly</i> , 2012 , 28, 47-51 | 1.4 | 23 |

| 59 | ACR Appropriateness Criteria acute onset flank painsuspicion of stone disease. <i>Ultrasound Quarterly</i> , 2012 , 28, 227-33 | 1.4 | 123 |
|----|---|------|-----|
| 58 | ACR Appropriateness Criteria posttreatment follow-up of prostate cancer. <i>Journal of the American College of Radiology</i> , 2011 , 8, 863-71 | 3.5 | 7 |
| 57 | Image guided percutaneous probe ablation for renal tumors in 65 solitary kidneys: functional and oncological outcomes. <i>Journal of Urology</i> , 2011 , 186, 35-41 | 2.5 | 30 |
| 56 | Cardiac magnetic resonance assessment of left ventricular mass in autosomal dominant polycystic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 2508-15 | 6.9 | 32 |
| 55 | Beyond appendicitis: common and uncommon gastrointestinal causes of right lower quadrant abdominal pain at multidetector CT. <i>Radiographics</i> , 2011 , 31, 927-47 | 5.4 | 46 |
| 54 | Change in adrenal mass size as a predictor of a malignant tumor. <i>Endocrine Practice</i> , 2010 , 16, 577-87 | 3.2 | 46 |
| 53 | Percutaneous cryoablation of renal tumors: patient selection, technique, and postprocedural imaging. <i>Radiographics</i> , 2010 , 30, 887-900 | 5.4 | 70 |
| 52 | Morphology, Attenuation, Size, and Structure (MASS) criteria: assessing response and predicting clinical outcome in metastatic renal cell carcinoma on antiangiogenic targeted therapy. <i>American Journal of Roentgenology</i> , 2010 , 194, 1470-8 | 5.4 | 197 |
| 51 | Effect of altering automatic exposure control settings and quality reference mAs on radiation dose, image quality, and diagnostic efficacy in MDCT enterography of active inflammatory CrohnB disease. <i>American Journal of Roentgenology</i> , 2010 , 195, 89-100 | 5.4 | 76 |
| 50 | Stereotactic percutaneous cryoablation for renal tumors: initial clinical experience. <i>Journal of Urology</i> , 2010 , 183, 884-8 | 2.5 | 6 |
| 49 | ACR appropriateness criteria on obstructive voiding symptoms secondary to prostate disease. <i>Journal of the American College of Radiology</i> , 2010 , 7, 255-9 | 3.5 | 1 |
| 48 | Re: "data presentation bias: a source of potential error in radiology scientific publications". <i>Journal of the American College of Radiology</i> , 2010 , 7, 160-1 | 3.5 | |
| 47 | Laparoscopic renal cryoablation: 8-year, single surgeon outcomes. Journal of Urology, 2010 , 183, 889-95 | 2.5 | 110 |
| 46 | Clinical and magnetic resonance imaging characteristics of vaginal and paraurethral leiomyomas: can they be diagnosed before surgery?. <i>BJU International</i> , 2010 , 105, 1686-8 | 5.6 | 12 |
| 45 | Asymmetric endoscopic inflammation of the ileal pouch: a sign of ischemic pouchitis?. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 836-46 | 4.5 | 56 |
| 44 | Angiomyolipoma with minimal fat on MDCT: can counts of negative-attenuation pixels aid diagnosis?. <i>American Journal of Roentgenology</i> , 2009 , 192, 438-43 | 5.4 | 74 |
| 43 | Radiology of the retroperitoneum: case-based review. <i>American Journal of Roentgenology</i> , 2009 , 192, S112-7 (Quiz S118-21) | 5.4 | 14 |
| 42 | Urinary calculi: radiation dose reduction of 50% and 75% at CTeffect on sensitivity. <i>Radiology</i> , 2009 , 251, 105-11 | 20.5 | 64 |

(2006-2009)

| 41 | Muscle-bound magnetic resonance imaging helped define a large paraurethral mass. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 467.e1-2 | 6.4 | 1 |
|----|--|------|-----|
| 40 | Safety and efficacy of sonographic-guided random real-time core needle biopsy of the liver. <i>Journal of Clinical Ultrasound</i> , 2009 , 37, 138-43 | 1 | 42 |
| 39 | Clinical and radiologic features of cystic renal masses. <i>American Journal of Roentgenology</i> , 2009 , 192, 1367-72 | 5.4 | 32 |
| 38 | Imaging of Pheochromocytomas 2009 , 1-18 | | 2 |
| 37 | Adult cystic nephroma and mixed epithelial and stromal tumor of the kidney: clinical, radiographic, and pathologic characteristics. <i>Urology</i> , 2008 , 71, 1142-8 | 1.6 | 68 |
| 36 | Correlation of radiographic imaging and histopathology following cryoablation and radio frequency ablation for renal tumors. <i>Journal of Urology</i> , 2008 , 179, 1277-81; discussion 1281-3 | 2.5 | 170 |
| 35 | Clinical correlates of renal angiomyolipoma subtypes in 209 patients: classic, fat poor, tuberous sclerosis associated and epithelioid. <i>Journal of Urology</i> , 2008 , 180, 836-43 | 2.5 | 128 |
| 34 | Correlation between loss of renal function and loss of renal volume after partial nephrectomy for tumor in a solitary kidney. <i>Journal of Urology</i> , 2008 , 179, 1284-8 | 2.5 | 72 |
| 33 | Sonography of the scrotum: self-assessment module. <i>American Journal of Roentgenology</i> , 2008 , 190, S42-5 | 5.4 | 1 |
| 32 | Sonography of the scrotum: case-based review. American Journal of Roentgenology, 2008, 190, S35-41 | 5.4 | 6 |
| 31 | Imaging findings in incidental intrahepatic portal venous shunts. <i>American Journal of Roentgenology</i> , 2007 , 188, W162-7 | 5.4 | 21 |
| 30 | Emphysematous cystitis: a review of 135 cases. <i>BJU International</i> , 2007 , 100, 17-20 | 5.6 | 181 |
| 29 | Segmental omental infarction. <i>Emergency Radiology</i> , 2007 , 14, 195-7 | 3 | 9 |
| 28 | Gastroesophageal reflux disease: integrating the barium esophagram before and after antireflux surgery. <i>Radiology</i> , 2007 , 243, 329-39 | 20.5 | 27 |
| 27 | Computer-aided detection of colorectal polyps: can it improve sensitivity of less-experienced readers? Preliminary findings. <i>Radiology</i> , 2007 , 245, 140-9 | 20.5 | 70 |
| 26 | Percutaneous radiofrequency ablation of tumor in transplanted kidney. <i>Urology</i> , 2007 , 69, 778.e5-7 | 1.6 | 18 |
| 25 | Incidental pheochromocytoma mimicking adrenal adenoma because of rapid contrast enhancement loss. <i>American Journal of Roentgenology</i> , 2006 , 187, 1309-11 | 5.4 | 21 |
| 24 | CT histogram analysis in pathologically proven adrenal masses. <i>American Journal of Roentgenology</i> , 2006 , 187, 191-6 | 5.4 | 60 |

| 23 | Probe-ablative nephron-sparing surgery: cryoablation versus radiofrequency ablation. <i>Urology</i> , 2006 , 68, 7-13 | 1.6 | 148 |
|----|--|--------|------|
| 22 | Laparoscopic partial nephrectomy for incidental stage pT2 or worse tumors. <i>Urology</i> , 2006 , 68, 976-82 | 1.6 | 24 |
| 21 | The predictive value of helical computed tomography for collecting-system entry during nephron-sparing surgery. <i>BJU International</i> , 2006 , 98, 963-8 | 5.6 | 6 |
| 20 | Evaluating and managing adrenal incidentalomas. Cleveland Clinic Journal of Medicine, 2006, 73, 561-8 | 2.8 | 26 |
| 19 | Implications for Laparoscopic Imaging 2006 , 47-64 | | |
| 18 | Renal cryoablation: outcome at 3 years. <i>Journal of Urology</i> , 2005 , 173, 1903-7 | 2.5 | 352 |
| 17 | Comparison of CT findings in symptomatic and incidentally discovered pheochromocytomas. <i>American Journal of Roentgenology</i> , 2005 , 185, 684-8 | 5.4 | 123 |
| 16 | Clinical utility of noncontrast computed tomography attenuation value (hounsfield units) to differentiate adrenal adenomas/hyperplasias from nonadenomas: Cleveland Clinic experience. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 871-7 | 5.6 | 216 |
| 15 | Imaging of the presacral space. Seminars in Colon and Rectal Surgery, 2004, 15, 2-11 | 0.3 | 3 |
| 14 | CT depiction of portal vein thrombi after creation of ileal pouch-anal anastomosis. <i>Radiology</i> , 2003 , 227, 73-9 | 20.5 | 36 |
| 13 | Three-dimensional volume-rendered helical CT before laparoscopic adrenalectomy. <i>Radiology</i> , 2003 , 229, 581-6 | 20.5 | 11 |
| 12 | Effect of intentional cryo-injury to the renal collecting system. <i>Journal of Urology</i> , 2003 , 170, 619-22 | 2.5 | 84 |
| 11 | The utility of radiological imaging in nonalcoholic fatty liver disease. <i>Gastroenterology</i> , 2002 , 123, 745-5 | 5013.3 | 1433 |
| 10 | Imaging of chronic pancreatitis. <i>Radiologic Clinics of North America</i> , 2002 , 40, 1229-42, v | 2.3 | 69 |
| 9 | Imaging for nephron-sparing surgery. <i>Urologic Oncology</i> , 2002 , 20, 180-91 | | 11 |
| 8 | Adrenal mass evaluation in patients with lung carcinoma: a cost-effectiveness analysis. <i>American Journal of Roentgenology</i> , 2000 , 174, 1033-9 | 5.4 | 23 |
| 7 | Sonographic guidance of laparoscopic renal cryoablation. <i>American Journal of Roentgenology</i> , 2000 , 174, 1595-6 | 5.4 | 19 |
| 6 | MR imaging of the kidneys after laparoscopic cryoablation. <i>American Journal of Roentgenology</i> , 2000 , 174, 635-40 | 5.4 | 84 |

LIST OF PUBLICATIONS

| 5 | Feasibility of instructing radiology technologists in the performance of gastrointestinal fluoroscopy. <i>American Journal of Roentgenology</i> , 2000 , 175, 1449-52 | 5.4 | 8 |
|---|--|-----|-----|
| 4 | Laparoscopic renal cryoablation in 32 patients. <i>Urology</i> , 2000 , 56, 748-53 | 1.6 | 224 |
| 3 | Laparoscopic renal cryoablation: initial clinical series. <i>Urology</i> , 1998 , 52, 543-51 | 1.6 | 207 |
| 2 | Imaging for nephron-sparing procedures203-226 | | |
| 1 | Incidental Adrenal Nodules in Patients Without Known Malignancy: Prevalence of Malignancy and Utility of Washout CT for Characterization Multi-institutional Study. <i>American Journal of Roentaenology</i> . | 5.4 | 3 |