
## Magnus C Johansson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/736364/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Increased arterial stiffness and reduced left ventricular longâ€axis function in patients recovered from peripartum cardiomyopathy. Clinical Physiology and Functional Imaging, 2021, 41, 95-102.	1.2	2
2	Reduced stroke distance of the left ventricular outflow tract is independently associated with longâ€ŧerm mortality, inÂpatients hospitalized due to heart failure. Clinical Physiology and Functional Imaging, 2018, 38, 881-888.	1.2	6
3	Heart failure with preserved ejection fraction has a better long-term prognosis than heart failure with reduced ejection fraction in old patients in a 5-year follow-up retrospective study. International Journal of Cardiology, 2017, 232, 86-92.	1.7	22
4	Effect of CPAP on diastolic function in coronary artery disease patients with nonsleepy obstructive sleep apnea: A randomized controlled trial. International Journal of Cardiology, 2017, 241, 12-18.	1.7	18
5	Larger right atrium than left atrium is associated with allâ€cause mortality in elderly patients with heart failure. Echocardiography, 2017, 34, 662-667.	0.9	8
6	Answer to Dr. Eyuboglu. International Journal of Cardiology, 2017, 235, 188.	1.7	0
7	Validated Risk Score for Predicting 6â€Month Mortality in Infective Endocarditis. Journal of the American Heart Association, 2016, 5, e003016.	3.7	98
8	Echocardiographic agreement in the diagnostic evaluation for infective endocarditis. International Journal of Cardiovascular Imaging, 2016, 32, 1041-1051.	1.5	5
9	Optimizing the Management of Heart Failure With Preserved Ejection Fraction in the Elderly by Targeting Comorbidities (OPTIMIZE-HFPEF). Journal of Cardiac Failure, 2016, 22, 539-544.	1.7	25
10	Obstructive sleep apnea is independently associated with worse diastolic function in coronary artery disease. Sleep Medicine, 2015, 16, 160-167.	1.6	29
11	Echocardiographic Findings Predict In-Hospital and 1-Year Mortality in Left-Sided Native Valve <i>Staphylococcus aureus</i> Endocarditis. Circulation: Cardiovascular Imaging, 2015, 8, e003397.	2.6	42
12	Impact of Early Valve Surgery on Outcome of Staphylococcus aureus Prosthetic Valve Infective Endocarditis: Analysis in the International Collaboration of Endocarditis–Prospective Cohort Study. Clinical Infectious Diseases, 2015, 60, 741-749.	5.8	84
13	Absence of significant aortic regurgitation seven years after closure of patent foramen ovale. International Journal of Cardiology Heart & Vessels, 2014, 4, 59-62.	0.5	0
14	Leftward Bulging of Atrial Septum Is Provoked by Nitroglycerin and by Sustained Valsalva Strain. Journal of the American Society of Echocardiography, 2014, 27, 1120-1127.	2.8	8
15	Cardiovascular and metabolic characteristics 40 years after hypertensive pregnancies. Journal of Hypertension, 2013, 31, 758-765.	0.5	15
16	Influence of chronic hormone replacement therapy on left ventricular mass and serum-ACE activity. Blood Pressure, 2010, 19, 295-300.	1.5	4
17	Pitfalls in Diagnosing PFO: Characteristics of False-Negative Contrast Injections during Transesophageal Echocardiography in Patients with Patent Foramen Ovales. Journal of the American Society of Echocardiography, 2010, 23, 1136-1142.	2.8	50
18	Letter by Johansson et al Regarding Article, "Migraine Intervention With STARFlex Technology (MIST) Trial― Circulation, 2009, 119, e193; author reply e194.	1.6	3

#	Article	IF	CITATIONS
19	The significance of patent foramen ovale. International Journal of Cardiology, 2009, 134, 17-24.	1.7	52
20	Sensitivity for Detection of Patent Foramen Ovale Increased with Increasing Number of Contrast Injections: A Descriptive Study with Contrast Transesophageal Echocardiography. Journal of the American Society of Echocardiography, 2008, 21, 419-424.	2.8	58
21	The influence of patent foramen ovale on oxygen desaturation in obstructive sleep apnoea. European Respiratory Journal, 2006, 29, 149-155.	6.7	49
22	Sizing of Atrial Septal Defects in Adults. Cardiology, 2005, 104, 1-5.	1.4	14
23	Availability of Percutaneous Closure for an Adult Population with Interatrial Shunts. Cardiology, 2003, 99, 85-89.	1.4	5
24	Effects of losartan and atenolol on left ventricular mass and neurohormonal profile in patients with essential hypertension and left ventricular hypertrophy. Journal of Hypertension, 2002, 20, 1855-1864.	0.5	107