

Akihiro Suzuki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7365212/publications.pdf>

Version: 2024-02-01

59
papers

813
citations

516215

16
h-index

552369

26
g-index

59
all docs

59
docs citations

59
times ranked

342
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanical properties and superstructure of high-modulus and high-strength PET fiber prepared by zone annealing. Journal of Applied Polymer Science, 1981, 26, 1951-1960.	1.3	92
2	Preparation of high-modulus and high-strength poly(ethylene terephthalate) fiber by zone annealing. Journal of Applied Polymer Science, 1981, 26, 213-221.	1.3	76
3	Preparation of high-modulus and high-strength poly(ethylene terephthalate) film by zone-annealing method. Journal of Applied Polymer Science, 1986, 31, 429-439.	1.3	52
4	Biodegradable poly(L-lactic acid) nanofiber prepared by a carbon dioxide laser supersonic drawing. European Polymer Journal, 2008, 44, 2499-2505.	2.6	39
5	Polypropylene nanofiber sheets prepared by CO ₂ laser supersonic multi-drawing. European Polymer Journal, 2012, 48, 1169-1176.	2.6	32
6	Poly(ethylene terephthalate) nanofibers prepared by CO ₂ laser supersonic drawing. Polymer, 2009, 50, 913-921.	1.8	31
7	Application of a continuous zone-drawing method to nylon 66 fibres. Polymer, 1998, 39, 5335-5341.	1.8	28
8	Mechanical properties and superstructure of poly(ethylene terephthalate) fibers zone-drawn and zone-annealed by CO ₂ laser heating. Journal of Applied Polymer Science, 2001, 82, 2775-2783.	1.3	27
9	Application of zone-drawing and zone-annealing method to poly(p-phenylene sulfide) fibers. Journal of Polymer Science, Part B: Polymer Physics, 1998, 36, 1731-1738.	2.4	25
10	Preparation of high-modulus nylon 6 fibers by vibrating hot drawing and zone annealing. Journal of Applied Polymer Science, 1998, 67, 1993-2000.	1.3	25
11	Application of CO ₂ laser heating zone drawing and zone annealing to nylon 6 fibers. Journal of Applied Polymer Science, 2002, 83, 1711-1716.	1.3	22
12	Application of continuous zone-drawing/zone-annealing method to poly(ethylene terephthalate) fibers. Journal of Polymer Science, Part B: Polymer Physics, 1998, 36, 473-481.	2.4	18
13	Application of a zone-drawing and zone-annealing method to poly(ethylene-2,6-naphthalate) fibres. Polymer, 1998, 39, 4235-4241.	1.8	18
14	PET microfiber prepared by carbon dioxide laser heating. Journal of Applied Polymer Science, 2003, 88, 3279-3283.	1.3	17
15	Nylon 6 microfiber obtained by a continuous-thinning method with a carbon dioxide laser. Journal of Applied Polymer Science, 2004, 92, 1454-1458.	1.3	17
16	Zone drawing and zone annealing of poly(ethylene terephthalate) microfiber prepared by CO ₂ laser thinning. Journal of Applied Polymer Science, 2004, 92, 2989-2994.	1.3	17
17	Mechanical properties and microstructure of poly(ethylene terephthalate) microfiber prepared by carbon dioxide laser heating. Journal of Applied Polymer Science, 2003, 90, 1955-1958.	1.3	16
18	Biodegradable poly(glycolic acid) nanofiber prepared by CO ₂ laser supersonic drawing. Journal of Applied Polymer Science, 2011, 121, 3078-3084.	1.3	16

#	ARTICLE	IF	CITATIONS
19	Preparation of high-modulus poly(ethylene terephthalate) fibers by vibrating hot drawing. Journal of Applied Polymer Science, 1996, 62, 713-719.	1.3	15
20	Isotactic polypropylene microfiber prepared by carbon dioxide laser-heating. Journal of Applied Polymer Science, 2004, 92, 1534-1539.	1.3	14
21	Nylon 66 nanofibers prepared by CO ₂ laser supersonic drawing. Journal of Applied Polymer Science, 2014, 131, .	1.3	14
22	Superstructure and mechanical properties of poly(L-lactic acid) microfibers prepared by CO ₂ laser-thinning. Polymer, 2005, 46, 5550-5555.	1.8	12
23	Microstructure and mechanical properties of hot-air drawn poly(ethylene terephthalate) fibers. Journal of Polymer Science, Part B: Polymer Physics, 1999, 37, 1703-1713.	2.4	11
24	Isotactic polypropylene microfiber prepared by continuous laser-thinning method. Journal of Applied Polymer Science, 2006, 99, 27-31.	1.3	11
25	Poly(ethylene-2,6-naphthalate) nanofiber prepared by carbon dioxide laser supersonic drawing. Journal of Applied Polymer Science, 2010, 116, 1913-1919.	1.3	11
26	Nylon 6 microfiber prepared by carbon dioxide laser heating. Journal of Applied Polymer Science, 2004, 92, 1449-1453.	1.3	10
27	High temperature zone-drawing of nylon 66 microfiber prepared by CO ₂ laser-thinning. Journal of Applied Polymer Science, 2006, 101, 42-47.	1.3	10
28	Poly(ethylene terephthalate) nanosheets prepared by CO ₂ -laser supersonic multi-drawing. Polymer, 2010, 51, 1830-1836.	1.8	10
29	Mechanical properties and superstructure of isotactic polypropylene fibers prepared by continuous vibrating zone-drawing. Journal of Applied Polymer Science, 2001, 81, 600-608.	1.3	9
30	Broad poly(ethylene terephthalate) nanofiber sheet prepared by CO ₂ laser supersonic continuous multi-drawing. Polymer, 2015, 60, 252-259.	1.8	9
31	Characterization of Fluoropolymer Nanofiber Sheets Fabricated by CO ₂ Laser Drawing without Solvents. Industrial & Engineering Chemistry Research, 2012, 51, 10117-10123.	1.8	8
32	High-performance poly(ethylene-2,6-naphthalate) fiber prepared by high-tension annealing. Journal of Polymer Science, Part B: Polymer Physics, 2000, 38, 61-67.	2.4	7
33	Strain-rate dependence of the microstructure and mechanical properties for hot-air-drawn nylon 6 fibers. Journal of Polymer Science, Part B: Polymer Physics, 2000, 38, 1137-1145.	2.4	7
34	Superstructure and mechanical properties of nylon 66 microfiber prepared by carbon dioxide laser-thinning method. Journal of Applied Polymer Science, 2006, 99, 802-807.	1.3	7
35	Poly(ethylene-2,6-naphthalate) microfiber prepared by carbon dioxide laser-thinning method. European Polymer Journal, 2007, 43, 2922-2927.	2.6	7
36	Preparation of poly(ethylene terephthalate) nonwoven fabric from endless microfibers obtained by CO ₂ laser-thinning method. Polymer, 2007, 48, 2729-2736.	1.8	7

#	ARTICLE	IF	CITATIONS
37	Preparation and mechanical properties of poly(p-phenylene sulfide) nanofiber sheets obtained by CO ₂ laser supersonic multi-drawing. Journal of Polymer Engineering, 2017, 37, 53-60.	0.6	7
38	Application of the high-tension multiannealing to nylon 46 fibers. Journal of Polymer Science, Part B: Polymer Physics, 1998, 36, 2737-2743.	2.4	6
39	Changes in superstructure and mechanical properties of poly(ethylene-2,6-naphthalate) fibers with critical necking tension. Journal of Polymer Science, Part B: Polymer Physics, 2001, 39, 1629-1637.	2.4	6
40	Zone-drawing and zone-annealing of poly(L-lactic acid) microfiber prepared by CO ₂ laser-thinning method. Journal of Applied Polymer Science, 2006, 102, 472-478.	1.3	6
41	Poly(p-phenylene sulfide) nanofibers prepared by CO ₂ laser supersonic drawing. Journal of Applied Polymer Science, 2014, 131, .	1.3	6
42	Polyethylene Terephthalate Nanofiber Sheet as the Novel Extraction Medium for the Determination of Phthalates in Water Samples. Analytical Sciences, 2020, 36, 277-281.	0.8	5
43	Mechanical properties of poly(ethylene terephthalate) nanofiber three-dimensional structure prepared by CO ₂ laser supersonic drawing. Journal of Applied Polymer Science, 2018, 135, 45763.	1.3	5
44	Combined processing of polypropylene film by coextrusion and zone-annealing. Journal of Applied Polymer Science, 1991, 43, 429-435.	1.3	4
45	Poly(L-lactic acid) twisted nanofiber yarn prepared by carbon dioxide laser supersonic multi-drawing. European Polymer Journal, 2019, 110, 145-154.	2.6	4
46	Application of High-Tension Annealing to Nylon 46 Fibers. Polymer Journal, 1998, 30, 275-280.	1.3	3
47	Superstructure and mechanical properties of poly(ethylene terephthalate) fibers zone-drawn under critical necking tension. Journal of Applied Polymer Science, 2002, 83, 179-185.	1.3	3
48	Isotactic polypropylene hollow microfibers prepared by CO ₂ laser-thinning. Journal of Applied Polymer Science, 2006, 102, 2600-2607.	1.3	3
49	Preparation of poly(ethylene-2,6-naphthalate) nanofibers by CO ₂ laser supersonic drawing. Polymer Journal, 2021, 53, 593-601.	1.3	2
50	Increase in dynamic modulus of nylon 6 fiber in repeated heating and cooling cycles under sinusoidal deformation. Journal of Polymer Science, Part B: Polymer Physics, 1993, 31, 803-805.	2.4	1
51	Improvement in mechanical properties of poly(p-phenylene sulfide) fibers by high-tension multiannealing method. Journal of Applied Polymer Science, 2000, 75, 1569-1576.	1.3	1
52	Poly(L-lactic acid) nonwoven fabric prepared by carbon dioxide laser-thinning method. European Polymer Journal, 2009, 45, 278-283.	2.6	1
53	Poly(L-lactic acid) nanofiber multifilament prepared by carbon dioxide laser supersonic multi-drawing. Polymer, 2016, 91, 24-32.	1.8	1
54	Crystal growth of PPS nanofibers during annealing studied by solid-state ¹³ C CP/MAS NMR. Journal of Applied Polymer Science, 0, , 51752.	1.3	1

#	ARTICLE	IF	CITATIONS
55	Carbon Dioxide Laser Supersonic Drawing Nanofiber Sheet for Extraction of Polycyclic Aromatic Hydrocarbons in Water Samples. <i>Chromatography</i> , 2020, 41, 85-89.	0.8	1
56	Poly(ethylene terephthalate) nanoparticles prepared by CO ₂ laser supersonic atomization. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	0
57	Nylon 66 Nanofiber Sheets Prepared by Carbon Dioxide Laser Supersonic Multi-drawing. <i>E-Journal of Soft Materials</i> , 2014, 10, 1-8.	2.0	0
58	The Relation between the Curing Conditions and Mechanical Properties of Polyimide Resin. <i>Seikei-Kakou</i> , 1994, 6, 356-362.	0.0	0
59	Repeating Measurement of Dynamic Viscoelasticity for High-temperature Zone-drawn Nylon 6 Fibers. <i>Seikei-Kakou</i> , 1994, 6, 202-206.	0.0	0