

# Christopher P Twine

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7365227/christopher-p-twine-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74  
papers

675  
citations

16  
h-index

24  
g-index

82  
ext. papers

871  
ext. citations

2.2  
avg, IF

4.17  
L-index

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 74 | PrEdiction of Risk and Communication of outcomE followIng major lower limb amputation: a collaboratiVE study (PERCEIVE)-protocol for the PERCEIVE qualitative study.. <i>BMJ Open</i> , <b>2022</b> , 12, e053159   | 1.59 | 0         |
| 73 | The OAC-PAD Risk Score Predicts Major Bleeding Events one Year after Hospitalisation for Peripheral Artery Disease.. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2022</b> ,   | 2.3  | 2         |
| 72 | Exploring patientsSexperiences of analgesia after major lower limb amputation: a qualitative study. <i>BMJ Open</i> , <b>2021</b> , 11, e054618   | 3    | 0         |
| 71 | The PERCEIVE quantitative study: PrEdiction of Risk and Communication of outcome following major lower-limb amputation: protocol for a collaboratiVE study. <i>BJS Open</i> , <b>2021</b> , 5,  | 3.9  | 2         |
| 70 | Patient Reported Outcome Measures for Major Lower Limb Amputation Caused by Peripheral Artery Disease or Diabetes: A Systematic Review. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2021</b> , 61, 491-501  | 2.3  | 5         |
| 69 | Abdominal Aortic Aneurysm Repair in Advanced Age: Is Age Really the Problem?. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2021</b> , 61, 929  | 2.3  |           |
| 68 | A Systematic Review and Narrative Synthesis of Risk Prediction Tools Used to Estimate Mortality, Morbidity, and Other Outcomes Following Major Lower Limb Amputation. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2021</b> , 62, 127-135              | 2.3  | 2         |
| 67 | Systematic Review and Meta-Analysis of the Effect of Perineural Catheters in Major Lower Limb Amputations. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2021</b> , 62, 295-303   | 2.3  | 2         |
| 66 | The Development and Usability of the AMPREDICT Decision Support Tool: A Mixed Methods Study. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2021</b> , 62, 304-311   | 2.3  | 0         |
| 65 | A systematic review of outcome reporting for interventions to treat people with diabetic foot ulceration. <i>Diabetic Medicine</i> , <b>2021</b> , 38, e14664   | 3.5  | 2         |
| 64 | Network Meta-analysis of the Benefit of Aspirin with Rivaroxaban vs. Clopidogrel for Patients with Stable Symptomatic Lower Extremity Arterial Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2021</b> , 62, 654-655                            | 2.3  | 0         |
| 63 | Increased Pulmonary Embolism Incidence and Mortality in Patients Subsequently Diagnosed with COVID-19: An Analysis of Health Insurance Claims Data. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2021</b> ,  | 2.3  | 0         |
| 62 | COVID-19 and Abdominal Aortic Aneurysm Intervention: When to Defer and When to Operate. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2021</b> , 62, 485-486  | 2.3  |           |
| 61 | Single versus dual antiplatelet therapy following peripheral arterial endovascular intervention for chronic limb threatening ischaemia: Retrospective cohort study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0234271  | 3.7  | 2         |
| 60 | Early and Long Term Outcomes Following Long Posterior Flap vs. Skew Flap for Below Knee Amputations. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2020</b> , 60, 301-308   | 2.3  | 1         |
| 59 | Antiplatelet and Anticoagulant Use in Randomised Trials of Patients Undergoing Endovascular Intervention for Peripheral Arterial Disease: Systematic Review and Narrative Synthesis. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2020</b> , 60, 77-87 | 2.3  | 5         |
| 58 | Paclitaxel and Mortality: Where Are We now?. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2020</b> , 60, 230   | 2.3  | 1         |

|    |   |     |    |
|----|---|-----|----|
| 57 | Chronic Limb Threatening Ischaemia in Octogenarians: Intervention or Palliation?. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2020</b> , 60, 242  | 2.3 |    |
| 56 | Editor's Choice - Acute Kidney Injury (AKI) in Aortic Intervention: Findings From the Midlands Aortic Renal Injury (MARI) Cohort Study. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2020</b> , 59, 899-909  | 2.3 | 16 |
| 55 | Big Trouble in Big Datasets: The Problem with Causality. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2020</b> , 59, 446   | 2.3 |    |
| 54 | Prognostic Risk Modelling for Patients Undergoing Major Lower Limb Amputation: An Analysis of the UK National Vascular Registry. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2020</b> , 59, 606-613   | 2.3 | 5  |
| 53 | Atherectomy for peripheral arterial disease. <i>The Cochrane Library</i> , <b>2020</b> , 9, CD006680  | 5.2 | 3  |
| 52 | Development of Core Outcome Sets for People Undergoing Major Lower Limb Amputation for Complications of Peripheral Vascular Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2020</b> , 60, 730-738   | 2.3 | 8  |
| 51 | Umbrella review and meta-analysis of antiplatelet therapy for peripheral artery disease. <i>British Journal of Surgery</i> , <b>2020</b> , 107, 20-32   | 5.3 | 11 |
| 50 | Single versus dual antiplatelet therapy following peripheral arterial endovascular intervention for chronic limb threatening ischaemia: Retrospective cohort study <b>2020</b> , 15, e0234271   |     |    |
| 49 | Single versus dual antiplatelet therapy following peripheral arterial endovascular intervention for chronic limb threatening ischaemia: Retrospective cohort study <b>2020</b> , 15, e0234271   |     |    |
| 48 | Single versus dual antiplatelet therapy following peripheral arterial endovascular intervention for chronic limb threatening ischaemia: Retrospective cohort study <b>2020</b> , 15, e0234271   |     |    |
| 47 | Single versus dual antiplatelet therapy following peripheral arterial endovascular intervention for chronic limb threatening ischaemia: Retrospective cohort study <b>2020</b> , 15, e0234271   |     |    |
| 46 | Is Bigger Actually Better? The Strengths and Limitations of Large Registry Data. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2019</b> , 57, 666   | 2.3 | 0  |
| 45 | The CLEAR (Considering Leading Experts' Antithrombotic Regimes around peripheral angioplasty) survey: an international perspective on antiplatelet and anticoagulant practice for peripheral arterial endovascular intervention. <i>CVIR Endovascular</i> , <b>2019</b> , 2, 37 | 1.5 | 9  |
| 44 | Perineural local anaesthetic catheter after major lower limb amputation trial (PLACEMENT): results from a randomised controlled feasibility trial. <i>BMJ Open</i> , <b>2019</b> , 9, e029233   | 3   | 4  |
| 43 | Angiosome Specific Revascularisation: Does the Evidence Support It?. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2019</b> , 57, 311-317   | 2.3 | 13 |
| 42 | "Endovascular first" Strategies are not for Every Patient. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2019</b> , 57, 392   | 2.3 | 0  |
| 41 | Graft type for femoro-popliteal bypass surgery. <i>The Cochrane Library</i> , <b>2018</b> , 2, CD001487   | 5.2 | 24 |
| 40 | Elective Repair of Abdominal Aortic Aneurysm and the Risk of Colonic Ischaemia: Systematic Review and Meta-Analysis. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2018</b> , 56, 31-39   | 2.3 | 18 |

|    |   |     |    |
|----|---|-----|----|
| 39 | The Safety of Device Registries for Endovascular Abdominal Aortic Aneurysm Repair: Systematic Review and Meta-regression. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2018</b> , 55, 177-183  | 2.3 | 10 |
| 38 | Editor's Choice - Direct vs. Indirect Angiosomal Revascularisation of Infrapopliteal Arteries, an Updated Systematic Review and Meta-analysis. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2018</b> , 56, 834-848   | 2.3 | 15 |
| 37 | Major lower limb amputation audit - introduction and implementation of a multimodal perioperative pain management guideline. <i>British Journal of Pain</i> , <b>2018</b> , 12, 257-258   | 2.1 | 1  |
| 36 | The Endovenous Literature: A Perfect Storm of Limited Effectiveness Data, Rapid Technological Evolution and Potential Conflict of Interest. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2017</b> , 54, 771  | 2.3 | 3  |
| 35 | Development of a core outcome set for studies involving patients undergoing major lower limb amputation for peripheral arterial disease: study protocol for a systematic review and identification of a core outcome set using a Delphi survey. <i>Trials</i> , <b>2017</b> , 18, 628 | 2.8 | 8  |
| 34 | The Significance of Hypothermia in Abdominal Aortic Aneurysm Repair. <i>Annals of Vascular Surgery</i> , <b>2017</b> , 38, 323-331  | 1.7 | 3  |
| 33 | Regarding "Description of a risk predictive model of 30-day postoperative mortality after elective abdominal aortic aneurysm repair". <i>Journal of Vascular Surgery</i> , <b>2017</b> , 65, 1546-1547  | 3.5 |    |
| 32 | Perineural local anaesthetic catheter after major lower limb amputation trial (PLACEMENT): study protocol for a randomised controlled pilot study. <i>Trials</i> , <b>2017</b> , 18, 629  | 2.8 | 5  |
| 31 | Skew flap for staged below-knee amputation in sepsis. <i>Vascular</i> , <b>2016</b> , 24, 197-9   | 1.3 |    |
| 30 | Regarding "The effect of an Enhanced Recovery Program in elective retroperitoneal abdominal aortic aneurysm repair". <i>Journal of Vascular Surgery</i> , <b>2016</b> , 64, 1190-1  | 3.5 |    |
| 29 | Rupture rates of untreated large abdominal aortic aneurysms in patients unfit for elective repair. <i>Journal of Vascular Surgery</i> , <b>2015</b> , 61, 1606-12   | 3.5 | 71 |
| 28 | Pragmatic minimum reporting standards for thoracic endovascular aortic repair. <i>Journal of Endovascular Therapy</i> , <b>2015</b> , 22, 356-67  | 2.5 | 8  |
| 27 | Commentary on: "safety of carotid intervention following thrombolysis in acute ischaemic stroke". <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2014</b> , 48, 513  | 2.3 |    |
| 26 | Angioplasty versus bare metal stenting for superficial femoral artery lesions. <i>The Cochrane Library</i> , <b>2014</b> , CD006767   | 5.2 | 20 |
| 25 | Benefits of remote ischaemic preconditioning in vascular surgery. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2014</b> , 48, 215-9  | 2.3 | 13 |
| 24 | Atherectomy for peripheral arterial disease. <i>The Cochrane Library</i> , <b>2014</b> , CD006680   | 5.2 | 17 |
| 23 | Response to Re. Benefits of remote ischemic preconditioning in vascular surgery. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2014</b> , 48, 713   | 2.3 | 1  |
| 22 | Left retroperitoneal aortic aneurysm repair in patients unsuitable for endovascular treatment. <i>ANZ Journal of Surgery</i> , <b>2014</b> , 84, 861-5  | 1   | 1  |

|    |  |     |    |
|----|--|-----|----|
| 21 | Management of lymphatic fistulas after arterial reconstruction in the groin. <i>Annals of Vascular Surgery</i> , <b>2013</b> , 27, 1207-15   | 1.7 | 25 |
| 20 | Surgical repair of a coeliac artery aneurysm. <i>Journal of Vascular Surgery</i> , <b>2013</b> , 57, 848   | 3.5 | 2  |
| 19 | Renal dysfunction after EVAR: time for a standard definition. <i>Journal of Endovascular Therapy</i> , <b>2013</b> , 20, 331-3   | 2.5 | 19 |
| 18 | Retroperitoneal aortic hemorrhage caused by penetration of an endovascular stent-graft anchoring barb. <i>Journal of Endovascular Therapy</i> , <b>2013</b> , 20, 568-70   | 2.5 | 1  |
| 17 | The retroperitoneal approach to the abdominal aorta in the endovascular era. <i>Journal of Vascular Surgery</i> , <b>2012</b> , 56, 834-8  | 3.5 | 23 |
| 16 | Systematic review and meta-analysis of the influence of HER2 expression and amplification in operable oesophageal cancer. <i>Journal of Gastrointestinal Surgery</i> , <b>2012</b> , 16, 1821-9  | 3.3 | 43 |
| 15 | AuthorsReply: Systematic review and meta-analysis of the effects of statin therapy on abdominal aortic aneurysms (Br J Surg 2011; 98: 362B53). <i>British Journal of Surgery</i> , <b>2011</b> , 98, 745-745                                   | 5.3 |    |
| 14 | Incidence and survival outcome following femoral artery reconstruction during endovascular abdominal aortic aneurysm repair. <i>Vascular and Endovascular Surgery</i> , <b>2011</b> , 45, 232-6  | 1.4 | 4  |
| 13 | Bullous pemphigoid presenting as dry gangrene in a revascularized limb. <i>Journal of Vascular Surgery</i> , <b>2010</b> , 51, 732-4   | 3.5 | 3  |
| 12 | Graft type for femoro-popliteal bypass surgery. <i>The Cochrane Library</i> , <b>2010</b> , CD001487   | 5.2 | 47 |
| 11 | Prognostic significance of endoluminal ultrasound-defined disease length and tumor volume (EDTV) for patients with the diagnosis of esophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2010</b> , 24, 870-8 | 5.2 | 25 |
| 10 | Angioplasty versus stenting for superficial femoral artery lesions. <i>Cochrane Database of Systematic Reviews</i> , <b>2009</b> , CD006767  |     | 26 |
| 9  | Prognostic significance of endoscopic ultrasound-defined pleural, pericardial or peritoneal fluid in oesophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2009</b> , 23, 2229-36                             | 5.2 | 9  |
| 8  | Prospective comparison of optic versus blind endoscopic ultrasound in staging esophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2009</b> , 23, 2778-84   | 5.2 | 3  |
| 7  | The assessment of prognosis of surgically resected oesophageal cancer is dependent on the number of lymph nodes examined pathologically. <i>Histopathology</i> , <b>2009</b> , 55, 46-52   | 7.3 | 39 |
| 6  | Prospective comparison of the perceived preoperative computed tomographic, endosonographic and histopathological stage of oesophageal cancer related to body mass indices. <i>European Radiology</i> , <b>2009</b> , 19, 935-40                | 8   | 2  |
| 5  | Bony lesions in BCG-vaccinated children: consider BCG osteitis. <i>Journal of Paediatrics and Child Health</i> , <b>2007</b> , 43, 307-9   | 1.3 | 5  |
| 4  | Larval therapy from antiquity to the present day: mechanisms of action, clinical applications and future potential. <i>Postgraduate Medical Journal</i> , <b>2007</b> , 83, 409-13   | 2   | 66 |

|   |  |     |    |
|---|--|-----|----|
| 3 | Kylie Minogue's breast cancer: effects on referrals to a rapid access breast clinic in the UK. <i>Breast</i> , <b>2006</b> , 15, 667-9             | 3.6 | 18 |
| 2 | Antibiotic prescription for patients referred to a specialist breast clinic. <i>Postgraduate Medical Journal</i> , <b>2006</b> , 82, 771-3         | 2   |    |
| 1 | A needs assessment in South Wales schools for a novel medical student-led sex education programme. <i>Sex Education</i> , <b>2005</b> , 5, 137-152 | 2.2 | 2  |