

# Sebastian Schwind

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/736692/publications.pdf>

Version: 2024-02-01

37  
papers

357  
citations

933447

10  
h-index

839539

18  
g-index

37  
all docs

37  
docs citations

37  
times ranked

691  
citing authors

#	ARTICLE	IF	CITATIONS
1	Digital droplet PCR-based absolute quantification of pre-transplant NPM1 mutation burden predicts relapse in acute myeloid leukemia patients. <i>Annals of Hematology</i> , 2018, 97, 1757-1765.	1.8	57
2	Disruption of the C/EBP $\beta$ -miR-182 balance impairs granulocytic differentiation. <i>Nature Communications</i> , 2017, 8, 46.	12.8	38
3	Prognostic impact of the ELN2017 risk classification in patients with AML receiving allogeneic transplantation. <i>Blood Advances</i> , 2020, 4, 3864-3874.	5.2	36
4	Clinical impact of clonal hematopoiesis in acute myeloid leukemia patients receiving allogeneic transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 1189-1197.	2.4	34
5	Prognostic impact of the CD34 <sup>+</sup> /CD38 <sup>+</sup> cell burden in patients with acute myeloid leukemia receiving allogeneic stem cell transplantation. <i>American Journal of Hematology</i> , 2017, 92, 388-396.	4.1	25
6	MicroRNA-143 targets ERK5 in granulopoiesis and predicts outcome of patients with acute myeloid leukemia. <i>Cell Death and Disease</i> , 2018, 9, 814.	6.3	23
7	Prognostic Impact of Blood <i>MN1</i> Copy Numbers Before Allogeneic Stem Cell Transplantation in Patients With Acute Myeloid Leukemia. <i>HemaSphere</i> , 2019, 3, e167.	2.7	20
8	Clinical Challenges and Consequences of Measurable Residual Disease in Non-APL Acute Myeloid Leukemia. <i>Cancers</i> , 2019, 11, 1625.	3.7	19
9	High <i>BAALC</i> copy numbers in peripheral blood prior to allogeneic transplantation predict early relapse in acute myeloid leukemia patients. <i>Oncotarget</i> , 2017, 8, 87944-87954.	1.8	19
10	Genome-wide association study identifies an acute myeloid leukemia susceptibility locus near <i>BICRA</i> . <i>Leukemia</i> , 2019, 33, 771-775.	7.2	15
11	High expression of the stem cell marker <i>GPR56</i> at diagnosis identifies acute myeloid leukemia patients at higher relapse risk after allogeneic stem cell transplantation in context with the CD34 <sup>+</sup> /CD38 <sup>-</sup> population. <i>Haematologica</i> , 2020, 105, e507.	3.5	12
12	Stem cell mobilization and autologous stem cell transplantation after pretreatment with bendamustine, prednisone and bortezomib (BPV) in newly diagnosed multiple myeloma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015, 141, 2013-2022.	2.5	11
13	Lenalidomide in combination with bendamustine and prednisolone in relapsed/refractory multiple myeloma: results of a phase 2 clinical trial (OSHO-#077). <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2545-2553.	2.5	10
14	Comparison of non-myeloablative and reduced-intensity allogeneic stem cell transplantation in older patients with myelodysplastic syndromes. <i>American Journal of Hematology</i> , 2019, 94, 1344-1352.	4.1	7
15	Use of Minimal Residual Disease in Acute Myeloid Leukemia Therapy. <i>Current Treatment Options in Oncology</i> , 2020, 21, 8.	3.0	7
16	Outcomes of Older Patients with <i>NPM1</i> Mutated and <i>FLT3</i> -ITD Negative Acute Myeloid Leukemia Receiving Allogeneic Transplantation. <i>HemaSphere</i> , 2020, 4, e326.	2.7	6
17	Pretreatment CD34 <sup>+</sup> /CD38 <sup>+</sup> Cell Burden as Prognostic Factor in Myelodysplastic Syndrome Patients Receiving Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1560-1566.	2.0	5
18	Salvage Therapy With Polatuzumab Vedotin, Bendamustine, and Rituximab Prior to Allogeneic Hematopoietic Transplantation in Patients With Aggressive Lymphomas Relapsing After Therapy With Chimeric Antigen Receptor T-Cells—Report on Two Cases. <i>Frontiers in Oncology</i> , 2021, 11, 737645.	2.8	4

#	ARTICLE	IF	CITATIONS
19	Clinical value of the measurable residual disease status within the <scp>ELN2017</scp> risk groups in <scp>AML</scp> patients undergoing allogeneic stem cell transplantation. American Journal of Hematology, 2021, 96, E237-E239.	4.1	3
20	Case Report: Large Granular Lymphocyte Leukemia (LGLL)â€™A Case Series of Challenging Presentations. Frontiers in Oncology, 2021, 11, 775313.	2.8	3
21	Allogeneic stem cell transplantation mitigates the adverse prognostic impact of high diagnostic BAALC and MN1 expression in AML. Annals of Hematology, 2020, 99, 2417-2427.	1.8	1
22	5-Azacitidine Induces Hematologic Responses in a High Proportion of Patients with Acute Myeloid Leukaemia Refractory to or Not Eligible for Intensive Chemotherapy.. Blood, 2006, 108, 1953-1953.	1.4	1
23	Prognostic Significance Of EVI1 expression In Acute Myeloid Leukemia Patients With Intermediate and Adverse Cytogenetic Risk Undergoing Allogeneic Hematopoietic Cell Transplantation With Reduced-Intensity Conditioning. Blood, 2013, 122, 3383-3383.	1.4	1
24	Prognostic relevance of DNMT3A R882 mutations in AML patients undergoing non-myeloablative conditioning hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2018, 53, 640-643.	2.4	0
25	High Pri-Mir-181a-1 and Pri-Mir-181a-2 Expression Associates with Improved Outcomes in Patients with Acute Myeloid Leukemia Undergoing Allogeneic Stem Cell Transplantation after Reduced Intensity Conditioning. Blood, 2014, 124, 732-732.	1.4	0
26	Assessment of NPM1 Type a Mutation Burden By Digital Droplet PCR As a Marker of Minimal Residual Disease in Acute Myeloid Leukemia Patients Undergoing Stem Cell Transplantation. Blood, 2015, 126, 4398-4398.	1.4	0
27	Inclusion of Plerixafor Increases the Efficacy of Stem Cell Harvesting in Poorly Mobilizing Patients with Multiple Myeloma and Lymphoma. Blood, 2015, 126, 5439-5439.	1.4	0
28	Prognostic Impact of Aberrant RUNX1 Expression in Patients with Acute Myeloid Leukemia Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2015, 126, 3829-3829.	1.4	0
29	Unsupervised Cluster Analysis of Antigen Expression Patterns Identifies Subgroups with Distinct Biological and Clinical Features in Patients with Acute Myeloid Leukemia Undergoing Allogeneic Stem Cell Transplantation. Blood, 2015, 126, 2573-2573.	1.4	0
30	High Expression of the Hedgehog Transcription Factor GLI1 Is Associated with Improved Outcomes in Patients with Acute Myeloid Leukemia Undergoing Hematopoietic Stem Cell Transplantation after Non-Myeloablative Conditioning. Blood, 2015, 126, 2032-2032.	1.4	0
31	High Blood BAALC Copy Numbers Determined By Digital Droplet PCR at Timepoint of Allogeneic Transplantation in Complete Remission Predicts Relapse in Patients with Acute Myeloid Leukemia. Blood, 2016, 128, 517-517.	1.4	0
32	Absolute Quantification of Pre-microRNA-155 Copy Numbers By Digital Droplet PCR Identifies Acute Myeloid Leukemia (AML) Patients with Adverse Outcome. Blood, 2016, 128, 1698-1698.	1.4	0
33	Biological Associations and Clinical Impact of Differential Expression of the Pre-Mir-29a/b-1 and Pre-Mir-29b-2/C Clusters in Acute Myeloid Leukemia. Blood, 2016, 128, 5110-5110.	1.4	0
34	High Expression of ZBTB7A at Diagnosis Associated with Inferior Outcome in Acute Myeloid Leukemia Patients Receiving Hematopoietic Stem Cell Transplantation. Blood, 2016, 128, 5092-5092.	1.4	0
35	Unsupervised hierarchical clustering of surface antigen expression to identify normal karyotype AML patients with distinct disease characteristics and poor outcome.. Journal of Clinical Oncology, 2017, 35, 7042-7042.	1.6	0
36	Phase II Study of Stimulation of Healthy Sibling Donors with Single-Shot Pegfilgrastim - Update (EUDRACT Nr: 2005-004971-39). Blood, 2018, 132, 2064-2064.	1.4	0

#	ARTICLE	IF	CITATIONS
37	Risk Stratification, Measurable Residual Disease, and Outcomes of AML Patients with a Trisomy 8 Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Cancers</i> , 2021, 13, 5679.	3.7	0