

Gianfranco Romanazzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7367563/publications.pdf>

Version: 2024-02-01

115
papers

5,028
citations

87401

40
h-index

111975

67
g-index

121
all docs

121
docs citations

121
times ranked

4698
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of pterostilbene suppression of postharvest gray mold in table grapes and potential mechanisms. <i>Postharvest Biology and Technology</i> , 2022, 183, 111745.	2.9	11
2	Biocontrol of Non-Saccharomyces Yeasts in Vineyard against the Gray Mold Disease Agent <i>Botrytis cinerea</i> . <i>Microorganisms</i> , 2022, 10, 200.	1.6	21
3	Analyses of Xylem Vessel Size on Grapevine Cultivars and Relationship with Incidence of Esca Disease, a Threat to Grape Quality. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 1177.	1.3	8
4	Influence on grape aromatic compounds of natural fungicides used for the control of downy mildew. <i>Journal of the Science of Food and Agriculture</i> , 2022, , .	1.7	0
5	Tracking of Diversity and Evolution in the Brown Rot Fungi <i>Monilinia fructicola</i> , <i>Monilinia fructigena</i> , and <i>Monilinia laxa</i> . <i>Frontiers in Microbiology</i> , 2022, 13, 854852.	1.5	14
6	Multilocus Genotyping of <i>Candidatus Phytoplasma Solani</i> ™ Associated with Grapevine Bois Noir in Iran. <i>Biology</i> , 2022, 11, 835.	1.3	3
7	Basic Substances, a Sustainable Tool to Complement and Eventually Replace Synthetic Pesticides in the Management of Pre and Postharvest Diseases: Reviewed Instructions for Users. <i>Molecules</i> , 2022, 27, 3484.	1.7	28
8	Brassica carinata Seed Meal as Soil Amendment and Potential Biofumigant. <i>Crops</i> , 2022, 2, 233-246.	0.6	5
9	Use of Chitosan and Other Natural Compounds Alone or in Different Strategies with Copper Hydroxide for Control of Grapevine Downy Mildew. <i>Plant Disease</i> , 2021, 105, 3261-3268.	0.7	16
10	Sixty Years from the First Disease Description, a Novel Badnavirus Associated with Chestnut Mosaic Disease. <i>Phytopathology</i> , 2021, 111, 1051-1058.	1.1	6
11	Chitosan and postharvest decay of fresh fruit: Meta-analysis of disease control and antimicrobial and eliciting activities. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 563-582.	5.9	43
12	Antifungal Activity and Chemical Composition of Seven Essential Oils to Control the Main Seedborne Fungi of Cucurbits. <i>Antibiotics</i> , 2021, 10, 104.	1.5	33
13	The Role of Fungi in the Cocoa Production Chain and the Challenge of Climate Change. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 202.	1.5	24
14	Evaluation of Seven Essential Oils as Seed Treatments against Seedborne Fungal Pathogens of <i>Cucurbita maxima</i> . <i>Molecules</i> , 2021, 26, 2354.	1.7	12
15	A Comprehensive Review on the Impact of Edible Coatings, Essential Oils, and Their Nano Formulations on Postharvest Decay Anthracnose of Avocados, Mangoes, and Papayas. <i>Frontiers in Microbiology</i> , 2021, 12, 711092.	1.5	13
16	Status of Charcoal Canker on Oak Trees at a Site of Community Importance: Case Study of the Relict Castelfidardo Forest (SIC Area IT520008, Castelfidardo, AN, Italy). <i>Forests</i> , 2021, 12, 1032.	0.9	3
17	A Low-Cost, Low-Power and Real-Time Image Detector for Grape Leaf Esca Disease Based on a Compressed CNN. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2021, 11, 468-481.	2.7	16
18	The Mycorrhizal Status in Vineyards Affected by Esca. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 869.	1.5	3

#	ARTICLE	IF	CITATIONS
19	Chitosan Coating Enriched With <i>Ruta graveolens</i> L. Essential Oil Reduces Postharvest Anthracnose of Papaya (<i>Carica papaya</i> L.) and Modulates Defense-Related Gene Expression. <i>Frontiers in Plant Science</i> , 2021, 12, 765806.	1.7	18
20	Non-Chemical Treatments for the Pre- and Post-Harvest Elicitation of Defense Mechanisms in the Fungus-Induced Avocado Pathosystem. <i>Molecules</i> , 2021, 26, 6819.	1.7	5
21	Detection and Quantification of <i>Stagonosporopsis cucurbitacearum</i> in Seeds of <i>Cucurbita maxima</i> Using Droplet Digital Polymerase Chain Reaction. <i>Frontiers in Microbiology</i> , 2021, 12, 764447.	1.5	2
22	Draft Genomic Resources for the Brown Rot Fungal Pathogen <i>Monilinia laxa</i> . <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 145-148.	1.4	16
23	A review on the management of postharvest anthracnose in dragon fruits caused by <i>Colletotrichum</i> spp.. <i>Crop Protection</i> , 2020, 130, 105067.	1.0	31
24	Morphological and Molecular Identification of Seedborne Fungi in Squash (<i>Cucurbita maxima</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.7	13
25	Spatial pattern of Bois noir: case study of a delicate balance between disease progression and recovery. <i>Scientific Reports</i> , 2020, 10, 9801.	1.6	11
26	Epidemiological Investigations and Molecular Characterization of <i>Candidatus Phytoplasma solani</i> ™ in Grapevines, Weeds, Vectors and Putative Vectors in Western Sicily (Southern Italy). <i>Pathogens</i> , 2020, 9, 918.	1.2	4
27	Multilocus Genotyping Reveals New Molecular Markers for Differentiating Distinct Genetic Lineages among <i>Candidatus Phytoplasma Solani</i> ™-Strains Associated with Grapevine Bois Noir. <i>Pathogens</i> , 2020, 9, 970.	1.2	5
28	Endophytic Fungi as Potential Biological Control Agents against Grapevine Trunk Diseases in Alentejo Region. <i>Biology</i> , 2020, 9, 420.	1.3	28
29	Sequence Analysis of New Tuf Molecular Types of <i>Candidatus Phytoplasma Solani</i> ™ in Iranian Vineyards. <i>Pathogens</i> , 2020, 9, 508.	1.2	8
30	Hypobaric Packaging Prolongs the Shelf Life of Refrigerated Black Truffles (<i>Tuber melanosporum</i>). <i>Molecules</i> , 2020, 25, 3837.	1.7	5
31	Innovation in Sustainable Management of Plant Diseases and Pests, and Effects on the Environment. , 2020, , 601-616.		2
32	New High-Quality Draft Genome of the Brown Rot Fungal Pathogen <i>Monilinia fructicola</i> . <i>Genome Biology and Evolution</i> , 2019, 11, 2850-2855.	1.1	21
33	Use of biocontrol agents as potential tools in the management of chestnut blight. <i>Biological Control</i> , 2019, 132, 102-109.	1.4	18
34	Quality and safety attributes on shredded carrots by using <i>Origanum majorana</i> and ascorbic acid. <i>Postharvest Biology and Technology</i> , 2019, 155, 120-129.	2.9	44
35	Molecular Typing of <i>Candidatus Phytoplasma solani</i> ™ in Iranian Vineyards. <i>Plant Disease</i> , 2019, 103, 2412-2416.	0.7	10
36	Preservation of Berries. , 2019, , 503-505.		1

#	ARTICLE	IF	CITATIONS
37	Integrated Management of Phytoplasma Diseases. , 2019, , 237-258.		4
38	Detection of <i>Candidatus Phytoplasma solani</i> ™ in roots from Bois noir symptomatic and recovered grapevines. Scientific Reports, 2019, 9, 2013.	1.6	14
39	A review of the use of biostimulants in the vineyard for improved grape and wine quality: effects on prevention of grapevine diseases. Journal of the Science of Food and Agriculture, 2019, 99, 1001-1009.	1.7	66
40	Effects of chitosan treatment on avocado postharvest diseases and expression of phenylalanine ammonia-lyase, chitinase and lipoxygenase genes. Postharvest Biology and Technology, 2019, 147, 214-221.	2.9	66
41	Use of Essential Oils to Improve Postharvest Quality and Control Postharvest Decay of Tropical, Subtropical, and Temperate Fruits. , 2019, , 659-676.		2
42	EFFECTS OF CHITOSAN IN THE CONTROL OF POSTHARVEST ANTHRACNOSE OF SOURSOP (<i>Annona muricata</i>) FRUIT. Revista Mexicana De Ingeniera Quimica, 2019, 19, 99-108.	0.2	14
43	Volatile organic compounds from <i>Wickerhamomyces anomalus</i> , <i>Metschnikowia pulcherrima</i> and <i>Saccharomyces cerevisiae</i> inhibit growth of decay causing fungi and control postharvest diseases of strawberries. International Journal of Food Microbiology, 2018, 265, 18-22.	2.1	107
44	Phenotypic and Molecular Investigations on Hypovirulent <i>Cryphonectria parasitica</i> in Italy. Plant Disease, 2018, 102, 540-545.	0.7	13
45	Chitosan, a Biopolymer With Triple Action on Postharvest Decay of Fruit and Vegetables: Eliciting, Antimicrobial and Film-Forming Properties. Frontiers in Microbiology, 2018, 9, 2745.	1.5	114
46	Genome sequence of the brown rot fungal pathogen <i>Monilinia fructigena</i> . BMC Research Notes, 2018, 11, 758.	0.6	21
47	Shelf life extension of fresh fruit and vegetables by chitosan treatment. Critical Reviews in Food Science and Nutrition, 2017, 57, 579-601.	5.4	208
48	Identification of new -J and -K 16SrXII subgroups and distinct single nucleotide polymorphism genetic lineages among <i>Candidatus Phytoplasma solani</i> ™ strains associated with bois noir in Central Italy. Australasian Plant Pathology, 2017, 46, 31-34.	0.5	13
49	Effect of thyme oil vapour exposure on the brown rot infection, phenylalanine ammonia-lyase (PAL) activity, phenolic content and antioxidant activity in red and yellow skin peach cultivars. Scientia Horticulturae, 2017, 214, 195-199.	1.7	20
50	Exposure to volatiles of essential oils alone or under hypobaric treatment to control postharvest gray mold of table grapes. Postharvest Biology and Technology, 2017, 133, 36-40.	2.9	60
51	Chitosan and Laminarin as Alternatives to Copper for <i>Plasmopara viticola</i> Control: Effect on Grape Amino Acid. Journal of Agricultural and Food Chemistry, 2017, 65, 7379-7386.	2.4	42
52	Protocol for the evaluation of data concerning the necessity of the application of fungicide active substances to control a serious danger to plant health which cannot be contained by other available means, including non-chemical methods. EFSA Supporting Publications, 2017, 14, 1345E.	0.3	2
53	Global Transcriptome Analysis and Identification of Differentially Expressed Genes in Strawberry after Preharvest Application of Benzothiadiazole and Chitosan. Frontiers in Plant Science, 2017, 8, 235.	1.7	59
54	Evaluation of the characteristics of vineyard pruning residues for energy applications: effect of different copper-based treatments. Journal of Agricultural Engineering, 2016, 47, 22.	0.7	31

#	ARTICLE	IF	CITATIONS
55	Use of Chitosan to Control Postharvest Decay of Temperate Fruit: Effectiveness and Mechanisms of Action. , 2016, , 155-177.		6
56	Diagnostic methods for detecting fungal pathogens on vegetable seeds. Plant Pathology, 2016, 65, 691-703.	1.2	83
57	Effects of field treatments with alternatives to conventional fungicides on strawberry fruit quality parameters and postharvest decay. Acta Horticulturae, 2016, , 317-324.	0.1	1
58	Postharvest diseases of Tuber melanosporum. Acta Horticulturae, 2016, , 129-132.	0.1	4
59	Surveys for <i>Monilinia</i> spp. on stone fruit in central-eastern Italy. Acta Horticulturae, 2016, , 225-230.	0.1	8
60	Postharvest decay of strawberry fruit: Etiology, epidemiology, and disease management. Journal of Berry Research, 2016, 6, 47-63.	0.7	98
61	Activity of endophytic fungi from <i>Artemisia absinthium</i> on <i>Botrytis cinerea</i> . Acta Horticulturae, 2016, , 101-104.	0.1	4
62	GRAS, plant- and animal-derived compounds as alternatives to conventional fungicides for the control of postharvest diseases of fresh horticultural produce. Postharvest Biology and Technology, 2016, 122, 41-52.	2.9	186
63	Different defense responses and brown rot control in two <i>Prunus persica</i> cultivars to essential oil vapours after storage. Postharvest Biology and Technology, 2016, 119, 9-17.	2.9	49
64	Induced resistance to control postharvest decay of fruit and vegetables. Postharvest Biology and Technology, 2016, 122, 82-94.	2.9	305
65	Impact of Alternative Fungicides on Grape Downy Mildew Control and Vine Growth and Development. Plant Disease, 2016, 100, 739-748.	0.7	54
66	Preharvest treatments with alternatives to conventional fungicides to control postharvest decay of strawberry. Acta Horticulturae, 2016, , 111-118.	0.1	5
67	Control Strategies for Postharvest Grey Mould on Fruit Crops. , 2016, , 217-228.		2
68	Integrated management of postharvest gray mold on fruit crops. Postharvest Biology and Technology, 2016, 113, 69-76.	2.9	198
69	Genetic Variability of Stolbur Phytoplasma in <i>Hyalesthes obsoletus</i> (Hemiptera: Cixiidae) and its Main Host Plants in Vineyard Agroecosystems. Journal of Economic Entomology, 2015, 108, 1506-1515.	0.8	22
70	In-vineyard population structure of <i>Candidatus Phytoplasma solani</i> ™ using multilocus sequence typing analysis. Infection, Genetics and Evolution, 2015, 31, 221-230.	1.0	37
71	Preharvest treatments with chitosan and other alternatives to conventional fungicides to control postharvest decay of strawberry. Carbohydrate Polymers, 2015, 132, 111-117.	5.1	82
72	Potassium application to table grape clusters after veraison increases soluble solids by enhancing berry water loss. Scientia Horticulturae, 2015, 187, 58-64.	1.7	16

#	ARTICLE	IF	CITATIONS
73	USE OF RESISTANCE INDUCERS TO CONTROL STORAGE DECAY OF SWEET CHERRY. <i>Acta Horticulturae</i> , 2014, , 227-235.	0.1	1
74	<i>Botrytis cinerea</i> (Gray Mold). , 2014, , 131-146.		31
75	Spatial and temporal stolbur population structure in a cv. Chardonnay vineyard according to <i>vmp1</i> gene characterization. <i>Plant Pathology</i> , 2014, 63, 700-707.	1.2	19
76	Effects of grapevine cultivar, rootstock and clone on esca disease. <i>Australasian Plant Pathology</i> , 2014, 43, 215-221.	0.5	51
77	Seed treatments to control seedborne fungal pathogens of vegetable crops. <i>Pest Management Science</i> , 2014, 70, 860-868.	1.7	123
78	Expression of Defense Genes in Strawberry Fruits Treated with Different Resistance Inducers. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 3047-3056.	2.4	83
79	Application of low concentrations of ozone during the cold storage of table grapes. <i>Postharvest Biology and Technology</i> , 2014, 93, 38-48.	2.9	55
80	Effects of grapevine leafroll associated virus 3 infection on growth, leaf gas exchange, yield and basic fruit chemistry of <i>Vitis vinifera</i> L. cv. Cabernet Franc. <i>Scientia Horticulturae</i> , 2014, 170, 228-236.	1.7	45
81	Biocontrol of postharvest brown rot of sweet cherries by <i>Saccharomyces cerevisiae</i> Disva 599, <i>Metschnikowia pulcherrima</i> Disva 267 and <i>Wickerhamomyces anomalus</i> Disva 2 strains. <i>Postharvest Biology and Technology</i> , 2014, 96, 64-68.	2.9	43
82	EFFECT OF FIELD TREATMENTS WITH FUNGICIDE, POTASSIUM SORBATE, OR CHITOSAN ON POSTHARVEST ROTS AND QUALITY OF TABLE GRAPES. <i>Acta Horticulturae</i> , 2014, , 257-264.	0.1	3
83	Pre- and postharvest treatment with alternatives to synthetic fungicides to control postharvest decay of sweet cherry. <i>Postharvest Biology and Technology</i> , 2013, 78, 133-138.	2.9	109
84	Effects of an Innovative Strategy to Contain Grapevine Bois Noir: Field Treatment with Resistance Inducers. <i>Phytopathology</i> , 2013, 103, 785-791.	1.1	44
85	Preharvest Fungicide, Potassium Sorbate, or Chitosan Use on Quality and Storage Decay of Table Grapes. <i>Plant Disease</i> , 2013, 97, 307-314.	0.7	50
86	Effectiveness of postharvest treatment with chitosan and other resistance inducers in the control of storage decay of strawberry. <i>Postharvest Biology and Technology</i> , 2013, 75, 24-27.	2.9	152
87	Perspectives for the management of phytoplasma diseases through induced resistance: what can we expect from resistance inducers?. <i>Phytopathogenic Mollicutes</i> , 2013, 3, 60.	0.1	3
88	Colonization of <i>Vitis</i> spp. Wood by sGFP-Transformed <i>Phaeomoniella chlamydospora</i> , a Tracheomycotic Fungus Involved in Esca Disease. <i>Phytopathology</i> , 2012, 102, 290-297.	1.1	23
89	Effects of Bois noir on carbon assimilation, transpiration, stomatal conductance of leaves and yield of grapevine (<i>Vitis vinifera</i>) cv. Chardonnay. <i>Physiologia Plantarum</i> , 2012, 145, 286-295.	2.6	31
90	Recent advances on the use of natural and safe alternatives to conventional methods to control postharvest gray mold of table grapes. <i>Postharvest Biology and Technology</i> , 2012, 63, 141-147.	2.9	211

#	ARTICLE	IF	CITATIONS
91	Seasonal Variation of Defense-Related Gene Expression in Leaves from Bois noir Affected and Recovered Grapevines. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 6628-6637.	2.4	39
92	NATURAL AND SAFE ALTERNATIVES TO CONVENTIONAL METHODS TO CONTROL GRAY MOLD OF TABLE GRAPES IN STORAGE. <i>Acta Horticulturae</i> , 2011, , 161-168.	0.1	1
93	Inter-laboratory validation of PCR-based protocol for detection of olive viruses. <i>EPPO Bulletin</i> , 2010, 40, 423-428.	0.6	20
94	Genetic variability of the stolbur phytoplasma vmp1 gene in grapevines, bindweeds and vegetables. <i>Journal of Applied Microbiology</i> , 2010, 109, 2049-2059.	1.4	37
95	Esca in young and mature vineyards, and molecular diagnosis of the associated fungi. <i>European Journal of Plant Pathology</i> , 2009, 125, 277-290.	0.8	47
96	<i>Tussilago farfara</i> : a new natural host of stolbur phytoplasma. <i>Plant Pathology</i> , 2009, 58, 392-392.	1.2	5
97	Effect of Chitosan Dissolved in Different Acids on Its Ability to Control Postharvest Gray Mold of Table Grape. <i>Phytopathology</i> , 2009, 99, 1028-1036.	1.1	119
98	Gray Mold Infection of <i>Actinidia arguta</i> in Italy. <i>Plant Disease</i> , 2009, 93, 1221-1221.	0.7	3
99	Genetic variability and population structure of Grapevine virus A coat protein gene from naturally infected Italian vines. <i>European Journal of Plant Pathology</i> , 2008, 120, 137-145.	0.8	20
100	Polymyxin-B hemoperfusion inactivates circulating proapoptotic factors. <i>Intensive Care Medicine</i> , 2008, 34, 1638-1645.	3.9	97
101	Partial Uprooting and Pulling to Induce Recovery in Bois noir-Infected Grapevines. <i>Journal of Phytopathology</i> , 2008, 156, 747-750.	0.5	18
102	<i>Candidatus</i> Phytoplasma ulmi™ causing yellows in <i>Zelkova serrata</i> newly reported in Italy. <i>Plant Pathology</i> , 2008, 57, 1174-1174.	1.2	4
103	Effectiveness of a short hyperbaric treatment to control postharvest decay of sweet cherries and table grapes. <i>Postharvest Biology and Technology</i> , 2008, 49, 440-442.	2.9	54
104	Circulating plasma factors induce tubular and glomerular alterations in septic burns patients. <i>Critical Care</i> , 2008, 12, R42.	2.5	113
105	Macrophage Stimulating Protein May Promote Tubular Regeneration after Acute Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1904-1918.	3.0	46
106	Magnetic resonance imaging of gadolinium-labeled pancreatic islets for experimental transplantation. <i>NMR in Biomedicine</i> , 2007, 20, 40-48.	1.6	85
107	Combination of chitosan and ethanol to control postharvest gray mold of table grapes. <i>Postharvest Biology and Technology</i> , 2007, 45, 134-140.	2.9	84
108	Preharvest Chitosan and Postharvest UV Irradiation Treatments Suppress Gray Mold of Table Grapes. <i>Plant Disease</i> , 2006, 90, 445-450.	0.7	110

#	ARTICLE	IF	CITATIONS
109	Platelet-Activating Factor Synthesis and Response on Pancreatic Islet Endothelial Cells: Relevance for Islet Transplantation. <i>Transplantation</i> , 2006, 81, 511-518.	0.5	9
110	Postharvest ethanol and potassium sorbate treatments of table grapes to control gray mold. <i>Postharvest Biology and Technology</i> , 2005, 37, 129-134.	2.9	42
111	Short hypobaric treatments potentiate the effect of chitosan in reducing storage decay of sweet cherries. <i>Postharvest Biology and Technology</i> , 2003, 29, 73-80.	2.9	104
112	CERCOSPORIOSIS OF OLIVE IN APULIA AND ATTEMPTS TO CONTROL THE DISEASE. <i>Acta Horticulturae</i> , 2002, , 773-776.	0.1	7
113	Effects of Pre- and Postharvest Chitosan Treatments to Control Storage Grey Mold of Table Grapes. <i>Journal of Food Science</i> , 2002, 67, 1862-1867.	1.5	234
114	Effect of short hypobaric treatments on postharvest rots of sweet cherries, strawberries and table grapes. <i>Postharvest Biology and Technology</i> , 2001, 22, 1-6.	2.9	97
115	Preharvest application of synthetic fungicides and alternative treatments to control postharvest decay of fruit. <i>Stewart Postharvest Review</i> , 0, 9, 1-6.	0.7	24