

Mustafa Bahadr Can Balç

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7369783/mustafa-bahadir-can-balci-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

146
citations

7
h-index

11
g-index

40
ext. papers

181
ext. citations

1.6
avg, IF

1.89
L-index

#	Paper	IF	Citations
19	Pleomorphic undifferentiated sarcoma: A case of a giant renal mass. <i>Urology Case Reports</i> , 2018 , 17, 44-47.5		
18	Effects of resveratrol on high-fructose-induced testis injury in rats. <i>Ultrastructural Pathology</i> , 2018 , 42, 65-73	1.3	10
17	Noninvasive treatment of intraperitoneal urinary system perforations with percutaneous placement of a peritoneal drainage catheter. <i>Turkish Journal of Medical Sciences</i> , 2018 , 48, 1141-1146	2.7	
16	Effect of Continuous Positive Airway Pressure on Overactive Bladder Symptoms in Patients with Obstructive Sleep Apnea Syndrome. <i>Turkish Archives of Otorhinolaryngology</i> , 2018 , 56, 133-138		2
15	Comparison of conventional dressings and vacuum-assisted closure in the wound therapy of Fournier's gangrene. <i>Archivio Italiano Di Urologia Andrologia</i> , 2017 , 89, 208-211	1.6	15
14	Prostatic Urethral Lift: A New Minimally Invasive Treatment for Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia. <i>Urologia Internationalis</i> , 2016 , 96, 202-6	1.9	13
13	Intravesical Prostatic Protrusion: A Potential Marker of Alpha-blocker Treatment Success in Patients With Benign Prostatic Enlargement. <i>Urology</i> , 2016 , 88, 161-5	1.6	13
12	Results of tadalafil treatment in patients following an open nerve-sparing radical prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , 2016 , 88, 4-6	1.6	1
11	The comparative evaluation of apoptosis produced by leuprolide or orchiectomy on rat prostate tissue. <i>Archivio Italiano Di Urologia Andrologia</i> , 2016 , 87, 265-9	1.6	1
10	The effect of inclined position on stone free rates in patients with lower caliceal stones during SWL session. <i>Archivio Italiano Di Urologia Andrologia</i> , 2015 , 87, 38-40	1.6	4
9	The histology and the proapoptotic control in the ipsilateral and the contralateral testes following unilateral vasectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , 2015 , 87, 198-203	1.6	1
8	Re: Does structured withdrawal of desmopressin improve relapse rates in patients with monosymptomatic enuresis?: M. Çiçek, P. Hajiev, E. Şer, Y. Kibar, M. S. Şay, S. Göçak, H. S. Doğan, H. C. İrkişata, T. Oktar, B. İnal, E. Erdem, Y. C. Aygün, C. Balçık, A. R. Arslan, C. Kaya, T. Soygün, S. Sarıaya, S. Tekoğlu and B. Burcu. <i>J Urol</i> 2014;192:530-534. <i>Journal of Urology</i> , 2015 , 193, 1446	2.5	
7	Comparison of plasmakinetic transurethral resection of the prostate with monopolar transurethral resection of the prostate in terms of urethral stricture rates in patients with comorbidities. <i>Prostate International</i> , 2014 , 2, 121-6	3.4	3
6	The adverse influence of spina bifida occulta on the medical treatment outcome of primary monosymptomatic nocturnal enuresis. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014 , 86, 270-3	1.6	6
5	Right-sided Bochdalek hernia with intrathoracic ectopic kidney in an advanced-age adult: a case report. <i>Urologia Internationalis</i> , 2014 , 93, 368-70	1.9	5
4	Does structured withdrawal of desmopressin improve relapse rates in patients with monosymptomatic enuresis?. <i>Journal of Urology</i> , 2014 , 192, 530-4	2.5	19
3	The role of bipolar transurethral vaporization in the management of benign prostatic hyperplasia. <i>Urologia Internationalis</i> , 2011 , 87, 400-4	1.9	15

2 Combined anterior transobturator mesh with four straps and laparoscopic sacrocolpopexy in the treatment of pelvic organ prolapsus: our early experience in two cases. *Turk Uroloji Dergisi*, **2010**, 36, 314-317

1 Serum YKL-40 levels and chitotriosidase activity as potential biomarkers in primary prostate cancer and benign prostatic hyperplasia. *Urologic Oncology: Seminars and Original Investigations*, **2008**, 26, 47-52^{2.8} 38