

# Kiichiro Fujisaki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7370216/publications.pdf>

Version: 2024-02-01

29  
papers

477  
citations

623734

14  
h-index

713466

21  
g-index

29  
all docs

29  
docs citations

29  
times ranked

683  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | A non-immunocompromised host with nontuberculous mycobacteria-associated tubulointerstitial nephritis. <i>CEN Case Reports</i> , 2022, , 1.  | 0.9 | 0         |
| 2  | High low-density lipoprotein cholesterol as an independent risk factor for coronary restenosis in hemodialysis patients undergoing percutaneous coronary interventions. <i>Therapeutic Apheresis and Dialysis</i> , 2021, 25, 296-303.             | 0.9 | 0         |
| 3  | Stronger Effect of Azilsartan on Reduction of Proteinuria Compared to Candesartan in Patients with CKD: A Randomized Crossover Trial. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 173-184.   | 2.0 | 4         |
| 4  | Pre-dialysis Hyponatremia and Change in Serum Sodium Concentration During a Dialysis Session Are Significant Predictors of Mortality in Patients Undergoing Hemodialysis. <i>Kidney International Reports</i> , 2021, 6, 342-350.                  | 0.8 | 23        |
| 5  | Hypocomplementemic urticarial vasculitis syndrome with gastrointestinal vasculitis and crescentic membranoproliferative glomerulonephritis without immune complex deposits. <i>CEN Case Reports</i> , 2020, 9, 30-35.                              | 0.9 | 6         |
| 6  | The Incidence and Associated Factors of Sudden Death in Patients on Hemodialysis: 10-Year Outcome of the Q-Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 306-318.   | 2.0 | 18        |
| 7  | Anti-glomerular basement membrane disease complicated with posterior reversible encephalopathy syndrome and subcortical cerebral hemorrhage: a case report and review of the literature. <i>CEN Case Reports</i> , 2020, 9, 278-284.               | 0.9 | 2         |
| 8  | The Association between Dialysis Dose and Risk of Cancer Death in Patients Undergoing Hemodialysis: The Q-Cohort Study. <i>Internal Medicine</i> , 2020, 59, 1141-1148.  | 0.7 | 3         |
| 9  | Rapidly Progressive Glomerulonephritis with Delayed Appearance of Anti-Glomerular Basement Membrane Antibody Successfully Treated with Multiple Courses of Steroid Pulse Therapy. <i>Case Reports in Nephrology and Dialysis</i> , 2019, 9, 25-32. | 0.6 | 0         |
| 10 | Hemoglobin concentration and the risk of hemorrhagic and ischemic stroke in patients undergoing hemodialysis: the Q-cohort study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 856-864.  | 0.7 | 19        |
| 11 | Prognostic value of pre-dialysis blood pressure and risk threshold on clinical outcomes in hemodialysis patients. <i>Medicine (United States)</i> , 2018, 97, e13485.  | 1.0 | 8         |
| 12 | Immobilization-induced severe hypercalcaemia successfully treated with reduced dose of zoledronate in a maintenance haemodialysis patient. <i>Nephrology</i> , 2018, 23, 963-964.  | 1.6 | 2         |
| 13 | Cardiothoracic Ratio and All-Cause Mortality and Cardiovascular Disease Events in Hemodialysis Patients: The Q-Cohort Study. <i>American Journal of Kidney Diseases</i> , 2017, 70, 84-92.   | 1.9 | 47        |
| 14 | Repeated Paradoxical Brain Infarctions in a Patient on Self-Managed Home Hemodialysis Using a Long-Term Indwelling Catheter. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, e183-e185.  | 1.6 | 2         |
| 15 | A J-shaped association between serum uric acid levels and poor renal survival in female patients with IgA nephropathy. <i>Hypertension Research</i> , 2017, 40, 291-297.   | 2.7 | 16        |
| 16 | The Fukuoka Kidney disease Registry (FKR) Study: design and methods. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 465-473.  | 1.6 | 21        |
| 17 | Asymptomatic Brain Edema after Hemodialysis Initiation in a Patient with Severe Uremia. <i>Case Reports in Medicine</i> , 2017, 2017, 1-6.   | 0.7 | 2         |
| 18 | Association Between Serum Phosphate Levels and Stroke Risk in Patients Undergoing Hemodialysis. <i>Stroke</i> , 2016, 47, 2189-2196.   | 2.0 | 54        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Extended Swanâ€Neck Catheter With Upper Abdominal Exitâ€Site Reduces Peritoneal Dialysisâ€Related Infections. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 158-164.   | 0.9 | 8         |
| 20 | Comparison of oral versus intravenous vitamin D receptor activator in reducing infection-related mortality in hemodialysis patients: the Q-Cohort Study. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1152-1160. | 0.7 | 24        |
| 21 | Erythropoiesis-stimulating agent slows the progression of chronic kidney disease: a possibility of a direct action of erythropoietin. <i>Renal Failure</i> , 2016, 38, 390-396.  | 2.1 | 12        |
| 22 | Membranoproliferative glomerulonephritis with predominant IgG2 and IgG3 deposition in a patient with IgG4-related disease. <i>BMC Nephrology</i> , 2015, 16, 173.  | 1.8 | 5         |
| 23 | Clinical Significance of Fronto-Temporal Gray Matter Atrophy in Executive Dysfunction in Patients with Chronic Kidney Disease: The VCOHP Study. <i>PLoS ONE</i> , 2015, 10, e0143706.                                      | 2.5 | 27        |
| 24 | Cerebral oxidative stress induces spatial working memory dysfunction in uremic mice: neuroprotective effect of tempol. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 529-538.                                     | 0.7 | 60        |
| 25 | Improvement in spatial memory dysfunction by telmisartan through reduction of brain angiotensin II and oxidative stress in experimental uremic mice. <i>Life Sciences</i> , 2014, 113, 55-59.                              | 4.3 | 23        |
| 26 | Impact of combined losartan/hydrochlorothiazide on proteinuria in patients with chronic kidney disease and hypertension. <i>Hypertension Research</i> , 2014, 37, 993-998.   | 2.7 | 14        |
| 27 | Tubulointerstitial nephritis and IgA nephropathy in a patient with advanced lung cancer treated with long-term gefitinib. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 398-402.                                 | 1.6 | 29        |
| 28 | Midodrine Hydrochloride and l-threo-3,4-dihydroxy-Phenylserine Preserve Cerebral Blood Flow in Hemodialysis Patients With Orthostatic Hypotension. <i>Therapeutic Apheresis and Dialysis</i> , 2007, 11, 49-55.            | 0.9 | 17        |
| 29 | Infusion of radiocontrast agents induces exaggerated release of urinary endothelin in patients with impaired renal function. <i>Clinical and Experimental Nephrology</i> , 2003, 7, 279-283.                               | 1.6 | 31        |