

Tetsushi Sakuma

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7370296/tetsushi-sakuma-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

5,717
citations

41
h-index

72
g-index

137
ext. papers

6,834
ext. citations

5.6
avg, IF

5.65
L-index

#	Paper	IF	Citations
134	Precise correction of the dystrophin gene in duchenne muscular dystrophy patient induced pluripotent stem cells by TALEN and CRISPR-Cas9. <i>Stem Cell Reports</i> , 2015 , 4, 143-154	8	388
133	Microhomology-mediated end-joining-dependent integration of donor DNA in cells and animals using TALENs and CRISPR/Cas9. <i>Nature Communications</i> , 2014 , 5, 5560	17.4	323
132	Robust In Vitro Induction of Human Germ Cell Fate from Pluripotent Stem Cells. <i>Cell Stem Cell</i> , 2015 , 17, 178-94	18	276
131	Multiplex genome engineering in human cells using all-in-one CRISPR/Cas9 vector system. <i>Scientific Reports</i> , 2014 , 4, 5400	4.9	253
130	MMEJ-assisted gene knock-in using TALENs and CRISPR-Cas9 with the PITCh systems. <i>Nature Protocols</i> , 2016 , 11, 118-33	18.8	217
129	Cloning-free CRISPR/Cas system facilitates functional cassette knock-in in mice. <i>Genome Biology</i> , 2015 , 16, 87	18.3	197
128	Efficient TALEN construction and evaluation methods for human cell and animal applications. <i>Genes To Cells</i> , 2013 , 18, 315-26	2.3	171
127	Precise in-frame integration of exogenous DNA mediated by CRISPR/Cas9 system in zebrafish. <i>Scientific Reports</i> , 2015 , 5, 8841	4.9	167
126	Repeating pattern of non-RVD variations in DNA-binding modules enhances TALEN activity. <i>Scientific Reports</i> , 2013 , 3, 3379	4.9	165
125	Sterol side chain reductase 2 is a key enzyme in the biosynthesis of cholesterol, the common precursor of toxic steroidal glycoalkaloids in potato. <i>Plant Cell</i> , 2014 , 26, 3763-74	11.6	155
124	Human Induced Pluripotent Stem Cell-Derived Podocytes Mature into Vascularized Glomeruli upon Experimental Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 1778-91	12.7	135
123	Simple knockout by electroporation of engineered endonucleases into intact rat embryos. <i>Scientific Reports</i> , 2014 , 4, 6382	4.9	133
122	Non-transgenic genome modifications in a hemimetabolous insect using zinc-finger and TAL effector nucleases. <i>Nature Communications</i> , 2012 , 3, 1017	17.4	109
121	Generation of a Nonhuman Primate Model of Severe Combined Immunodeficiency Using Highly Efficient Genome Editing. <i>Cell Stem Cell</i> , 2016 , 19, 127-38	18	109
120	EDEM2 initiates mammalian glycoprotein ERAD by catalyzing the first mannose trimming step. <i>Journal of Cell Biology</i> , 2014 , 206, 347-56	7.3	105
119	Efficient targeted mutagenesis in medaka using custom-designed transcription activator-like effector nucleases. <i>Genetics</i> , 2013 , 193, 739-49	4	89
118	The Microtubule-Depolymerizing Activity of a Mitotic Kinesin Protein KIF2A Drives Primary Cilia Disassembly Coupled with Cell Proliferation. <i>Cell Reports</i> , 2015 , 10, 664-673	10.6	78

117	High efficiency TALENs enable F0 functional analysis by targeted gene disruption in <i>Xenopus laevis</i> embryos. <i>Biology Open</i> , 2013 , 2, 448-52	2.2	73
116	Organoids from Nephrotic Disease-Derived iPSCs Identify Impaired NEPHRIN Localization and Slit Diaphragm Formation in Kidney Podocytes. <i>Stem Cell Reports</i> , 2018 , 11, 727-740	8	72
115	Stochastic promoter activation affects Nanog expression variability in mouse embryonic stem cells. <i>Scientific Reports</i> , 2014 , 4, 7125	4.9	69
114	Efficient gene targeting by TAL effector nucleases coinjectd with exonucleases in zygotes. <i>Scientific Reports</i> , 2013 , 3, 1253	4.9	67
113	Targeted mutagenesis in the sea urchin embryo using zinc-finger nucleases. <i>Genes To Cells</i> , 2010 , 15, 875-85	2.3	66
112	Unliganded thyroid hormone receptor β regulates developmental timing via gene repression in <i>Xenopus tropicalis</i> . <i>Endocrinology</i> , 2015 , 156, 735-44	4.8	64
111	Tissue-specific and ubiquitous gene knockouts by TALEN electroporation provide new approaches to investigating gene function in <i>Ciona</i> . <i>Development (Cambridge)</i> , 2014 , 141, 481-7	6.6	63
110	Cas9, Cpf1 and C2c1/2/3-What's next?. <i>Bioengineered</i> , 2017 , 8, 265-273	5.7	58
109	Highly efficient biallelic genome editing of human ES/iPS cells using a CRISPR/Cas9 or TALEN system. <i>Nucleic Acids Research</i> , 2017 , 45, 5198-5207	20.1	58
108	Homologous Recombination-Independent Large Gene Cassette Knock-in in CHO Cells Using TALEN and MMEJ-Directed Donor Plasmids. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 23849-66	6.3	56
107	Systematic Cellular Disease Models Reveal Synergistic Interaction of Trisomy 21 and GATA1 Mutations in Hematopoietic Abnormalities. <i>Cell Reports</i> , 2016 , 15, 1228-41	10.6	56
106	Depdc5 knockout rat: A novel model of mTORopathy. <i>Neurobiology of Disease</i> , 2016 , 89, 180-9	7.5	55
105	Genome Editing in Mouse Spermatogonial Stem Cell Lines Using TALEN and Double-Nicking CRISPR/Cas9. <i>Stem Cell Reports</i> , 2015 , 5, 75-82	8	53
104	Establishment of In Vitro FUS-Associated Familial Amyotrophic Lateral Sclerosis Model Using Human Induced Pluripotent Stem Cells. <i>Stem Cell Reports</i> , 2016 , 6, 496-510	8	53
103	Scleraxis is a transcriptional activator that regulates the expression of Tenomodulin, a marker of mature tenocytes and ligamentocytes. <i>Scientific Reports</i> , 2018 , 8, 3155	4.9	50
102	Highly efficient targeted mutagenesis in one-cell mouse embryos mediated by the TALEN and CRISPR/Cas systems. <i>Scientific Reports</i> , 2014 , 4, 5705	4.9	50
101	C-Type Lectin Receptor DCAR Recognizes Mycobacterial Phosphatidyl-Inositol Mannosides to Promote a Th1 Response during Infection. <i>Immunity</i> , 2016 , 45, 1245-1257	32.3	49
100	Gene cassette knock-in in mammalian cells and zygotes by enhanced MMEJ. <i>BMC Genomics</i> , 2016 , 17, 979	4.5	49

99	Production of Sry knockout mouse using TALEN via oocyte injection. <i>Scientific Reports</i> , 2013 , 3, 3136	4.9	49
98	Nuclease-mediated genome editing: At the front-line of functional genomics technology. <i>Development Growth and Differentiation</i> , 2014 , 56, 2-13	3	48
97	A high excision potential of TALENs for integrated DNA of HIV-based lentiviral vector. <i>PLoS ONE</i> , 2015 , 10, e0120047	3.7	44
96	Microhomology-assisted scarless genome editing in human iPSCs. <i>Nature Communications</i> , 2018 , 9, 939	17.4	43
95	TALEN-mediated single-base-pair editing identification of an intergenic mutation upstream of BUB1B as causative of PCS (MVA) syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 1461-6	11.5	43
94	Highly multiplexed CRISPR-Cas9-nuclease and Cas9-nickase vectors for inactivation of hepatitis B virus. <i>Genes To Cells</i> , 2016 , 21, 1253-1262	2.3	41
93	Production of knockout mice by DNA microinjection of various CRISPR/Cas9 vectors into freeze-thawed fertilized oocytes. <i>BMC Biotechnology</i> , 2015 , 15, 33	3.5	39
92	Functional Investigation of a Non-coding Variant Associated with Adolescent Idiopathic Scoliosis in Zebrafish: Elevated Expression of the Ladybird Homeobox Gene Causes Body Axis Deformation. <i>PLoS Genetics</i> , 2016 , 12, e1005802	6	39
91	Efficient modification of the myostatin gene in porcine somatic cells and generation of knockout piglets. <i>Molecular Reproduction and Development</i> , 2016 , 83, 61-70	2.6	39
90	Relative contribution of four nucleases, CtIP, Dna2, Exo1 and Mre11, to the initial step of DNA double-strand break repair by homologous recombination in both the chicken DT40 and human TK6 cell lines. <i>Genes To Cells</i> , 2015 , 20, 1059-76	2.3	38
89	Zinc-finger nuclease-mediated targeted insertion of reporter genes for quantitative imaging of gene expression in sea urchin embryos. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 10915-20	11.5	37
88	Efficient targeted mutagenesis of the chordate <i>Ciona intestinalis</i> genome with zinc-finger nucleases. <i>Development Growth and Differentiation</i> , 2012 , 54, 535-45	3	36
87	Transcription activator-like effector nucleases efficiently disrupt the target gene in Iberian ribbed newts (<i>Pleurodeles waltl</i>), an experimental model animal for regeneration. <i>Development Growth and Differentiation</i> , 2014 , 56, 115-21	3	34
86	Quantitative assay for TALEN activity at endogenous genomic loci. <i>Biology Open</i> , 2013 , 2, 363-7	2.2	33
85	Generation of mutant mice via the CRISPR/Cas9 system using FokI-dCas9. <i>Scientific Reports</i> , 2015 , 5, 11221	3.2	32
84	Tailor-made TALEN system for highly efficient targeted gene replacement in the rice blast fungus. <i>Biotechnology and Bioengineering</i> , 2015 , 112, 1335-42	4.9	28
83	Smarcal1 promotes double-strand-break repair by nonhomologous end-joining. <i>Nucleic Acids Research</i> , 2015 , 43, 6359-72	20.1	28
82	Targeted mutagenesis of multiple and paralogous genes in <i>Xenopus laevis</i> using two pairs of transcription activator-like effector nucleases. <i>Development Growth and Differentiation</i> , 2014 , 56, 108-14	2.8	28

81	Germ cell mutations of the ascidian <i>Ciona intestinalis</i> with TALE nucleases. <i>Genesis</i> , 2014 , 52, 431-9	1.9	26
80	Screening methods to identify TALEN-mediated knockout mice. <i>Experimental Animals</i> , 2014 , 63, 79-84	1.8	26
79	ALC1/CHD1L, a chromatin-remodeling enzyme, is required for efficient base excision repair. <i>PLoS ONE</i> , 2017 , 12, e0188320	3.7	25
78	Hox10-regulated endodermal cell migration is essential for development of the ascidian intestine. <i>Developmental Biology</i> , 2015 , 403, 43-56	3.1	24
77	Ultra-superovulation for the CRISPR-Cas9-mediated production of gene-knockout, single-amino-acid-substituted, and floxed mice. <i>Biology Open</i> , 2016 , 5, 1142-8	2.2	24
76	Down syndrome-associated haematopoiesis abnormalities created by chromosome transfer and genome editing technologies. <i>Scientific Reports</i> , 2014 , 4, 6136	4.9	23
75	Efficient genome engineering using Platinum TALEN in potato. <i>Plant Biotechnology</i> , 2019 , 36, 167-173	1.3	22
74	PAX2 is dispensable for in vitro nephron formation from human induced pluripotent stem cells. <i>Scientific Reports</i> , 2017 , 7, 4554	4.9	22
73	The 3'UTR of <i>nanos2</i> directs enrichment in the germ cell lineage of the sea urchin. <i>Developmental Biology</i> , 2013 , 377, 275-83	3.1	21
72	Modification of single-nucleotide polymorphism in a fully humanized CYP3A mouse by genome editing technology. <i>Scientific Reports</i> , 2017 , 7, 15189	4.9	20
71	Establishment of expanded and streamlined pipeline of PITCh knock-in - a web-based design tool for MMEJ-mediated gene knock-in, PITCh designer, and the variations of PITCh, PITCh-TG and PITCh-KIKO. <i>Bioengineered</i> , 2017 , 8, 302-308	5.7	19
70	In vivo tracking of histone H3 lysine 9 acetylation in <i>Xenopus laevis</i> during tail regeneration. <i>Genes To Cells</i> , 2016 , 21, 358-69	2.3	18
69	Detailed analysis of targeted gene mutations caused by the Platinum-Fungal TALENs in <i>Aspergillus oryzae</i> RIB40 strain and a <i>ligD</i> disruptant. <i>Journal of Bioscience and Bioengineering</i> , 2017 , 123, 287-293	3.3	18
68	Germ cell regeneration-mediated, enhanced mutagenesis in the ascidian <i>Ciona intestinalis</i> reveals flexible germ cell formation from different somatic cells. <i>Developmental Biology</i> , 2017 , 423, 111-125	3.1	17
67	Targeted knock-in of an scFv-Fc antibody gene into the <i>hprt</i> locus of Chinese hamster ovary cells using CRISPR/Cas9 and CRIS-PITCh systems. <i>Journal of Bioscience and Bioengineering</i> , 2018 , 125, 599-605 ^{3.3}	3.3	17
66	Functional consequence of fibulin-4 missense mutations associated with vascular and skeletal abnormalities and cutis laxa. <i>Matrix Biology</i> , 2016 , 56, 132-149	11.4	17
65	EDEM2 stably disulfide-bonded to TXNDC11 catalyzes the first mannose trimming step in mammalian glycoprotein ERAD. <i>ELife</i> , 2020 , 9,	8.9	17
64	Desmocollin-2 alone forms functional desmosomal plaques, with the plaque formation requiring the juxtamembrane region and plakophilins. <i>Journal of Biochemistry</i> , 2015 , 158, 339-53	3.1	16

63	Targeted mutagenesis in sea urchin embryos using TALENs. <i>Development Growth and Differentiation</i> , 2014 , 56, 92-7	3	16
62	Humanized UGT2 and CYP3A transchromosomal rats for improved prediction of human drug metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 3072-3081	11.5	15
61	Biased genome editing using the local accumulation of DSB repair molecules system. <i>Nature Communications</i> , 2018 , 9, 3270	17.4	15
60	The third type III module of human fibronectin mediates cell adhesion and migration. <i>Journal of Biochemistry</i> , 2010 , 147, 327-35	3.1	15
59	Tailor-made gene silencing of Staphylococcus aureus clinical isolates by CRISPR interference. <i>PLoS ONE</i> , 2018 , 13, e0185987	3.7	15
58	TALEN-induced gene knock out in Drosophila. <i>Development Growth and Differentiation</i> , 2014 , 56, 86-91	3	14
57	Targeted gene disruption by use of transcription activator-like effector nuclease (TALEN) in the water flea Daphnia pulex. <i>BMC Biotechnology</i> , 2014 , 14, 95	3.5	14
56	Involvement of aspartoacylase in tremor expression in rats. <i>Experimental Animals</i> , 2016 , 65, 293-301	1.8	14
55	Transcriptional regulation of a horizontally transferred gene from bacterium to chordate. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283,	4.4	14
54	Electroporation-mediated genome editing in vitrified/warmed mouse zygotes created by IVF via ultra-superovulation. <i>Experimental Animals</i> , 2018 , 67, 535-543	1.8	13
53	Activin Is Superior to BMP7 for Efficient Maintenance of Human iPSC-Derived Nephron Progenitors. <i>Stem Cell Reports</i> , 2019 , 13, 322-337	8	13
52	The Expression of TALEN before Fertilization Provides a Rapid Knock-Out Phenotype in Xenopus laevis Founder Embryos. <i>PLoS ONE</i> , 2015 , 10, e0142946	3.7	13
51	Acceleration of cancer science with genome editing and related technologies. <i>Cancer Science</i> , 2018 , 109, 3679-3685	6.9	13
50	Versatile strategy for isolating transcription activator-like effector nuclease-mediated knockout mutants in Caenorhabditis elegans. <i>Development Growth and Differentiation</i> , 2014 , 56, 78-85	3	12
49	ARHGAP10, which encodes Rho GTPase-activating protein 10, is a novel gene for schizophrenia risk. <i>Translational Psychiatry</i> , 2020 , 10, 247	8.6	12
48	Efficient and multiplexable genome editing using Platinum TALENs in oleaginous microalga, Nannochloropsis oceanica NIES-2145. <i>Genes To Cells</i> , 2020 , 25, 695-702	2.3	12
47	Loss of HCN1 subunits causes absence epilepsy in rats. <i>Brain Research</i> , 2019 , 1706, 209-217	3.7	12
46	Engineering Customized TALENs Using the Platinum Gate TALEN Kit. <i>Methods in Molecular Biology</i> , 2016 , 1338, 61-70	1.4	11

45	Hox-mediated endodermal identity patterns pharyngeal muscle formation in the chordate pharynx. <i>Development (Cambridge)</i> , 2017 , 144, 1629-1634	6.6	11
44	KLF1 mutation E325K induces cell cycle arrest in erythroid cells differentiated from congenital dyserythropoietic anemia patient-specific induced pluripotent stem cells. <i>Experimental Hematology</i> , 2019 , 73, 25-37.e8	3.1	11
43	DJ-1 is indispensable for the S-nitrosylation of Parkin, which maintains function of mitochondria. <i>Scientific Reports</i> , 2020 , 10, 4377	4.9	11
42	Establishment of knockout adult sea urchins by using a CRISPR-Cas9 system. <i>Development Growth and Differentiation</i> , 2019 , 61, 378-388	3	11
41	GABA-Induced GnRH Release Triggers Chordate Metamorphosis. <i>Current Biology</i> , 2020 , 30, 1555-1561.e4	6.3	10
40	PLEKHN1 promotes apoptosis by enhancing Bax-Bak hetero-oligomerization through interaction with Bid in human colon cancer. <i>Cell Death Discovery</i> , 2018 , 4, 11	6.9	10
39	Application of oocyte cryopreservation technology in TALEN-mediated mouse genome editing. <i>Experimental Animals</i> , 2014 , 63, 349-55	1.8	10
38	All-in-One CRISPR-Cas9/FokI-dCas9 Vector-Mediated Multiplex Genome Engineering in Cultured Cells. <i>Methods in Molecular Biology</i> , 2017 , 1498, 41-56	1.4	10
37	Identification of a cell-penetrating peptide applicable to a protein-based transcription activator-like effector expression system for cell engineering. <i>Biomaterials</i> , 2018 , 173, 11-21	15.6	10
36	PDIP38/PolDIP2 controls the DNA damage tolerance pathways by increasing the relative usage of translesion DNA synthesis over template switching. <i>PLoS ONE</i> , 2019 , 14, e0213383	3.7	9
35	Generation of D1-1 TALEN isogenic control cell line from Dravet syndrome patient iPSCs using TALEN-mediated editing of the SCN1A gene. <i>Stem Cell Research</i> , 2018 , 28, 100-104	1.6	9
34	Establishment of Functional Genomics Pipeline in Mouse Epiblast-Like Tissue by Combining Transcriptomic Analysis and Gene Knockdown/Knockin/Knockout, Using RNA Interference and CRISPR/Cas9. <i>Human Gene Therapy</i> , 2016 , 27, 436-50	4.8	9
33	Enhancer activity sensitive to the orientation of the gene it regulates in the chordate genome. <i>Developmental Biology</i> , 2013 , 375, 79-91	3.1	9
32	Culture time of vitrified/warmed zygotes before microinjection affects the production efficiency of CRISPR-Cas9-mediated knock-in mice. <i>Biology Open</i> , 2017 , 6, 706-713	2.2	8
31	Targeted mutagenesis of the ryanodine receptor by Platinum TALENs causes slow swimming behaviour in Pacific bluefin tuna (<i>Thunnus orientalis</i>). <i>Scientific Reports</i> , 2019 , 9, 13871	4.9	8
30	Current Overview of TALEN Construction Systems. <i>Methods in Molecular Biology</i> , 2017 , 1630, 25-36	1.4	8
29	Differential transactivation of the upstream aggrecan enhancer regulated by PAX1/9 depends on SOX9-driven transactivation. <i>Scientific Reports</i> , 2019 , 9, 4605	4.9	7
28	Non-RVD mutations that enhance the dynamics of the TAL repeat array along the superhelical axis improve TALEN genome editing efficacy. <i>Scientific Reports</i> , 2016 , 6, 37887	4.9	7

27	Three multi-allelic gene pairs are responsible for self-sterility in the ascidian <i>Ciona intestinalis</i> . <i>Scientific Reports</i> , 2020 , 10, 2514	4.9	6
26	Unexpected heterogeneity derived from Cas9 ribonucleoprotein-introduced clonal cells at the HPRT1 locus. <i>Genes To Cells</i> , 2018 , 23, 255-263	2.3	6
25	Reinvestigation of Disulfide-bonded Oligomeric Forms of the Unfolded Protein Response Transducer ATF6. <i>Cell Structure and Function</i> , 2020 , 45, 9-21	2.2	6
24	Single-Cell-State Culture of Human Pluripotent Stem Cells Increases Transfection Efficiency. <i>BioResearch Open Access</i> , 2016 , 5, 127-36	2.4	6
23	Murine neonatal ketogenesis preserves mitochondrial energetics by preventing protein hyperacetylation. <i>Nature Metabolism</i> , 2021 , 3, 196-210	14.6	6
22	Generation of and characterization of anti-IL-11 antibodies using newly established Il11-deficient mice. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 505, 453-459	3.4	6
21	Differential micronucleus frequency in isogenic human cells deficient in DNA repair pathways is a valuable indicator for evaluating genotoxic agents and their genotoxic mechanisms. <i>Environmental and Molecular Mutagenesis</i> , 2018 , 59, 529-538	3.2	6
20	TAp63 represses transcription of MYCN/NCYM gene and its high levels of expression are associated with favorable outcome in neuroblastoma. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 518, 311-318	3.4	5
19	Cancer induction and suppression with transcriptional control and epigenome editing technologies. <i>Journal of Human Genetics</i> , 2018 , 63, 187-194	4.3	5
18	MET Activation by a Macrocyclic Peptide Agonist that Couples to Biological Responses Differently from HGF in a Context-Dependent Manner. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	5
17	Anephrogenic phenotype induced by SALL1 gene knockout in pigs. <i>Scientific Reports</i> , 2019 , 9, 8016	4.9	4
16	Homeolog-specific targeted mutagenesis in <i>Xenopus laevis</i> using TALENs. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2015 , 51, 879-84	2.6	4
15	Various strategies of effector accumulation to improve the efficiency of genome editing and derivative methodologies. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2020 , 56, 359-366	2.6	4
14	Regenerating islet-derived protein (Reg)3 β plays a crucial role in attenuation of ileitis and colitis in mice. <i>Biochemistry and Biophysics Reports</i> , 2020 , 21, 100738	2.2	4
13	Development of a protein-based system for transient epigenetic repression of immune checkpoint molecule and enhancement of antitumour activity of natural killer cells. <i>British Journal of Cancer</i> , 2020 , 122, 823-834	8.7	4
12	Hox13 is essential for formation of a sensory organ at the terminal end of the sperm duct in <i>Ciona</i> . <i>Developmental Biology</i> , 2020 , 458, 120-131	3.1	4
11	Nucleotide receptor P2RY4 is required for head formation via induction and maintenance of head organizer in <i>Xenopus laevis</i> . <i>Development Growth and Differentiation</i> , 2019 , 61, 186-197	3	4
10	Pathological characteristics of Ccdc85c knockout rats: a rat model of genetic hydrocephalus. <i>Experimental Animals</i> , 2020 , 69, 26-33	1.8	4

9	TALEN-Mediated Gene Editing of slc24a5 (Solute Carrier Family 24, Member 5) in Kawakawa, <i>Euthynnus affinis</i> . <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 1378	2.4	4
8	Epithelial DLD-1 Cells with Disrupted E-cadherin Gene Retain the Ability to Form Cell Junctions and Apico-basal Polarity. <i>Cell Structure and Function</i> , 2015 , 40, 79-94	2.2	3
7	Temporal effects of Notch signaling and potential cooperation with multiple downstream effectors on adeno-hypophysis cell specification in zebrafish. <i>Genes To Cells</i> , 2016 , 21, 492-504	2.3	3
6	Establishment of pten knockout medaka with transcription activator-like effector nucleases (TALENs) as a model of PTEN deficiency disease. <i>PLoS ONE</i> , 2017 , 12, e0186878	3.7	2
5	FAST-id system for enrichment of cells with TALEN-induced mutations and large deletions. <i>Genes To Cells</i> , 2014 , 19, 419-31	2.3	2
4	HpSumf1 is involved in the activation of sulfatases responsible for regulation of skeletogenesis during sea urchin development. <i>Development Genes and Evolution</i> , 2011 , 221, 157-66	1.8	2
3	Genetic Tools for Self-Organizing Culture of Mouse Embryonic Stem Cells via Small Regulatory RNA-Mediated Technologies, CRISPR/Cas9, and Inducible RNAi. <i>Methods in Molecular Biology</i> , 2017 , 1622, 269-292	1.4	1
2	TALEN-mediated targeted editing of the GDE5 gene suppresses fibroblastic cell proliferation. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017 , 81, 2164-2167	2.1	
1	Six1 is required for signaling center formation and labial-lingual asymmetry in developing lower incisors. <i>Developmental Dynamics</i> , 2020 , 249, 1098-1116	2.9	