

Teresa Auguet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7370526/teresa-auguet-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

3,793
citations

24
h-index

61
g-index

87
ext. papers

5,378
ext. citations

6
avg, IF

4.24
L-index

#	Paper	IF	Citations
73	Lipocalin, Resistin and Gut Microbiota-Derived Propionate Could Be Used to Predict Metabolic Bariatric Surgery Selected Outcomes. <i>Processes</i> , 2022 , 10, 143	2.9	
72	Fetuin-A, inter-β-trypsin inhibitor, glutamic acid and ChoE (18:0) are key biomarkers in a panel distinguishing mild from critical coronavirus disease 2019 outcomes.. <i>Clinical and Translational Medicine</i> , 2022 , 12, e704	5.7	1
71	Evolving mortality and clinical outcomes of hospitalized subjects during successive COVID-19 waves in Catalonia, Spain.. <i>Global Epidemiology</i> , 2022 , 4, 100071	2.3	0
70	The risk of COVID-19 death is much greater and age dependent with type I IFN autoantibodies.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2200413119 ^{11.5}	11.5	3
69	Identification of the Potential Molecular Mechanisms Linking RUNX1 Activity with Nonalcoholic Fatty Liver Disease, by Means of Systems Biology. <i>Biomedicines</i> , 2022 , 10, 1315	4.8	1
68	Predictive Biomarkers of COVID-19 Severity in SARS-CoV-2 Infected Patients with Obesity and Metabolic Syndrome. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	1
67	The Potential Protective Role of RUNX1 in Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
66	Demographic, clinical, and functional determinants of antithrombotic treatment in patients with nonvalvular atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 384	2.3	0
65	Autoantibodies neutralizing type I IFNs are present in 4% of uninfected individuals over 70 years old and account for 20% of COVID-19 deaths. <i>Science Immunology</i> , 2021 , 6,	28	91
64	X-linked recessive TLR7 deficiency in ~1% of men under 60 years old with life-threatening COVID-19. <i>Science Immunology</i> , 2021 , 6,	28	67
63	Deregulated Serotonin Pathway in Women with Morbid Obesity and NAFLD. <i>Life</i> , 2020 , 10,	3	1
62	Relationship between IL-8 Circulating Levels and TLR2 Hepatic Expression in Women with Morbid Obesity and Nonalcoholic Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
61	Hepatocyte Notch Signaling Deregulation Related to Lipid Metabolism in Women with Obesity and Nonalcoholic Fatty Liver. <i>Obesity</i> , 2020 , 28, 1487-1493	8	2
60	Inborn errors of type I IFN immunity in patients with life-threatening COVID-19. <i>Science</i> , 2020 , 370,	33.3	994
59	Autoantibodies against type I IFNs in patients with life-threatening COVID-19. <i>Science</i> , 2020 , 370,	33.3	1090
58	Circulating microbiota-derived metabolites: a "liquid biopsy?". <i>International Journal of Obesity</i> , 2020 , 44, 875-885	5.5	30
57	Gut Microbiota-Derived Mediators as Potential Markers in Nonalcoholic Fatty Liver Disease. <i>BioMed Research International</i> , 2019 , 2019, 8507583	3	20

56	Low Circulating Levels of Neurotensin in Women with Nonalcoholic Fatty Liver Disease Associated with Severe Obesity. <i>Obesity</i> , 2018 , 26, 274-278	8	12
55	Targeted metabolomic approach in men with carotid plaque. <i>PLoS ONE</i> , 2018 , 13, e0200547	3.7	8
54	Hepcidin in morbidly obese women with non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2017 , 12, e0187065	3.7	13
53	Development of a Risk Prediction Score for Occult Cancer in Patients With VTE. <i>Chest</i> , 2017 , 151, 564-574	3.3	40
52	Adipo/cytokines in atherosclerotic secretomes: increased visfatin levels in unstable carotid plaque. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 149	2.3	17
51	Proteomic Profile of Unstable Atheroma Plaque: Increased Neutrophil Defensin 1, Clusterin, and Apolipoprotein E Levels in Carotid Secretome. <i>Journal of Proteome Research</i> , 2016 , 15, 933-44	5.6	19
50	Increased Circulating Levels of Alpha-Ketoglutarate in Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2016 , 11, e0154601	3.7	7
49	miR33a/miR33b* and miR122 as Possible Contributors to Hepatic Lipid Metabolism in Obese Women with Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	30
48	PNPLA3 Expression Is Related to Liver Steatosis in Morbidly Obese Women with Non-Alcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	17
47	A RIETE registry analysis of recurrent thromboembolism and hemorrhage in patients with catheter-related thrombosis. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2015 , 3, 243-50	3.2	16
46	A prognostic score to identify low-risk outpatients with acute deep vein thrombosis in the upper extremity. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 1274-8	15.4	6
45	Interleukin-17A Gene Expression in Morbidly Obese Women. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 17469-81	6.3	18
44	Downregulation of de Novo Fatty Acid Synthesis in Subcutaneous Adipose Tissue of Moderately Obese Women. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 29911-22	6.3	11
43	Clinical outcome in patients with venous thromboembolism receiving concomitant anticoagulant and antiplatelet therapy. <i>European Journal of Internal Medicine</i> , 2014 , 25, 821-5	3.9	10
42	Molecular pathways in non-alcoholic fatty liver disease. <i>Clinical and Experimental Gastroenterology</i> , 2014 , 7, 221-39	3.1	229
41	Endocannabinoid receptors gene expression in morbidly obese women with nonalcoholic fatty liver disease. <i>BioMed Research International</i> , 2014 , 2014, 502542	3	21
40	Altered fatty acid metabolism-related gene expression in liver from morbidly obese women with non-alcoholic fatty liver disease. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 22173-87	6.3	37
39	Clinical and adipocytokine changes after bariatric surgery in morbidly obese women. <i>Obesity</i> , 2014 , 22, 188-94	8	20

38	Downregulation of lipogenesis and fatty acid oxidation in the subcutaneous adipose tissue of morbidly obese women. <i>Obesity</i> , 2014 , 22, 2032-8	8	25
37	Plasma visfatin levels and gene expression in morbidly obese women with associated fatty liver disease. <i>Clinical Biochemistry</i> , 2013 , 46, 202-8	3.5	49
36	Long-term changes in leptin, chemerin and ghrelin levels following different bariatric surgery procedures: Roux-en-Y gastric bypass and sleeve gastrectomy. <i>Obesity Surgery</i> , 2013 , 23, 1790-8	3.7	81
35	Liver lipocalin 2 expression in severely obese women with non alcoholic fatty liver disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013 , 121, 119-24	2.3	35
34	Retinol binding protein-4 circulating levels were higher in nonalcoholic fatty liver disease vs. histologically normal liver from morbidly obese women. <i>Obesity</i> , 2013 , 21, 170-7	8	43
33	Adipocytokine levels in women with anorexia nervosa. Relationship with weight restoration and disease duration. <i>International Journal of Eating Disorders</i> , 2013 , 46, 855-61	6.3	29
32	Zinc alpha-2 glycoprotein is implicated in dyslipidaemia in HIV-1-infected patients treated with antiretroviral drugs. <i>HIV Medicine</i> , 2012 , 13, 297-303	2.7	18
31	Increased levels and adipose tissue expression of visfatin in morbidly obese women: the relationship with pro-inflammatory cytokines. <i>Clinical Endocrinology</i> , 2012 , 77, 691-8	3.4	41
30	Pharmacogenetics of efficacy and safety of HCV treatment in HCV-HIV coinfecting patients: significant associations with IL28B and SOCS3 gene variants. <i>PLoS ONE</i> , 2012 , 7, e47725	3.7	9
29	Upregulation of lipocalin 2 in adipose tissues of severely obese women: positive relationship with proinflammatory cytokines. <i>Obesity</i> , 2011 , 19, 2295-300	8	64
28	New adipokines vaspin and omentin. Circulating levels and gene expression in adipose tissue from morbidly obese women. <i>BMC Medical Genetics</i> , 2011 , 12, 60	2.1	113
27	FABP 4 is associated with inflammatory markers and metabolic syndrome in morbidly obese women. <i>European Journal of Endocrinology</i> , 2011 , 164, 539-47	6.5	88
26	Anti-inflammatory profile of FTO gene expression in adipose tissues from morbidly obese women. <i>Cellular Physiology and Biochemistry</i> , 2010 , 26, 1041-50	3.9	25
25	Apolipoprotein C3 gene variants in nonalcoholic fatty liver disease. <i>New England Journal of Medicine</i> , 2010 , 363, 193-4; author reply 195	59.2	3
24	Association of retinol-binding protein-4 (RBP4) with lipid parameters in obese women. <i>Obesity Surgery</i> , 2010 , 20, 1258-64	3.7	35
23	Xantomas eruptivos y dislipemia mixta asociados al tratamiento con olanzapina. <i>Piel</i> , 2010 , 25, 383-386	0.1	1
22	Polymorphisms in the interleukin-10 gene promoter and the risk of alcoholism and alcoholic liver disease in Caucasian Spaniard men. <i>Alcohol</i> , 2010 , 44, 211-6	2.7	8
21	Parallel downregulation of retinol-binding protein-4 and adiponectin expression in subcutaneous adipose tissue of non-morbidly obese subjects. <i>European Journal of Endocrinology</i> , 2009 , 161, 87-94	6.5	12

20	PPARgamma Pro12Ala polymorphism in HIV-1-infected patients with HAART-related lipodystrophy. <i>Current HIV Research</i> , 2009 , 7, 533-40	1.3	12
19	A study on the TNF-alpha system in Caucasian Spanish patients with alcoholic liver disease. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 91-9	4.9	22
18	Lamivudine in the treatment of hepatitis B virus-related polyarteritis nodosa. <i>Journal of Clinical Rheumatology</i> , 2007 , 13, 298-9	1.1	5
17	Clinical Characteristics and Outcome of Infective Endocarditis in Individuals of the General Population Managed at a Teaching Hospital Without Cardiac Surgery Facilities. Study of 120 Cases. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006 , 59, 1131-1139	0.7	0
16	Características clínicas y evolución de la endocarditis infecciosa en una población general no seleccionada, atendida en un hospital docente que no dispone de cirugía cardíaca. Estudio de 120 casos. <i>Revista Espanola De Cardiologia</i> , 2006 , 59, 1131-1139	1.5	7
15	Polymorphisms of alcohol-metabolizing enzymes and the risk for alcoholism and alcoholic liver disease in Caucasian Spanish women. <i>Drug and Alcohol Dependence</i> , 2006 , 84, 195-200	4.9	29
14	Genetic polymorphisms of ADH2, ADH3, CYP4502E1 Dra-I and Pst-I, and ALDH2 in Spanish men: lack of association with alcoholism and alcoholic liver disease. <i>Journal of Hepatology</i> , 2004 , 41, 744-50	13.4	66
13	Synchronous renal cell carcinoma and Bellini duct carcinoma: a case report on a rare coincidence. <i>World Journal of Urology</i> , 2000 , 18, 449-51	4	22
12	Polytopic spondylodiscitis secondary to Streptococcus bovis endocarditis. <i>British Journal of Rheumatology</i> , 1999 , 38, 686-8		2
11	Recovery of minimal change nephrotic syndrome and acute renal failure in a patient with Renal cell carcinoma. <i>American Journal of Nephrology</i> , 1998 , 18, 433-5	4.6	14
10	Pelvic mass in 46-year old man. <i>Postgraduate Medical Journal</i> , 1997 , 73, 371-3	2	1
9	Intestinal obstruction complicating calcium polystyrene sulphonate therapy. <i>Nephrology Dialysis Transplantation</i> , 1996 , 11, 751	4.3	1
8	Amyloid arthropathy and Waldenström's macroglobulinemia. <i>American Journal of Hematology</i> , 1995 , 49, 260	7.1	2
7	Apolipoprotein(a) genetic polymorphism and serum lipoprotein(a) concentration in patients with peripheral vascular disease. <i>Atherosclerosis</i> , 1993 , 104, 87-94	3.1	29
6	Tuberculous pericarditis as the first manifestation of AIDS. <i>Infection</i> , 1993 , 21, 334-5	5.8	4
5	Serum lipoprotein(a) concentration in patients with chronic renal failure receiving haemodialysis: influence of apolipoprotein (a) genetic polymorphism. <i>Nephrology Dialysis Transplantation</i> , 1993 , 8, 1099-1103	4.3	22
4	Brucellosis and HIV infection: a casual association?. <i>Aids</i> , 1992 , 6, 1039-40	3.5	8
3	Arthritis in Mediterranean spotted fever. <i>Infection</i> , 1991 , 19, 346-7	5.8	7

2	Retinol Binding Protein-4 Circulating Levels Were Higher in Nonalcoholic Fatty Liver Disease Vs. Histologically Normal Liver From Morbidly Obese Women. <i>Obesity</i> ,	8	4
1	Intestinal Dysbiosis and Non-Alcoholic Fatty Liver Disease. <i>Biochemistry</i> ,		1