

List of Publications by Year in
Descending Order

Source: <https://exaly.com/author-pdf/7370705/joon-jeong-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167 papers	3,168 citations	27 h-index	52 g-index
183 ext. papers	4,023 ext. citations	5 avg, IF	4.88 L-index

#	Paper	IF	Citations
167	Abstract P4-05-08: 18F-FDG uptake of visceral adipose tissue on preoperative PET/CT as a predictive marker for breast cancer recurrence. <i>Cancer Research</i> , 2022 , 82, P4-05-08-P4-05-08	10.1	
166	Abstract P2-12-13: Pathologic complete response rate according to the carboplatin dose in patients with non-metastatic HER2+ breast cancer treated with neoadjuvant docetaxel/carboplatin/trastuzumab/pertuzumab (TCHP). <i>Cancer Research</i> , 2022 , 82, P2-12-13-P2-12-13	10.1	
165	Abstract P1-17-09: Efficacy of limited dose modifications for palbociclib-related grade 3 neutropenia in hormone receptor positive metastatic breast cancer. <i>Cancer Research</i> , 2022 , 82, P1-17-09-P1-17-09	10.1	
164	No axillary surgical treatment for lymph node-negative patients after ultra-sonography [NAUTILUS]: protocol of a prospective randomized clinical trial.. <i>BMC Cancer</i> , 2022 , 22, 189	4.8	1
163	Association between TP53 mutation and high 21-gene recurrence score in estrogen receptor-positive/HER2-negative breast cancer.. <i>Npj Breast Cancer</i> , 2022 , 8, 19	7.8	1
162	Abstract P2-13-14: Pattern of recurrence after pathologic complete response after neoadjuvant chemotherapy in patients with early HER2-positive breast cancer: Real-world evidence. <i>Cancer Research</i> , 2022 , 82, P2-13-14-P2-13-14	10.1	
161	Abstract P2-10-07: Prediction of menstruation recovery timing in premenopausal breast cancer patients taking tamoxifen after chemotherapy: An ASTRRA substudy. <i>Cancer Research</i> , 2022 , 82, P2-10-07-P2-10-07	10.1	
160	Abstract P1-08-11: Clinical relevance of host immunity in patients with breast cancer who received neoadjuvant chemotherapy. <i>Cancer Research</i> , 2022 , 82, P1-08-11-P1-08-11	10.1	
159	Abstract P3-12-14: Attenuated negative prognostic effect of progesterone receptor negativity in postmenopausal ER+ breast cancer with normal BMI (<25): A nation-wide study in Korean Breast Cancer Society and the institutional cohort. <i>Cancer Research</i> , 2022 , 82, P3-12-14-P3-12-14	10.1	
158	Peptidyl-prolyl cis-trans isomerase NIMA-interacting 1 directly binds and stabilizes Nrf2 in breast cancer.. <i>FASEB Journal</i> , 2022 , 36, e22068	0.9	0
157	RT-induced dynamic changes in the lymphocyte-to-monocyte ratio in patients with breast cancer indicate poor prognosis.. <i>Breast Cancer Research and Treatment</i> , 2022 , 193, 637	4.4	0
156	Primary endocrine resistance of ER+ breast cancer with ESR1 mutations interrogated by droplet digital PCR.. <i>Npj Breast Cancer</i> , 2022 , 8, 58	7.8	1
155	A Randomized Controlled Trial for Doing vs. Omitting Intraoperative Frozen Section Biopsy for Resection Margin Status in Selected Patients Undergoing Breast-Conserving Surgery (OFF-MAP Trial).. <i>Journal of Breast Cancer</i> , 2021 , 24, 569-577	3	
154	Genomic Alterations during the to Invasive Ductal Breast Carcinoma Transition Shaped by the Immune System. <i>Molecular Cancer Research</i> , 2021 , 19, 623-635	6.6	4
153	Analysis of risk factors associated with survival in human epidermal growth factor receptor 2-positive ductal carcinoma using Korean Breast Cancer Society Database.. <i>Annals of Surgical Treatment and Research</i> , 2021 , 101, 315-321	2	
152	Interaction between CD36 and FABP4 modulates adipocyte-induced fatty acid import and metabolism in breast cancer. <i>Npj Breast Cancer</i> , 2021 , 7, 129	7.8	6
151	Safety and efficacy of everolimus (EVE) plus exemestane (EXE) in postmenopausal women with locally advanced or metastatic breast cancer: final results from EVEREXES. <i>Breast Cancer Research and Treatment</i> , 2021 , 188, 77-89	4.4	0

150	Clinical and genomic assessment of PD-L1 SP142 expression in triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021 , 188, 165-178	4.4	6
149	Body mass index and absolute lymphocyte count predict disease-free survival in Korean breast cancer patients. <i>British Journal of Cancer</i> , 2021 , 125, 119-125	8.7	4
148	Association between Skeletal Muscle Loss and the Response to Neoadjuvant Chemotherapy for Breast Cancer. <i>Cancers</i> , 2021 , 13,	6.6	1
147	On-treatment derived neutrophil-to-lymphocyte ratio and response to palbociclib and letrozole: Analysis of a multicenter retrospective cohort and the PALOMA-2 study.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1066-1066	2.2	
146	The association between the expression of nuclear Yes-associated protein 1 (YAP1) and p53 protein expression profile in breast cancer patients. <i>PLoS ONE</i> , 2021 , 16, e0250986	3.7	1
145	Relationship of the standard uptake value of F-FDG-PET-CT with tumor-infiltrating lymphocytes in breast tumors measuring ≥ 1 cm. <i>Scientific Reports</i> , 2021 , 11, 12046	4.9	0
144	Real-World Clinical Outcomes of Biosimilar Trastuzumab (CT-P6) in HER2-Positive Early-Stage and Metastatic Breast Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 689587	5.3	3
143	Using a Tailored Digital Health Intervention for Family Communication and Cascade Genetic Testing in Swiss and Korean Families With Hereditary Breast and Ovarian Cancer: Protocol for the DIALOGUE Study. <i>JMIR Research Protocols</i> , 2021 , 10, e26264	2	1
142	Five-year changes in ovarian function restoration in premenopausal patients with breast cancer taking tamoxifen after chemotherapy: An ASTRRA study report. <i>European Journal of Cancer</i> , 2021 , 151, 190-200	7.5	1
141	Clinical Outcomes Following Letrozole Treatment according to Estrogen Receptor Expression in Postmenopausal Women: LETTER Study (KBCSG-006). <i>Journal of Breast Cancer</i> , 2021 , 24, 164-174	3	1
140	Comparison of clinicopathological characteristics and prognosis in breast cancer patients with different Breast Imaging Reporting and Data System categories. <i>Annals of Surgical Treatment and Research</i> , 2021 , 101, 131-139	2	2
139	Clinical Features of Breast Cancer in South Korean Patients with Germline Gene Mutations. <i>Journal of Breast Cancer</i> , 2021 , 24, 175-182	3	1
138	Immune-modulating Effect of Korean Red Ginseng by Balancing the Ratio of Peripheral T Lymphocytes in Bile Duct or Pancreatic Cancer Patients With Adjuvant Chemotherapy. <i>In Vivo</i> , 2021 , 35, 1895-1900	2.3	2
137	Is mastectomy with immediate reconstruction safe for patients undergoing neoadjuvant chemotherapy? A nationwide study from Korean Breast Cancer Society. <i>Breast Cancer</i> , 2021 , 28, 874-883	3.4	0
136	High Nuclear Expression of Yes-Associated Protein 1 Correlates With Metastasis in Patients With Breast Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 609743	5.3	1
135	Axillary response according to neoadjuvant single or dual human epidermal growth factor receptor 2 (HER2) blockade in clinically node-positive, HER2-positive breast cancer. <i>International Journal of Cancer</i> , 2021 , 149, 1585-1592	7.5	2
134	Added value of abbreviated breast magnetic resonance imaging for assessing suspicious microcalcification on screening mammography-a prospective study. <i>European Radiology</i> , 2021 , 1	8	1
133	Diagnostic Accuracy of Nonmass Enhancement at Breast MRI in Predicting Tumor Involvement of the Nipple: A Prospective Study in a Single Institution. <i>Radiology</i> , 2021 , 301, 47-56	20.5	2

132	PD-L1 expression evaluated by 22C3 antibody is a better prognostic marker than SP142/SP263 antibodies in breast cancer patients after resection. <i>Scientific Reports</i> , 2021 , 11, 19555	4.9	1
131	Significance of Non-Mass Enhancement in the Subareolar Region on Preoperative Breast Magnetic Resonance Imaging for Nipple-Sparing Mastectomy. <i>Clinical Breast Cancer</i> , 2020 , 20, e458-e468	3	3
130	Comparison of complications according to incision types in nipple-sparing mastectomy and immediate reconstruction. <i>Breast</i> , 2020 , 53, 85-91	3.6	12
129	Genomic Signature of the Standardized Uptake Value in F-Fluorodeoxyglucose Positron Emission Tomography in Breast Cancer. <i>Cancers</i> , 2020 , 12,	6.6	6
128	Omission of axillary lymph node dissection in patients who underwent total mastectomy with 1 or 2 metastatic lymph nodes. <i>Annals of Surgical Treatment and Research</i> , 2020 , 98, 283-290	2	1
127	A nomogram constructed using intraoperative ex vivo shear-wave elastography precisely predicts metastasis of sentinel lymph nodes in breast cancer. <i>European Radiology</i> , 2020 , 30, 789-797	8	5
126	Local Treatment in Addition to Endocrine Therapy in Hormone Receptor-Positive and HER2-Negative Oligometastatic Breast Cancer Patients: A Retrospective Multicenter Analysis. <i>Breast Care</i> , 2020 , 15, 408-414	2.4	6
125	Repeat Sentinel Lymph Node Biopsy for Ipsilateral Breast Tumor Recurrence After Breast Conserving Surgery With Sentinel Lymph Node Biopsy: Pooled Analysis Using Data From a Systematic Review and Two Institutions. <i>Frontiers in Oncology</i> , 2020 , 10, 518568	5.3	2
124	A nationwide, multicenter retrospective study on the effectiveness and safety of eribulin in Korean breast cancer patients (REMARK). <i>Breast</i> , 2020 , 54, 121-126	3.6	2
123	Radiotherapy-Induced High Neutrophil-to-Lymphocyte Ratio is a Negative Prognostic Factor in Patients with Breast Cancer. <i>Cancers</i> , 2020 , 12,	6.6	9
122	Prognostic value of neutrophil-to-lymphocyte ratio in human epidermal growth factor receptor 2-negative breast cancer patients who received neoadjuvant chemotherapy. <i>Scientific Reports</i> , 2020 , 10, 13078	4.9	8
121	Validation of Clinical Treatment Score post-5 years (CTS5) risk stratification in premenopausal breast cancer patients and Ki-67 labelling index. <i>Scientific Reports</i> , 2020 , 10, 16850	4.9	6
120	Comparison of resection margin status after single or double radiopaque marker insertion for tumor localization in breast cancer patients receiving neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2020 , 184, 797-803	4.4	2
119	Adding Ovarian Suppression to Tamoxifen for Premenopausal Breast Cancer: A Randomized Phase III Trial. <i>Journal of Clinical Oncology</i> , 2020 , 38, 434-443	2.2	28
118	Associations between absolute neutrophil count and lymphocyte-predominant breast cancer. <i>Breast</i> , 2020 , 50, 141-148	3.6	17
117	High A20 expression negatively impacts survival in patients with breast cancer. <i>PLoS ONE</i> , 2019 , 14, e0221721	3.1	12
116	Redefining Eligibility by Analyzing Canceled Intraoperative Radiotherapy as a Boost for Patients Undergoing Breast-Conserving Treatment. <i>Annals of Surgical Oncology</i> , 2019 , 26, 4294-4301	3.1	
115	Immediate Breast Reconstruction Does Not Have a Clinically Significant Impact on Adjuvant Treatment Delay and Subsequent Survival Outcomes. <i>Journal of Breast Cancer</i> , 2019 , 22, 109-119	3	9

114	Comparison of GenesWell BCT Score With Oncotype DX Recurrence Score for Risk Classification in Asian Women With Hormone Receptor-Positive, HER2-Negative Early Breast Cancer. <i>Frontiers in Oncology</i> , 2019 , 9, 667	5.3	7
113	The prognostic significance of preoperative tumor marker (CEA, CA15-3) elevation in breast cancer patients: data from the Korean Breast Cancer Society Registry. <i>Breast Cancer Research and Treatment</i> , 2019 , 177, 669-678	4.4	20
112	Survival benefit of postoperative radiotherapy for ductal carcinoma in situ after breast-conserving surgery: a Korean population-based cohort study. <i>Breast Cancer Research and Treatment</i> , 2019 , 178, 105-113	4.4	2
111	Measuring Tumor Extent Based on Subtypes Using Magnetic Resonance Imaging: Radiologic-Pathologic Discordance and High Positive Margin Rates in Breast Cancer. <i>Journal of Breast Cancer</i> , 2019 , 22, 453-463	3	3
110	Low PR in ER(+)/HER2(-) breast cancer: high rates of TP53 mutation and high SUV. <i>Endocrine-Related Cancer</i> , 2019 , 26, 177-185	5.7	8
109	Five-Year Overall Survival of Interval Breast Cancers is Better than Non- Interval Cancers from Korean Breast Cancer Registry. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019 , 20, 1717-1726	1.7	2
108	Aromatase Inhibitors and Newly Developed Nonalcoholic Fatty Liver Disease in Postmenopausal Patients with Early Breast Cancer: A Propensity Score-Matched Cohort Study. <i>Oncologist</i> , 2019 , 24, e653-e661	5.7	6
107	RNF208, an estrogen-inducible E3 ligase, targets soluble Vimentin to suppress metastasis in triple-negative breast cancers. <i>Nature Communications</i> , 2019 , 10, 5805	17.4	19
106	A phase II study investigating the acute toxicity of targeted intraoperative radiotherapy as tumor-bed boost plus whole breast irradiation after breast-conserving surgery in Korean patients. <i>Breast Cancer Research and Treatment</i> , 2019 , 174, 157-163	4.4	7
105	Everolimus Plus Endocrine Therapy for Postmenopausal Women With Estrogen Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative Advanced Breast Cancer: A Clinical Trial. <i>JAMA Oncology</i> , 2018 , 4, 977-984	13.4	33
104	Locoregional Treatment of the Primary Tumor in Patients With De Novo Stage IV Breast Cancer: A Radiation Oncologist's Perspective. <i>Clinical Breast Cancer</i> , 2018 , 18, e167-e178	3	20
103	Assessment of Quality of Life and Safety in Postmenopausal Breast Cancer Patients Receiving Letrozole as an Early Adjuvant Treatment. <i>Journal of Breast Cancer</i> , 2018 , 21, 182-189	3	1
102	Shear-Wave Elastography of Axillary Lymph Nodes to Predict Nodal Metastasis in Patients with Primary Breast Cancer. <i>Journal of Breast Cancer</i> , 2018 , 21, 190-196	3	11
101	Stabilization of Cyclin-Dependent Kinase 4 by Methionyl-tRNA Synthetase in p16-Negative Cancer. <i>ACS Pharmacology and Translational Science</i> , 2018 , 1, 21-31	5.9	12
100	Comparisons of tumor-infiltrating lymphocyte levels and the 21-gene recurrence score in ER-positive/HER2-negative breast cancer. <i>BMC Cancer</i> , 2018 , 18, 320	4.8	11
99	Comparison of Outcomes between Direct-to-Implant Breast Reconstruction Following Nipple-Sparing Mastectomy through Inframammary Fold Incision versus Noninframammary Fold Incision. <i>Journal of Breast Cancer</i> , 2018 , 21, 213-221	3	8
98	Comparison of tumor-infiltrating lymphocytes of breast cancer in core needle biopsies and resected specimens: a retrospective analysis. <i>Breast Cancer Research and Treatment</i> , 2018 , 171, 295-302	4.4	17
97	Role of adding ovarian function suppression to tamoxifen in young women with hormone-sensitive breast cancer who remain premenopausal or resume menstruation after chemotherapy: The ASTRRA study.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 502-502	2.2	13

96	Risk Factors for a False-Negative Result of Sentinel Node Biopsy in Patients with Clinically Node-Negative Breast Cancer. <i>Cancer Research and Treatment</i> , 2018 , 50, 625-633	5.2	7
95	Comparative Study between Sentinel Lymph Node Biopsy and Axillary Dissection in Patients with One or Two Lymph Node Metastases. <i>Journal of Breast Cancer</i> , 2018 , 21, 306-314	3	8
94	Protective effect of Korean red ginseng on oxaliplatin-mediated splenomegaly in colon cancer. <i>Annals of Surgical Treatment and Research</i> , 2018 , 95, 161-167	2	1
93	Poor Prognosis of Lower Inner Quadrant in Lymph Node-negative Breast Cancer Patients Who Received No Chemotherapy: A Study Based on Nationwide Korean Breast Cancer Registry Database. <i>Clinical Breast Cancer</i> , 2017 , 17, e169-e184	3	12
92	Adjuvant Capecitabine for Breast Cancer after Preoperative Chemotherapy. <i>New England Journal of Medicine</i> , 2017 , 376, 2147-2159	59.2	691
91	Meeting Highlights: The Second Consensus Conference for Breast Cancer Treatment in Korea. <i>Journal of Breast Cancer</i> , 2017 , 20, 228-233	3	2
90	Comparison of standardized uptake value of 18F-FDG-PET-CT with 21-gene recurrence score in estrogen receptor-positive, HER2-negative breast cancer. <i>PLoS ONE</i> , 2017 , 12, e0175048	3.7	9
89	Comparison of patients with small (\leq 2 cm) breast cancer according to adherence to breast screening program. <i>PLoS ONE</i> , 2017 , 12, e0186988	3.7	2
88	Cellular inhibitor of apoptosis protein 2 promotes the epithelial-mesenchymal transition in triple-negative breast cancer cells through activation of the AKT signaling pathway. <i>Oncotarget</i> , 2017 , 8, 78781-78795	3.3	7
87	Patient Satisfaction with Implant Based Breast Reconstruction Associated with Implant Volume and Mastectomy Specimen Weight Ratio. <i>Journal of Breast Cancer</i> , 2017 , 20, 98-103	3	9
86	Different prognosis of young breast cancer patients in their 20s and 30s depending on subtype: a nationwide study from the Korean Breast Cancer Society. <i>Breast Cancer Research and Treatment</i> , 2017 , 166, 833-842	4.4	13
85	A20 promotes metastasis of aggressive basal-like breast cancers through multi-monoubiquitylation of Snail1. <i>Nature Cell Biology</i> , 2017 , 19, 1260-1273	23.4	72
84	Co-chaperone BAG2 Determines the Pro-oncogenic Role of Cathepsin B in Triple-Negative Breast Cancer Cells. <i>Cell Reports</i> , 2017 , 21, 2952-2964	10.6	31
83	Immune Escape in Breast Cancer During to Invasive Carcinoma Transition. <i>Cancer Discovery</i> , 2017 , 7, 1098-1115	14.1	113
82	The clinical significance of accompanying NME on preoperative MR imaging in breast cancer patients. <i>PLoS ONE</i> , 2017 , 12, e0178445	3.7	8
81	Chemosensitivity to doxorubicin of ER-positive/HER2-negative breast cancers with high 21-gene recurrence score: A study based on in vitro chemoresponse assay. <i>PLoS ONE</i> , 2017 , 12, e0187679	3.7	3
80	In vivo dosimetry and acute toxicity in breast cancer patients undergoing intraoperative radiotherapy as boost. <i>Radiation Oncology Journal</i> , 2017 , 35, 121-128	2.5	13
79	Education Level Is a Strong Prognosticator in the Subgroup Aged More Than 50 Years Regardless of the Molecular Subtype of Breast Cancer: A Study Based on the Nationwide Korean Breast Cancer Registry Database. <i>Cancer Research and Treatment</i> , 2017 , 49, 1114-1126	5.2	6

78	Dysregulated JAK2 expression by TrkC promotes metastasis potential, and EMT program of metastatic breast cancer. <i>Scientific Reports</i> , 2016 , 6, 33899	4.9	27
77	The Prognostic Impact of Early Change in 18F-FDG PET SUV After Neoadjuvant Chemotherapy in Patients with Locally Advanced Breast Cancer. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 1183-8	8.9	16
76	Metabolomics of Breast Cancer Using High-Resolution Magic Angle Spinning Magnetic Resonance Spectroscopy: Correlations with 18F-FDG Positron Emission Tomography-Computed Tomography, Dynamic Contrast-Enhanced and Diffusion-Weighted Imaging MRI. <i>PLoS ONE</i> , 2016 , 11, e0159949	3.7	20
75	Effect of mammographic density change on endocrine responsiveness independent of tumor biology associated with 21-gene recurrence score.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e12066-e12066 ^{2,2}		
74	Eribulin Mesylate Combined with Local Treatment for Brain Metastasis from Breast Cancer: Two Case Reports. <i>Journal of Breast Cancer</i> , 2016 , 19, 214-7	3	9
73	Molecular Classification of Triple-Negative Breast Cancer. <i>Journal of Breast Cancer</i> , 2016 , 19, 223-230	3	74
72	The role of the addition of ovarian suppression to tamoxifen in young women with hormone-sensitive breast cancer who remain premenopausal or regain menstruation after chemotherapy (ASTRRA): study protocol for a randomized controlled trial and progress. <i>BMC Cancer</i> , 2016 , 16, 319	4.8	16
71	The prevalence and spectrum of BRCA1 and BRCA2 mutations in Korean population: recent update of the Korean Hereditary Breast Cancer (KOHBRA) study. <i>Breast Cancer Research and Treatment</i> , 2015 , 151, 157-68	4.4	61
70	Local control of brain metastasis: treatment outcome of focal brain treatments in relation to subtypes. <i>Journal of Breast Cancer</i> , 2015 , 18, 29-35	3	6
69	Metastasis-Free Interval Is Closely Related to Tumor Characteristics and Has Prognostic Value in Breast Cancer Patients with Distant Relapse. <i>Journal of Breast Cancer</i> , 2015 , 18, 371-7	3	14
68	The Korean guideline for breast cancer screening. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 408	0.5	33
67	Anaplastic lymphoma kinase gene copy number gain in inflammatory breast cancer (IBC): prevalence, clinicopathologic features and prognostic implication. <i>PLoS ONE</i> , 2015 , 10, e0120320	3.7	12
66	Induction of metastatic potential by TrkB via activation of IL6/JAK2/STAT3 and PI3K/AKT signaling in breast cancer. <i>Oncotarget</i> , 2015 , 6, 40158-71	3.3	81
65	Scanxiety and quality of life among breast cancer survivors.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e20569-e20569 ^{2,2}		
64	Current Issues and Clinical Evidence in Tumor-Infiltrating Lymphocytes in Breast Cancer. <i>Journal of Pathology and Translational Medicine</i> , 2015 , 49, 355-63	2.9	29
63	Prospective evaluation of the feasibility of sentinel lymph node biopsy in breast cancer patients with negative axillary conversion after neoadjuvant chemotherapy. <i>Cancer Research and Treatment</i> , 2015 , 47, 26-33	5.2	11
62	Clinical effectiveness of Everolimus and Exemestane in advanced breast cancer patients from Asia and Africa: First efficacy and updated safety results from the phase IIIb EVEREXES study.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e11579-e11579	2.2	1
61	In vitro chemoresponse assay based on the intrinsic subtypes in breast cancer. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 624-31	2.8	5

60	[18F]-fluorodeoxyglucose positron emission tomography can contribute to discriminate patients with poor prognosis in hormone receptor-positive breast cancer. <i>PLoS ONE</i> , 2014 , 9, e105905	3.7	14
59	Patterns and Biologic Features of p53 Mutation Types in Korean Breast Cancer Patients. <i>Journal of Breast Cancer</i> , 2014 , 17, 1-7	3	10
58	Survival benefit of zoledronic Acid in postmenopausal breast cancer patients receiving aromatase inhibitors. <i>Journal of Breast Cancer</i> , 2014 , 17, 350-5	3	6
57	Effect of 8-week nutrition counseling to increase phytochemical rich fruit and vegetable consumption in korean breast cancer patients: a randomized controlled trial. <i>Clinical Nutrition Research</i> , 2014 , 3, 39-47	1.7	9
56	Does liver resection provide long-term survival benefits for breast cancer patients with liver metastasis? A single hospital experience. <i>Yonsei Medical Journal</i> , 2014 , 55, 558-62	3	17
55	The role and regulatory mechanism of 14-3-3 sigma in human breast cancer. <i>Journal of Breast Cancer</i> , 2014 , 17, 207-18	3	15
54	Long-term survival analysis of korean breast cancer patients at a single center: improving outcome over time. <i>Yonsei Medical Journal</i> , 2014 , 55, 1187-95	3	9
53	A phase II study of preoperative capecitabine in women with operable hormone receptor positive breast cancer. <i>Cancer Medicine</i> , 2014 , 3, 293-9	4.8	6
52	Phase II randomized trial of neoadjuvant metformin plus letrozole versus placebo plus letrozole for estrogen receptor positive postmenopausal breast cancer (METEOR). <i>BMC Cancer</i> , 2014 , 14, 170	4.8	49
51	Standardized uptake value of ^{18}F -fluorodeoxyglucose positron emission tomography for prediction of tumor recurrence in breast cancer beyond tumor burden. <i>Breast Cancer Research</i> , 2014 , 16, 502	8.3	29
50	In Vitro Chemoresponse Assay Based on the Intrinsic Subtypes in Breast Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 880-880	2.8	
49	Contribution of P53 mutation to high standardized uptake values of 18F-fluorodeoxyglucose positron emission tomography and impact on survival in patients with breast cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e22071-e22071	2.2	
48	LOXL2 expression is associated with invasiveness and negatively influences survival in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2013 , 141, 89-99	4.4	58
47	Shear-wave elastography of invasive breast cancer: correlation between quantitative mean elasticity value and immunohistochemical profile. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 119-26	4.4	66
46	Loss of TBK1 induces epithelial-mesenchymal transition in the breast cancer cells by ER β downregulation. <i>Cancer Research</i> , 2013 , 73, 6679-89	10.1	24
45	Prognostic discrimination using a 70-gene signature among patients with estrogen receptor-positive breast cancer and an intermediate 21-gene recurrence score. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 23685-99	6.3	13
44	Assessment of adjuvant trastuzumab-associated cardiac toxicity in korean patients with breast cancer: a single-center analysis. <i>Oncology</i> , 2013 , 85, 228-34	3.6	3
43	Efficient Isolation and Accurate In Situ Analysis of Circulating Tumor Cells Using Detachable Beads and a High-Pore-Density Filter. <i>Angewandte Chemie</i> , 2013 , 125, 8495-8498	3.6	11

42	Efficient isolation and accurate in situ analysis of circulating tumor cells using detachable beads and a high-pore-density filter. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 8337-40	16.4	67
41	Prognostic factors for patients with bone-only metastasis in breast cancer. <i>Yonsei Medical Journal</i> , 2013 , 54, 1168-77	3	80
40	A case of late-onset Li-Fraumeni-like syndrome with unilateral breast cancer. <i>Annals of Laboratory Medicine</i> , 2013 , 33, 212-6	3.1	4
39	Spectrum of EGFR gene copy number changes and KRAS gene mutation status in Korean triple negative breast cancer patients. <i>PLoS ONE</i> , 2013 , 8, e79014	3.7	19
38	The difference in prognostic factors between early recurrence and late recurrence in estrogen receptor-positive breast cancer: nodal stage differently impacts early and late recurrence. <i>PLoS ONE</i> , 2013 , 8, e63510	3.7	21
37	Clinical impact of 18F-FDG PET in breast cancer: Survival analysis and comparison of intrinsic subtypes with standardized uptake value.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e12005-e12005	2.2	
36	DRAK2 participates in a negative feedback loop to control TGF- β /Smads signaling by binding to type I TGF- β receptor. <i>Cell Reports</i> , 2012 , 2, 1286-99	10.6	27
35	Clinical outcomes of ductal carcinoma in situ of the breast treated with partial mastectomy without adjuvant radiotherapy. <i>Yonsei Medical Journal</i> , 2012 , 53, 537-42	3	1
34	Primary Mucinous Cystadenocarcinoma of the Breast: Cytologic Finding and Expression of MUC5 Are Different from Mucinous Carcinoma. <i>Korean Journal of Pathology</i> , 2012 , 46, 611-6		11
33	The Prevalence of Ovarian Cancer in Korean Women at High-Risk for Hereditary Breast-Ovarian Cancer. <i>Journal of Breast Cancer</i> , 2011 , 14, S24	3	1
32	Correlation of Early Systemic Recurrence with In Vitro Adenosine Triphosphate-Based Chemotherapy Response Assay in Stage II and III Breast Cancer Patients Treated with Doxorubicin-Based Chemotherapy. <i>Journal of Breast Cancer</i> , 2011 , 14, S50	3	1
31	Preventive effects of zoledronic acid on bone metastasis in mice injected with human breast cancer cells. <i>Journal of Korean Medical Science</i> , 2011 , 26, 1569-75	4.7	10
30	Giant phyllodes tumors of the breast: imaging findings with clinicopathological correlation in 14 cases. <i>Clinical Imaging</i> , 2011 , 35, 102-7	2.7	10
29	Effects of zoledronic acid on bone mineral density during aromatase inhibitor treatment of Korean postmenopausal breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2011 , 130, 863-70	4.4	13
28	MRI findings of pure ductal carcinoma in situ: kinetic characteristics compared according to lesion type and histopathologic factors. <i>American Journal of Roentgenology</i> , 2011 , 196, 1450-6	5.4	23
27	Biopsychosocial Predictors of the Quality of Life in Breast Cancer Patients. <i>Journal of Breast Cancer</i> , 2010 , 13, 219	3	8
26	Metastasis of Breast Carcinoma to Intercostal Muscle Detected by Breast MRI: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2010 , 63, 391	0.2	
25	Metastatic Breast Cancer Shows Different Immunohistochemical Phenotype According to Metastatic Site. <i>Tumori</i> , 2010 , 96, 424-432	1.7	24

24	Clear cell hidradenoma of the axilla: a case report with literature review. <i>Korean Journal of Radiology</i> , 2010 , 11, 490-2	6.9	15
23	TrkC plays an essential role in breast tumor growth and metastasis. <i>Carcinogenesis</i> , 2010 , 31, 1939-47	4.6	57
22	The role of ultrasonography and FDG-PET in axillary lymph node staging of breast cancer. <i>Acta Radiologica</i> , 2010 , 51, 859-65	2	40
21	The prevalence and assessment of ErbB2-positive breast cancer in Asia: a literature survey. <i>Cancer</i> , 2010 , 116, 5348-57	6.4	15
20	Localized Metastasis to Small and Large Bowel from Breast Cancer: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2010 , 62, 551	0.2	2
19	Heterogeneous Chemosensitivity of Breast Cancer Determined by Adeosine Triphosphate Based Chemotherapy Response Assay. <i>Journal of Breast Cancer</i> , 2010 , 13, 180	3	3
18	Diagnostic value of 3D fast low-angle shot dynamic MRI of breast papillomas. <i>Yonsei Medical Journal</i> , 2009 , 50, 838-44	3	13
17	Impact of grade, hormone receptor, and HER-2 status in women with breast cancer on response to specific chemotherapeutic agents by in vitro adenosine triphosphate-based chemotherapy response assay. <i>Journal of Korean Medical Science</i> , 2009 , 24, 1150-7	4.7	7
16	Adiponectin-activated AMPK stimulates dephosphorylation of AKT through protein phosphatase 2A activation. <i>Cancer Research</i> , 2009 , 69, 4018-26	10.1	102
15	The predictive role of E-cadherin and androgen receptor on in vitro chemosensitivity in triple-negative breast Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2009 , 39, 560-8	2.8	30
14	Postexcisional breast magnetic resonance imaging in patients with breast cancer: predictable findings of residual cancer. <i>Journal of Computer Assisted Tomography</i> , 2009 , 33, 940-5	2.2	7
13	Understanding the development of human bladder cancer by using a whole-organ genomic mapping strategy. <i>Laboratory Investigation</i> , 2008 , 88, 694-721	5.9	55
12	c-Src is required for tropomyosin receptor kinase C (TrkC)-induced activation of the phosphatidylinositol 3-kinase (PI3K)-AKT pathway. <i>Journal of Biological Chemistry</i> , 2008 , 283, 1391-1400	5.4	27
11	Poor outcome of hormone receptor-positive breast cancer at very young age is due to tamoxifen resistance: nationwide survival data in Korea--a report from the Korean Breast Cancer Society. <i>Journal of Clinical Oncology</i> , 2007 , 25, 2360-8	2.2	190
10	Forerunner genes contiguous to RB1 contribute to the development of in situ neoplasia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 13732-7	11.5	40
9	The Policy Proposal for Effective Prevention and Management of Breast Cancer. <i>Journal of Breast Cancer</i> , 2006 , 9, 270	3	5
8	Evidence for alternative candidate genes near RB1 involved in clonal expansion of in situ urothelial neoplasia. <i>Laboratory Investigation</i> , 2006 , 86, 175-90	5.9	18
7	High-resolution whole-organ mapping with SNPs and its significance to early events of carcinogenesis. <i>Laboratory Investigation</i> , 2005 , 85, 689-701	5.9	19

6	Clinical significance of p16 protein expression loss and aberrant p53 protein expression in pancreatic cancer. <i>Yonsei Medical Journal</i> , 2005 , 46, 519-25	3	27
5	Detection of micrometastasis in fixed paraffin-embedded Sentinel Lymph Nodes of Breast cancer using RT-PCR. <i>Journal of Breast Cancer</i> , 2005 , 8, 31	3	
4	Intraoperative Examination of Sentinel Lymph Nodes Using Rapid Cytokeratin Immunohistochemical Staining in Breast Cancer Patients. <i>Journal of Korean Breast Cancer Society</i> , 2004 , 7, 154		2
3	Predicting the Status of the Nonsentinel Lymph Nodes in early Breast Cancer Patients with Positive Sentinel Lymph Nodes. <i>Journal of Korean Breast Cancer Society</i> , 2004 , 7, 268		3
2	Rupture of the rectosigmoid colon with evisceration of the small bowel through the anus. <i>Yonsei Medical Journal</i> , 2000 , 41, 289-92	3	15
1	Expression of biliary antigen and its clinical significance in hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 1999 , 40, 472-7	3	20