

Michael Jäger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7372219/publications.pdf>

Version: 2024-02-01

53
papers

2,100
citations

257357

24
h-index

233338

45
g-index

54
all docs

54
docs citations

54
times ranked

2606
citing authors

#	ARTICLE	IF	CITATIONS
1	Branched and linear poly(ethylene imine)-based conjugates: synthetic modification, characterization, and application. <i>Chemical Society Reviews</i> , 2012, 41, 4755.	18.7	268
2	A 3.0 ns Room Temperature Excited State Lifetime of a Bistridentate Ru(II) Polypyridine Complex for Rod-like Molecular Arrays. <i>Journal of the American Chemical Society</i> , 2006, 128, 12616-12617.	6.6	203
3	Bistridentate Ruthenium(II) polypyridyl-Type Complexes with Microsecond ³ MLCT State Lifetimes: Sensitizers for Rod-Like Molecular Arrays. <i>Journal of the American Chemical Society</i> , 2008, 130, 15533-15542.	6.6	177
4	Anion Receptors Based on Halogen Bonding with Halo-1,2,3-triazoliums. <i>Journal of Organic Chemistry</i> , 2015, 80, 3139-3150.	1.7	97
5	Physicochemical Analysis of Ruthenium(II) Sensitizers of 1,2,3-Triazole-Derived Mesoionic Carbene and Cyclometalating Ligands. <i>Inorganic Chemistry</i> , 2014, 53, 2083-2095.	1.9	81
6	Polymeric Halogen-Bond-Based Donor Systems Showing Self-Healing Behavior in Thin Films. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 4047-4051.	7.2	79
7	Chemistry-on-the-complex functional Ru(II) polypyridyl-type sensitizers as divergent building blocks. <i>Chemical Society Reviews</i> , 2018, 47, 7577-7627.	18.7	78
8	Facile Synthesis of Bistridentate Ru(II) Complexes Based on 2,6-Di(quinolin-8-yl)pyridyl Ligands: Sensitizers with Microsecond ³ MLCT Excited State Lifetimes. <i>Inorganic Chemistry</i> , 2009, 48, 3228-3238.	1.9	71
9	A Heteroleptic Bis(tridentate) Ruthenium(II) Platform Featuring an Anionic 1,2,3-Triazolate-Based Ligand for Application in the Dye-Sensitized Solar Cell. <i>Inorganic Chemistry</i> , 2014, 53, 1637-1645.	1.9	65
10	Synthesis and Characterization of 2,6-Di(quinolin-8-yl)pyridines. New Ligands for Bistridentate Ru(II) Complexes with Microsecond Luminescent Lifetimes. <i>Journal of Organic Chemistry</i> , 2007, 72, 10227-10230.	1.7	56
11	Cyclometalated Ru(II) Complexes with Improved Octahedral Geometry: Synthesis and Photophysical Properties. <i>Inorganic Chemistry</i> , 2010, 49, 374-376.	1.9	56
12	Using computational chemistry to design Ru photosensitizers with directional charge transfer. <i>Coordination Chemistry Reviews</i> , 2015, 304-305, 146-165.	9.5	55
13	Vectorial Electron Transfer in Donor-Photosensitizer-Acceptor Triads Based on Novel Bis(tridentate) Ruthenium Polypyridyl Complexes. <i>Chemistry - A European Journal</i> , 2010, 16, 2830-2842.	1.7	46
14	Linear Polyethyleneimine: Optimized Synthesis and Characterization – On the Way to Pharmagrade Batches. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 1918-1924.	1.1	44
15	Halogen-bond-based cooperative ion-pair recognition by a crown-ether-embedded 5-iodo-1,2,3-triazole. <i>Chemical Communications</i> , 2017, 53, 2260-2263.	2.2	42
16	Preorganization in a Cleft-Type Anion Receptor Featuring Iodo-1,2,3-Triazoles As Halogen Bond Donors. <i>Organic Letters</i> , 2015, 17, 5740-5743.	2.4	41
17	Tuning the Electronics of Bis(tridentate)ruthenium(II) Complexes with Long-Lived Excited States: Modifications to the Ligand Skeleton beyond Classical Electron Donor or Electron Withdrawing Group Decorations. <i>Inorganic Chemistry</i> , 2013, 52, 5128-5137.	1.9	40
18	A Concept to Tailor Electron Delocalization: Applying QTAIM Analysis to Phenyl-Terpyridine Compounds. <i>Journal of Physical Chemistry A</i> , 2010, 114, 13163-13174.	1.1	37

#	ARTICLE	IF	CITATIONS
19	Photoredox-active Dyads Based on a Ru(II) Photosensitizer Equipped with Electron Donor or Acceptor Polymer Chains: A Spectroscopic Study of Light-Induced Processes toward Efficient Charge Separation. <i>Journal of Physical Chemistry C</i> , 2015, 119, 4742-4751.	1.5	36
20	Printable ionic liquid-based gel polymer electrolytes for solid state all-organic batteries. <i>Energy Storage Materials</i> , 2020, 25, 750-755.	9.5	36
21	Cyclometalated Ruthenium(II) Complexes Featuring Tridentate Click-Derived Ligands for Dye-Sensitized Solar Cell Applications. <i>Chemistry - A European Journal</i> , 2013, 19, 14171-14180.	1.7	35
22	How Does Peripheral Functionalization of Ruthenium(II)-Terpyridine Complexes Affect Spatial Charge Redistribution after Photoexcitation at the Franck-Condon Point?. <i>ChemPhysChem</i> , 2015, 16, 1395-1404.	1.0	34
23	Pt ^{II} Phosphors with Click-Derived 1,2,3-Triazole-Containing Tridentate Chelates. <i>Organometallics</i> , 2018, 37, 145-155.	1.1	31
24	Tandem mass spectrometry of poly(ethylene imine)s by electrospray ionization (ESI) and matrix-assisted laser desorption/ionization (MALDI). <i>Journal of Mass Spectrometry</i> , 2012, 47, 105-114.	0.7	27
25	Nitroxide-Mediated Polymerization of Styrenic Triarylamine and Chain-End Functionalization with a Ruthenium Complex: Toward Tailored Photoredox-Active Architectures. <i>Macromolecules</i> , 2013, 46, 2039-2048.	2.2	26
26	Aryl-Decorated Ru ^{II} Polypyridyl-type Photosensitizer Approaching NIR Emission with Microsecond Excited State Lifetimes. <i>Inorganic Chemistry</i> , 2016, 55, 5405-5416.	1.9	26
27	Linear Metallopolymers from Ruthenium(II)-2,6-di(quinolin-8-yl)pyridine Complexes by Electropolymerization - Formation of Redox-Stable and Emissive Films. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 4191-4202.	1.0	25
28	Synthetic approaches towards structurally-defined electrochemically and (photo)redox-active polymer architectures. <i>Chemical Society Reviews</i> , 2017, 46, 2754-2798.	18.7	25
29	Designing Cyclometalated Ruthenium(II) Complexes for Anodic Electropolymerization. <i>Chemistry - A European Journal</i> , 2014, 20, 2357-2366.	1.7	23
30	Regioselective Functionalization of Tetrabromophenanthroline-Ruthenium Complexes. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 2001-2003.	1.0	20
31	Efficient Energy Transfer and Metal Coupling in Cyanide-Bridged Heterodinuclear Complexes Based on (Bipyridine)(terpyridine)ruthenium(II) and (Phenylpyridine)iridium(III) Complexes. <i>Inorganic Chemistry</i> , 2016, 55, 5152-5167.	1.9	18
32	A multidonor-photosensitizer-multiacceptor triad for long-lived directional charge separation. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 28572-28578.	1.3	17
33	Extending Long-Lived Charge Separation Between Donor and Acceptor Blocks in Novel Copolymer Architectures Featuring a Sensitizer Core. <i>Chemistry - A European Journal</i> , 2017, 23, 16484-16490.	1.7	16
34	Modular Assembly of Poly(naphthalene diimide) and Ru(II) Dyes for an Efficient Light-Induced Charge Separation in Hierarchically Controlled Polymer Architectures. <i>Macromolecules</i> , 2016, 49, 2112-2123.	2.2	15
35	Poly(<i>N</i> -alkyl-3,6-carbazole)s via Suzuki-Miyaura Polymerization: From Macrocyclization toward End Functionalization. <i>Macromolecules</i> , 2017, 50, 1319-1330.	2.2	14
36	Polymerbasierte Halogenackendonoren mit selbstheilenden Eigenschaften in Filmen. <i>Angewandte Chemie</i> , 2017, 129, 4105-4110.	1.6	14

#	ARTICLE	IF	CITATIONS
37	Emitting electrode coatings with redox-switchable conductivity: incorporation of ruthenium(ii)-2,6-di(quinolin-8-yl)pyridine complexes into polythiophene by electropolymerization. RSC Advances, 2013, 3, 11686.	1.7	13
38	Block Copolymers for Directional Charge Transfer: Synthesis, Characterization, and Electrochemical Properties of Redox-Active Triarylaminers. Macromolecules, 2015, 48, 1963-1971.	2.2	13
39	Mild electropolymerization and monitoring of continuous film formation for photoredox-active Ru metallopolymers. Journal of Materials Chemistry C, 2017, 5, 2636-2648.	2.7	11
40	Poly(ϵ -caprolactone) Decorated With One Room-Temperature Red-Emitting Ruthenium(II) Complex: Synthesis, Characterization, Thermal and Optical Properties. Macromolecular Rapid Communications, 2012, 33, 579-584.	2.0	10
41	Hydrophilic Poly(naphthalene diimide)-Based Acceptor-Photosensitizer Dyads: Toward Water-Processible Modular Photoredox-Active Architectures. Macromolecular Chemistry and Physics, 2017, 218, 1600534.	1.1	10
42	Pd-Catalyzed Ring Assembly by Vinylolation and Intramolecular Heck Coupling: A Versatile Strategy Towards Functionalized Azadibenzocyclooctynes. Chemistry - A European Journal, 2013, 19, 2150-2157.	1.7	9
43	High-Yielding Syntheses of Multifunctionalized Ru ^{II} Polypyridyl-Type Sensitizer: Experimental and Computational Insights into Coordination. Inorganic Chemistry, 2019, 58, 9822-9832.	1.9	8
44	Facile and Reliable Emission-Based Nanomolar Anion Sensing by Luminescent Iridium Receptors Featuring Chelating Halogen-Bonding Sites. Chemistry - A European Journal, 2020, 26, 14679-14687.	1.7	8
45	Triplet-Triplet Annihilation Upconversion by Polymeric Sensitizers. Journal of Physical Chemistry C, 2022, 126, 4057-4066.	1.5	8
46	Asymmetric Cyclometalated Ru ^{II} Polypyridyl-Type Complexes with π -Extended Carbanionic Donor Sets. Inorganic Chemistry, 2017, 56, 7720-7730.	1.9	7
47	Adaptation of electrodes and printable gel polymer electrolytes for optimized fully organic batteries. Journal of Polymer Science, 2021, 59, 494-501.	2.0	7
48	Photoluminescence Switching of CdSe/ZnS Quantum Dots Toward Sensing Applications Triggered by Thermoresponsive Poly(N-Isopropylacrylamide) Films on Plasmonic Gold Surfaces. ACS Applied Nano Materials, 2021, 4, 2386-2394.	2.4	6
49	Poly(<i>N</i> -alkyl-3,6-carbazole)s via Kumada Catalyst Transfer Polymerization: Impact of Metal-Halogen Exchange. Macromolecules, 2016, 49, 8801-8811.	2.2	5
50	Towards Covalent Photosensitizer-Polyoxometalate Dyads-Bipyridyl-Functionalized Polyoxometalates and Their Transition Metal Complexes. Molecules, 2019, 24, 4446.	1.7	4
51	Exploiting π -Reactivities during Polymerization for Controlled Heterotelechelic Poly(carbazole)s. Macromolecules, 2022, 55, 3688-3698.	2.2	4
52	Accumulative Charging of Redox-Active Side-Chain-Modified Polymers: Experimental and Computational Insights from Oligo- to Polymeric Triarylaminers. Macromolecules, 2019, 52, 4673-4685.	2.2	3
53	Frontispiece: Extending Long-Lived Charge Separation Between Donor and Acceptor Blocks in Novel Copolymer Architectures Featuring a Sensitizer Core. Chemistry - A European Journal, 2017, 23, .	1.7	0