# Peter Lange

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/7372637/peter-lange-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 137                | 5,799                | 34          | 74              |
|--------------------|----------------------|-------------|-----------------|
| papers             | citations            | h-index     | g-index         |
| 152<br>ext. papers | 7,387 ext. citations | 8.7 avg, IF | 5.89<br>L-index |

| #   | Paper  | IF               | Citations |
|-----|--|------------------|-----------|
| 137 | A 15-year follow-up study of ventilatory function in adults with asthma. <i>New England Journal of Medicine</i> , <b>1998</b> , 339, 1194-200  | 59.2             | 969       |
| 136 | Lung-Function Trajectories Leading to Chronic Obstructive Pulmonary Disease. <i>New England Journal of Medicine</i> , <b>2015</b> , 373, 111-22  | 59.2             | 595       |
| 135 | Once-Daily Single-Inhaler Triple versus Dual Therapy in Patients with COPD. <i>New England Journal of Medicine</i> , <b>2018</b> , 378, 1671-1680  | 59.2             | 511       |
| 134 | Prediction of the clinical course of chronic obstructive pulmonary disease, using the new GOLD classification: a study of the general population. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2012</b> , 186, 975-81                              | 10.2             | 305       |
| 133 | Blood Eosinophils and Exacerbations in Chronic Obstructive Pulmonary Disease. The Copenhagen General Population Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2016</b> , 193, 965-74   | 10.2             | 260       |
| 132 | Dose of jogging and long-term mortality: the Copenhagen City Heart Study. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 65, 411-9   | 15.1             | 256       |
| 131 | Can GOLD Stage 0 provide information of prognostic value in chronic obstructive pulmonary disease?. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2002</b> , 166, 329-32  | 10.2             | 189       |
| 130 | European Respiratory Society statement: diagnosis and treatment of pulmonary disease in Eantitrypsin deficiency. <i>European Respiratory Journal</i> , <b>2017</b> , 50,   | 13.6             | 149       |
| 129 | Changes in physical activity and all-cause mortality in COPD. European Respiratory Journal, 2014, 44, 119  | 9 <b>9</b> -3269 | 100       |
| 128 | Mortality prediction in chronic obstructive pulmonary disease comparing the GOLD 2007 and 2011 staging systems: a pooled analysis of individual patient data. <i>Lancet Respiratory Medicine,the</i> , <b>2015</b> , 3, 443-50   | 35.1             | 98        |
| 127 | Validity and underrecording of diagnosis of COPD in the Danish National Patient Registry. <i>Respiratory Medicine</i> , <b>2011</b> , 105, 1063-8  | 4.6              | 97        |
| 126 | Blood eosinophils and treatment response with triple and dual combination therapy in chronic obstructive pulmonary disease: analysis of the IMPACT trial. <i>Lancet Respiratory Medicine,the</i> , <b>2019</b> , 7, 745-756  | 35.1             | 85        |
| 125 | Long-term prognosis of asthma, chronic obstructive pulmonary disease, and asthma-chronic obstructive pulmonary disease overlap in the Copenhagen City Heart study: a prospective population-based analysis. <i>Lancet Respiratory Medicine,the</i> , <b>2016</b> , 4, 454-62 | 35.1             | 83        |
| 124 | Characteristics and outcomes of chronic obstructive pulmonary disease in never smokers in Denmark: a prospective population study. <i>Lancet Respiratory Medicine,the</i> , <b>2013</b> , 1, 543-50  | 35.1             | 76        |
| 123 | Reduction in All-Cause Mortality with Fluticasone Furoate/Umeclidinium/Vilanterol in Patients with Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2020</b> , 201, 1508-1516                                   | 10.2             | 63        |
| 122 | Prognosis of asymptomatic and symptomatic, undiagnosed COPD in the general population in Denmark: a prospective cohort study. <i>Lancet Respiratory Medicine,the</i> , <b>2017</b> , 5, 426-434  | 35.1             | 62        |
| 121 | Accelerated extracellular matrix turnover during exacerbations of COPD. <i>Respiratory Research</i> , <b>2015</b> , 16, 69   | 7.3              | 62        |

### (2018-2015)

| 120 | Statin use and exacerbations in individuals with chronic obstructive pulmonary disease. <i>Thorax</i> , <b>2015</b> , 70, 33-40   | 7.3  | 61 |  |
|-----|---|------|----|--|
| 119 | Risk Factors for Chronic Cough Among 14,669 Individuals From the General Population. <i>Chest</i> , <b>2017</b> , 152, 563-573  | 5.3  | 60 |  |
| 118 | Ranking of psychosocial and traditional risk factors by importance for coronary heart disease: the Copenhagen City Heart Study. <i>European Heart Journal</i> , <b>2015</b> , 36, 1385-93   | 9.5  | 51 |  |
| 117 | Asthma progression and mortality: the role of inhaled corticosteroids. <i>European Respiratory Journal</i> , <b>2019</b> , 54,  | 13.6 | 50 |  |
| 116 | The cost of treating patients with COPD in Denmarka population study of COPD patients compared with non-COPD controls. <i>Respiratory Medicine</i> , <b>2007</b> , 101, 539-46  | 4.6  | 45 |  |
| 115 | Diagnosis, assessment, and phenotyping of COPD: beyond FEVIIInternational Journal of COPD, <b>2016</b> , 11 Spec Iss, 3-12  | 3    | 45 |  |
| 114 | High levels of biomarkers of collagen remodeling are associated with increased mortality in COPD results from the ECLIPSE study. <i>Respiratory Research</i> , <b>2016</b> , 17, 125  | 7.3  | 44 |  |
| 113 | Effectiveness of pulmonary rehabilitation in COPD with mild symptoms: a systematic review with meta-analyses. <i>International Journal of COPD</i> , <b>2015</b> , 10, 791-801  | 3    | 43 |  |
| 112 | The quality of COPD care in general practice in Denmark: the KVASIMODO study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , <b>2007</b> , 16, 174-81   |      | 43 |  |
| 111 | Cardiovascular morbidity in COPD: A study of the general population. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , <b>2010</b> , 7, 5-10  | 2    | 42 |  |
| 110 | Socioeconomic inequalities in adherence to inhaled maintenance medications and clinical prognosis of COPD. <i>Respiratory Medicine</i> , <b>2016</b> , 119, 160-167   | 4.6  | 41 |  |
| 109 | New Danish reference values for spirometry. Clinical Respiratory Journal, 2013, 7, 153-67   | 1.7  | 39 |  |
| 108 | A combination of resistance and endurance training increases leg muscle strength in COPD: An evidence-based recommendation based on systematic review with meta-analyses. <i>Chronic Respiratory Disease</i> , <b>2015</b> , 12, 132-45                   | 3    | 38 |  |
| 107 | Prevalence, Characteristics, and Prognosis of Early Chronic Obstructive Pulmonary Disease. The Copenhagen General Population Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2020</b> , 201, 671-680                        | 10.2 | 37 |  |
| 106 | A simple algorithm for the identification of clinical COPD phenotypes. <i>European Respiratory Journal</i> , <b>2017</b> , 50,  | 13.6 | 35 |  |
| 105 | Prediction of mortality in patients with chronic obstructive pulmonary disease with the new Global Initiative for Chronic Obstructive Lung Disease 2017 classification: a cohort study. <i>Lancet Respiratory Medicine,the</i> , <b>2018</b> , 6, 204-212 | 35.1 | 35 |  |
| 104 | Prevalence of night-time dyspnoea in COPD and its implications for prognosis. <i>European Respiratory Journal</i> , <b>2014</b> , 43, 1590-8  | 13.6 | 35 |  |
| 103 | Various Leisure-Time Physical Activities Associated With Widely Divergent LifeExpectancies: The Copenhagen CityHeart Study. <i>Mayo Clinic Proceedings</i> , <b>2018</b> , 93, 1775-1785  | 6.4  | 31 |  |

| 102 | Socioeconomic status and prognosis of COPD in Denmark. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , <b>2014</b> , 11, 431-7   | 2                               | 30 |
|-----|--|---------------------------------|----|
| 101 | Danish Register of chronic obstructive pulmonary disease. <i>Clinical Epidemiology</i> , <b>2016</b> , 8, 673-678  | 5.9                             | 30 |
| 100 | Association of Blood Eosinophil and Blood Neutrophil Counts with Asthma Exacerbations in the Copenhagen General Population Study. <i>Clinical Chemistry</i> , <b>2017</b> , 63, 823-832  | 5.5                             | 29 |
| 99  | Combined value of exhaled nitric oxide and blood eosinophils in chronic airway disease: the Copenhagen General Population Study. <i>European Respiratory Journal</i> , <b>2018</b> , 52,   | 13.6                            | 29 |
| 98  | Characteristics of undertreatment in COPD in the general population. <i>Chest</i> , <b>2013</b> , 144, 1811-1818   | 5.3                             | 29 |
| 97  | Impact of persistence and non-persistence in leisure time physical activity on coronary heart disease and all-cause mortality: The Copenhagen City Heart Study. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 1615-1623 | 3.9                             | 27 |
| 96  | Lung function impairment increases with age of diagnosis in adult onset asthma. <i>Respiratory Medicine</i> , <b>2015</b> , 109, 821-7   | 4.6                             | 27 |
| 95  | Prognostic significance of chronic respiratory symptoms in individuals with normal spirometry. <i>European Respiratory Journal</i> , <b>2019</b> , 54,   | 13.6                            | 26 |
| 94  | Effect of endurance versus resistance training on quadriceps muscle dysfunction in COPD: a pilot study. <i>International Journal of COPD</i> , <b>2016</b> , 11, 2659-2669   | 3                               | 25 |
| 93  | Characterization of serological neo-epitope biomarkers reflecting collagen remodeling in clinically stable chronic obstructive pulmonary disease. <i>Clinical Biochemistry</i> , <b>2016</b> , 49, 1144-1151                                   | 3.5                             | 25 |
| 92  | Quality of COPD care in hospital outpatient clinics in Denmark: The KOLIBRI study. <i>Respiratory Medicine</i> , <b>2009</b> , 103, 1657-62  | 4.6                             | 24 |
| 91  | Secular trends in smoking in relation to prevalent and incident smoking-related disease: A prospective population-based study. <i>Tobacco Induced Diseases</i> , <b>2019</b> , 17, 72  | 3.2                             | 23 |
| 90  | Determinants of Smoking Cessation in Patients With COPD Treated in the Outpatient Setting. <i>Chest</i> , <b>2016</b> , 150, 554-62  | 5.3                             | 22 |
| 89  | Medically treated exacerbations in COPD by GOLD 1-4: A valid, robust, and seemingly low-biased definition. <i>Respiratory Medicine</i> , <b>2015</b> , 109, 1562-8   | 4.6                             | 22 |
| 88  | Trends in long-term oxygen therapy for COPD in Denmark from 2001 to 2010. <i>Respiratory Medicine</i> , <b>2014</b> , 108, 511-6   | 4.6                             | 22 |
| 87  | Improving quality of care among COPD outpatients in Denmark 2008-2011. <i>Clinical Respiratory Journal</i> , <b>2013</b> , 7, 319-27   | 1.7                             | 22 |
| 86  | Natural history of COPD: Focusing on change in FEV1. <i>Respirology</i> , <b>2016</b> , 21, 34-43  | 3.6                             | 22 |
| 85  | Lung Function Trajectories Leading to Chronic Obstructive Pulmonary Disease as Predictors of Exacerbations and Mortality. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2020</b> , 202, 210-                          | -2 <sup>1</sup> 8 <sup>.2</sup> | 20 |

#### (2015-2015)

| Clinical Drug Development Using Dynamic Biomarkers to Enable Personalized Health Care in COPD. <i>Chest</i> , <b>2015</b> , 148, 16-23  | 5.3  | 19   |  |
|---|--|--|--|
| Why do patients decline participation in offered pulmonary rehabilitation? A qualitative study. <i>Clinical Rehabilitation</i> , <b>2017</b> , 31, 1674-1683  | 3.3  | 18   |  |
| Role and Impact of Chronic Cough in Individuals with Asthma From the General Population. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , <b>2019</b> , 7, 1783-1792.e8   | 5.4  | 17   |  |
| Blood eosinophil count and risk of pneumonia hospitalisations in individuals with COPD. <i>European Respiratory Journal</i> , <b>2018</b> , 51,   | 13.6   | 17   |  |
| Sex differences between women and men with COPD: A new analysis of the 3CIA study. <i>Respiratory Medicine</i> , <b>2020</b> , 171, 106105  | 4.6  | 17   |  |
| Young and middle-aged adults with airflow limitation according to lower limit of normal but not fixed ratio have high morbidity and poor survival: a population-based prospective cohort study. <i>European Respiratory Journal</i> , <b>2018</b> , 51, | 13.6   | 16   |  |
| Obese individuals experience wheezing without asthma but not asthma without wheezing: a Mendelian randomisation study of 85,437 adults from the Copenhagen General Population Study. <i>Thorax</i> , <b>2016</b> , 71, 247-54                           | 7.3  | 16   |  |
| Smoking, Systemic Inflammation, and Airflow Limitation: A Mendelian Randomization Analysis of 98D85 Individuals From the General Population. <i>Nicotine and Tobacco Research</i> , <b>2019</b> , 21, 1036-1044   | 4.9  | 16   |  |
| The impact of birth weight on the level of lung function and lung function decline in the general adult population. The Inter99 study. <i>Respiratory Medicine</i> , <b>2015</b> , 109, 1293-9  | 4.6  | 15   |  |
| Prognostic value of C-reactive protein, leukocytes, and vitamin d in severe chronic obstructive pulmonary disease. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 140736  | 2.2  | 15   |  |
| Importance of Early COPD in Young Adults for Development of Clinical COPD: Findings from the Copenhagen General Population Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2021</b> , 203, 1245-1256                      | 10.2   | 15   |  |
| Fibrinogen and 🛚 -antitrypsin in COPD exacerbations. <i>Thorax</i> , <b>2015</b> , 70, 1014-21  | 7.3  | 14   |  |
| Coronary heart disease and heart failure in asthma, COPD and asthma-COPD overlap. <i>BMJ Open Respiratory Research</i> , <b>2020</b> , 7,   | 5.6  | 14   |  |
| Large-scale external validation and comparison of prognostic models: an application to chronic obstructive pulmonary disease. <i>BMC Medicine</i> , <b>2018</b> , 16, 33  | 11.4   | 14   |  |
| Reference equations for pulmonary diffusing capacity of carbon monoxide and nitric oxide in adult Caucasians. <i>European Respiratory Journal</i> , <b>2018</b> , 52,   | 13.6   | 14   |  |
| Chronic Cough in Individuals With COPD: A Population-Based Cohort Study. <i>Chest</i> , <b>2020</b> , 157, 1446-145   | 545.3  | 13   |  |
| The use of healthcare resources in the last 3 years of life in patients with COPD and lung cancer in Denmark. A retrospective nationwide study. <i>BMJ Supportive and Palliative Care</i> , <b>2014</b> , 4, 146-151                                    | 2.2  | 13   |  |
| Prevention of COPD exacerbations: medications and other controversies. <i>ERJ Open Research</i> , <b>2015</b> , 1,  | 3.5  | 12   |  |
|   | Chest, 2015, 148, 16-23  Why do patients decline participation in offered pulmonary rehabilitation? A qualitative study. Clinical Rehabilitation, 2017, 31, 1674-1683  Role and Impact of Chronic Cough in Individuals with Asthma From the General Population. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1783-1792-e8  Blood eosinophil count and risk of pneumonia hospitalisations in individuals with COPD. European Respiratory Journal, 2018, 51,  Sex differences between women and men with COPD: A new analysis of the 3CIA study. Respiratory Medicine, 2020, 171, 106105  Young and middle-aged adults with airflow limitation according to lower limit of normal but not fixed ratio have high morbidity andipoor survival: a population-based prospective cohortistudy. European Respiratory Journal, 2018, 51,  Obese individuals experience wheezing without asthma but not asthma without wheezing: a Mendelian randomisation study of 85,437 adults from the Copenhagen General Population Study. Thorax, 2016, 71, 247-54  Smoking, Systemic Inflammation, and Airflow Limitation: A Mendelian Randomization Analysis of 98/085 Individuals From the General Population. Nicotine and Tobacco Research, 2019, 21, 1036-1044  The impact of birth weight on the level of lung function and lung function decline in the general adult population. The Inter99 study. Respiratory Medicine, 2015, 109, 1293-9  Prognostic value of C-reactive protein, leukocytes, and vitamin d in severe chronic obstructive pulmonary disease. Scientific World Journal, The, 2014, 2014, 140736  Importance of Early COPD in Young Adults for Development of Clinical COPD: Findings from the Copenhagen General Population Study. American Journal of Respiratory and Critical Care Medicine, 2021, 203, 1245-1256  Fibrinogen and Ill-antitrypsin in COPD exacerbations. Thorax, 2015, 70, 1014-21  Coronary heart disease and heart failure in asthma, COPD and asthma-COPD overlap. BMJ Open Respiratory Journal, 2018, 16, 33  Reference equations for pulmonary diffusing capacity of carbon | Chest, 2015, 148, 16-23  Why do patients decline participation in offered pulmonary rehabilitation? A qualitative study.  Clinical Rehabilitation, 2017, 31, 1674-1683  Role and Impact of Chronic Cough in Individuals with Asthma From the General Population. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1783-1792.e8  Blood eosinophil count and risk of pneumonia hospitalisations in individuals with COPD. European Respiratory Journal, 2018, 51,  Sex differences between women and men with COPD: A new analysis of the 3CIA study. Respiratory Medicine, 2020, 171, 106105  Young and middle-aged adults with airflow limitation according to lower limit of normal but not fixed ratio have high morbidity andipoor survival: a population-based prospective cohortistudy. European Respiratory Journal, 2018, 51,  Obese individuals experience wheezing without asthma but not asthma without wheezing: a Mendelian randomisation study of 85,437 adults from the Copenhagen General Population Study. Thorax, 2016, 71, 247-54  Smoking, Systemic Inflammation, and Airflow Limitation: A Mendelian Randomization Analysis of 98lb83 Individuals From the General Population. Nicotine and Tobacco Research, 2019, 21, 1036-1044  49  Prognostic value of Creactive protein, leukocytes, and vitamin d in severe chronic obstructive pulmonary disease. Scientific World Journal, The, 2014, 2014, 140736  Importance of Early COPD in Young Adults for Development of Clinical COPD: Findings from the Copenhagen General Population Study. American Journal of Respiratory and Critical Care Medicine, 2021, 203, 1245-1256  Fibrinogen and Il-antitrypsin in COPD exacerbations. Thorax, 2015, 70, 1014-21  Coronary heart disease and heart failure in asthma, COPD and asthma-COPD overlap. BMJ Open Respiratory disease. BMC Medicine, 2018, 16, 33  Reference equations for pulmonary diffusing capacity of carbon monoxide and nitric oxide in adult Caucasians. European Respiratory Journal, 2018, 52,  Chronic Cough in Individuals With COPD: A Population-Based Cohort Stud | Chest, 2015, 148, 16-23  Why do patients decline participation in offered pulmonary rehabilitation? A qualitative study. Clinicia Rehabilitation, 2017, 31, 1674-1683  Role and Impact of Chronic Cough in Individuals with Asthma From the General Population. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1783-1792.e8  Blood eosinophil count and risk of pneumonia hospitalisations in individuals with COPD. European Respiratory Journal, 2018, 51,  Sex differences between women and men with COPD: A new analysis of the 3CIA study. Respiratory Medicine, 2020, 171, 106105  Young and middle-aged adults with airflow limitation according to lower limit of normal but not risked ratio have high morbidity and poor survival: a population-based prospective cohortistudy. European Respiratory, Journal, 2018, 51,  Obese individuals experience wheezing without asthma but not asthma without wheezing: a Mendelian randomisation study of 85,437 adults from the Copenhagen General Population Study. Thorax, 2016, 11, 247-54  Smoking, Systemic Inflammation, and Airflow Limitation: A Mendelian Randomization Analysis of 980BS individuals From the General Population. Nicotine and Tobacca Research, 2019, 21, 1036-1044  49  16  The impact of birth weight on the level of lung function and lung function decline in the general adult population. The Intereps study. Respiratory Medicine, 2015, 109, 1293-9  Prognostic value of C-reactive protein, leukocytes, and vitamin d in severe chronic obstructive pulmonary disease. Scientific World Journal, The, 2014, 2014, 140736  Importance of Early COPD in Young Adults for Development of Clinical COPD: Findings from the Copenhagen General Population Study. American Journal of Respiratory and Critical Care Medicine, 2021, 203, 1245-1256  Fibrinogen and B-antitrypsin in COPD exacerbations. Thorax, 2015, 70, 1014-21  Coronary heart disease and heart failure in asthma, COPD and asthma-COPD overlap. BMJ Open Respiratory Journal, 164, 33  Reference equations for pulmonary diffusing capacity of car |

| 66 | Tablet computers to support outpatient pulmonary rehabilitation in patients with COPD. <i>European Clinical Respiratory Journal</i> , <b>2016</b> , 3, 31016   | 2    | 12 |
|----|--|------|----|
| 65 | Natural history and mechanisms of COPD. <i>Respirology</i> , <b>2021</b> , 26, 298-321   | 3.6  | 12 |
| 64 | Substantial need for early diagnosis, rehabilitation and treatment of chronic obstructive pulmonary disease. <i>Danish Medical Journal</i> , <b>2012</b> , 59, A4396   | 3.8  | 12 |
| 63 | FEV is a stronger mortality predictor than FVC in patients with moderate COPD and with an increased risk for cardiovascular disease. <i>International Journal of COPD</i> , <b>2020</b> , 15, 1135-1142  | 3    | 11 |
| 62 | Biomarkers of collagen turnover are related to annual change in FEV in patients with chronic obstructive pulmonary disease within the ECLIPSE study. <i>BMC Pulmonary Medicine</i> , <b>2017</b> , 17, 164   | 3.5  | 11 |
| 61 | Azithromycin and hydroxychloroquine in hospitalised patients with confirmed COVID-19-a randomised double-blinded placebo-controlled trial. <i>European Respiratory Journal</i> , <b>2021</b> ,   | 13.6 | 11 |
| 60 | High body mass index and risk of exacerbations and pneumonias in individuals with chronic obstructive pulmonary disease: observational and genetic risk estimates from the Copenhagen General Population Study. <i>International Journal of Epidemiology</i> , <b>2016</b> , 45, 1551-1559 | 7.8  | 11 |
| 59 | Prognosis of COPD depends on severity of exacerbation history: A population-based analysis. <i>Respiratory Medicine</i> , <b>2019</b> , 155, 141-147   | 4.6  | 10 |
| 58 | General practitionersSperceptions of COPD treatment: thematic analysis of qualitative interviews. <i>International Journal of COPD</i> , <b>2016</b> , 11, 1929-37   | 3    | 10 |
| 57 | Majority of never-smokers with airflow limitation do not have asthma: the Copenhagen General Population Study. <i>Thorax</i> , <b>2016</b> , 71, 614-23  | 7.3  | 10 |
| 56 | Midlife cardiorespiratory fitness and the long-term risk of chronic obstructive pulmonary disease. <i>Thorax</i> , <b>2019</b> , 74, 843-848   | 7.3  | 9  |
| 55 | Early pulmonary rehabilitation after acute exacerbation of COPD: a randomised controlled trial. <i>ERJ Open Research</i> , <b>2020</b> , 6,  | 3.5  | 9  |
| 54 | Determinants of chronic mucus hypersecretion in a general population with special reference to the type of tobacco smoked. <i>International Journal of Epidemiology</i> , <b>1989</b> , 18, 882-7  | 7.8  | 9  |
| 53 | The effect of exacerbation history on outcomes in the IMPACT trial. <i>European Respiratory Journal</i> , <b>2020</b> , 55,  | 13.6 | 9  |
| 52 | Quality of care and clinical outcomes of chronic obstructive pulmonary disease in patients with schizophrenia. A Danish nationwide study. <i>International Journal for Quality in Health Care</i> , <b>2018</b> , 30, 351  | -357 | 8  |
| 51 | Prognosis of patients with alpha1-antitrypsine deficiency on long-term oxygen therapy. <i>Respiratory Medicine</i> , <b>2014</b> , 108, 1189-94  | 4.6  | 8  |
| 50 | Comparison of five major airflow limitation criteria to identify high-risk individuals with COPD: a contemporary population-based cohort. <i>Thorax</i> , <b>2020</b> , 75, 944-954  | 7.3  | 8  |
| 49 | Chronic care for COPD patients in Denmark. <i>Pneumonologia I Alergologia Polska</i> , <b>2012</b> , 80, 292-5   |      | 8  |

## (2017-2015)

| 48 | Outcomes of acute exacerbations in COPD in relation to pre-hospital oxygen therapy. <i>European Clinical Respiratory Journal</i> , <b>2015</b> , 2,  | 2    | 7 |  |
|----|--|------|---|--|
| 47 | Study on drug costs associated with COPD prescription medicine in Denmark. <i>Clinical Respiratory Journal</i> , <b>2013</b> , 7, 328-37   | 1.7  | 7 |  |
| 46 | Fractional exhaled nitric oxide as a determinant for the clinical course of asthma: a systematic review. European Clinical Respiratory Journal, 2021, 8, 1891725   | 2    | 7 |  |
| 45 | Economic Burden of COPD by Disease Severity - A Nationwide Cohort Study in Denmark. <i>International Journal of COPD</i> , <b>2021</b> , 16, 603-613   | 3    | 6 |  |
| 44 | Risk of Exacerbation and Pneumonia with Single-Inhaler Triple versus Dual Therapy in IMPACT. <i>Annals of the American Thoracic Society</i> , <b>2021</b> , 18, 788-798  | 4.7  | 6 |  |
| 43 | Beta-blocker, aspirin, and statin usage after first-time myocardial infarction in patients with chronic obstructive pulmonary disease: a nationwide analysis from 1995 to 2015 in Denmark. <i>European Heart Journal Quality of Care &amp; Delamore (Control of Care Samp)</i> | 4.6  | 6 |  |
| 42 | Relationship between supernormal lung function and long-term risk of hospitalisations and mortality: a population-based cohort study. <i>European Respiratory Journal</i> , <b>2021</b> , 57,  | 13.6 | 6 |  |
| 41 | EAdrenergic genotypes and risk of severe exacerbations in COPD: a prospective cohort study. <i>Thorax</i> , <b>2019</b> , 74, 934-940  | 7.3  | 5 |  |
| 40 | Chronic Mucus Hypersecretion and the Natural History of Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2016</b> , 193, 602-3  | 10.2 | 5 |  |
| 39 | Trajectory of Preserved Ratio Impaired Spirometry: Natural History and Long-Term Prognosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2021</b> , 204, 910-920   | 10.2 | 5 |  |
| 38 | Supernormal lung function and risk of COPD: A contemporary population-based cohort study. <i>EClinicalMedicine</i> , <b>2021</b> , 37, 100974  | 11.3 | 5 |  |
| 37 | Danish respiratory society position paper: palliative care in patients with chronic progressive non-malignant lung diseases. <i>European Clinical Respiratory Journal</i> , <b>2018</b> , 5, 1530029   | 2    | 5 |  |
| 36 | External Validation and Recalculation of the CODEX Index in COPD Patients. A 3CIAplus Cohort Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , <b>2019</b> , 16, 8-17   | 2    | 4 |  |
| 35 | Misinterpretation of time-to-first event curves can lead to inappropriate treatment. <i>European Respiratory Journal</i> , <b>2019</b> , 54,   | 13.6 | 4 |  |
| 34 | COPD drugs: the urgent need for innovation. Lancet Respiratory Medicine, the, 2014, 2, 14-5  | 35.1 | 4 |  |
| 33 | Beta-blocker use and acute exacerbations of COPD following myocardial infarction: a Danish nationwide cohort study. <i>Thorax</i> , <b>2020</b> , 75, 928-933  | 7.3  | 4 |  |
| 32 | U-Shaped Association Between Duration of Sports Activities and Mortality: Copenhagen City Heart Study. <i>Mayo Clinic Proceedings</i> , <b>2021</b> , 96, 3012-3020  | 6.4  | 4 |  |
| 31 | Reducing socioeconomic inequalities in COPD care in the hospital outpatient setting - A nationwide initiative. <i>Respiratory Medicine</i> , <b>2017</b> , 125, 19-23  | 4.6  | 3 |  |

| 30 | Impact of pre-enrolment medication use on clinical outcomes in SUMMIT. <i>ERJ Open Research</i> , <b>2019</b> , 5,   | 3.5               | 3 |
|----|--|-------------------|---|
| 29 | Mortality prediction in chronic obstructive pulmonary disease comparing the GOLD 2015 and GOLD 2019 staging: a pooled analysis of individual patient data. <i>ERJ Open Research</i> , <b>2020</b> , 6,   | 3.5               | 3 |
| 28 | Single-inhaler triple therapy fluticasone furoate/umeclidinium/vilanterol versus fluticasone furoate/vilanterol and umeclidinium/vilanterol in patients with COPD: results on cardiovascular safety from the IMPACT trial. <i>Respiratory Research</i> , <b>2020</b> , 21, 139 | 7:3               | 3 |
| 27 | Symptoms and quality of life in patients with chronic obstructive pulmonary disease treated with aclidinium in a real-life setting. <i>European Clinical Respiratory Journal</i> , <b>2016</b> , 3, 31232  | 2                 | 3 |
| 26 | Prognostic value of clinically important deterioration in COPD: IMPACT trial analysis. <i>ERJ Open Research</i> , <b>2021</b> , 7,   | 3.5               | 3 |
| 25 | Socioeconomic inequality in the use of prescription medications for smoking cessation among patients with COPD: a nationwide study. <i>International Journal of COPD</i> , <b>2018</b> , 13, 1775-1781   | 3                 | 3 |
| 24 | Risk and impact of chronic cough in obese individuals from the general population. <i>Thorax</i> , <b>2021</b> ,   | 7.3               | 3 |
| 23 | The long-lasting dark shadow of past and present smoking. Lancet Respiratory Medicine, the, 2020, 8, 3-5   | 5 35.1            | 2 |
| 22 | Comorbidity Clusters and Healthcare Use in Individuals With COPD. Respiratory Care, 2020, 65, 1120-11  | <b>27</b> .1      | 2 |
| 21 | InforMing the PAthway of COPD Treatment (IMPACT) trial: fibrinogen levels predict risk of moderate or severe exacerbations. <i>Respiratory Research</i> , <b>2021</b> , 22, 130  | 7.3               | 2 |
| 20 | Triple Versus Dual Combination Therapy in Chronic Obstructive Pulmonary Disease in Asian Countries: Analysis of the IMPACT Trial. <i>Pulmonary Therapy</i> , <b>2021</b> , 7, 101-118  | 3                 | 2 |
| 19 | Danish general practitionersSmanagement of patients with COPD: alhationwide survey.<br>Scandinavian Journal of Primary Health Care, <b>2020</b> , 38, 391-398  | 2.7               | 1 |
| 18 | Outcomes consequent to "early" COPD for interventional studies. <i>European Respiratory Journal</i> , <b>2020</b> , 55,  | 13.6              | 1 |
| 17 | Exacerbation history, severity of dyspnoea and maintenance treatment predicts risk of future exacerbations in patients with COPD in the general population <i>Respiratory Medicine</i> , <b>2021</b> , 192, 10672  | .5 <sup>4.6</sup> | 1 |
| 16 | Disease self-management in patients with moderate COPD: a thematic analysis. <i>European Clinical Respiratory Journal</i> , <b>2020</b> , 7, 1762376   | 2                 | 1 |
| 15 | Validation of lung density indices by cardiac CT for quantification of lung emphysema. <i>International Journal of COPD</i> , <b>2018</b> , 13, 3321-3330  | 3                 | 1 |
| 14 | A single blood eosinophil count measurement is as good as two for prediction of ICS treatment response in the IMPACT trial. <i>European Respiratory Journal</i> , <b>2021</b> , 58,  | 13.6              | 1 |
| 13 | Occupational exposures and exacerbations of asthma and COPD-A general population study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0243826   | 3.7               | O |

#### LIST OF PUBLICATIONS

| 12 | Witnessed sleep apneas together with elevated plasma glucose are predictors of COPD exacerbations. <i>European Clinical Respiratory Journal</i> , <b>2020</b> , 7, 1765543                          | 2    | О |
|----|---|------|---|
| 11 | Chronic productive cough and inhalant occupational exposure-a study of the general population. <i>International Archives of Occupational and Environmental Health</i> , <b>2021</b> , 94, 1033-1040 | 3.2  | O |
| 10 | Disease Trajectories and Impact of One Moderate Exacerbation in Gold B COPD Patients <i>International Journal of COPD</i> , <b>2022</b> , 17, 569-578   | 3    | 0 |
| 9  | Exposure Interaction: A Lifelong Phenomenon with Relevance to Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2017</b> , 196, 947-948 | 10.2 |   |
| 8  | AuthorsSresponse to Young and Hopkins: vitamin D and lung function. <i>Thorax</i> , <b>2014</b> , 69, 770-1   | 7.3  |   |
| 7  | Epidemiological aspects of systemic inflammation in COPD. Clinical Respiratory Journal, 2011, 5, 3-3  | 1.7  |   |
| 6  | Asthma and COPD versus phenotypic traits: Toward precision medicine in chronic airway disease. <i>Respiratory Medicine</i> , <b>2021</b> , 186, 106529  | 4.6  |   |
| 5  | Potential clinical implications of targeted spirometry for detection of COPD: A contemporary population-based cohort study <i>Respiratory Medicine</i> , <b>2022</b> , 197, 106852                  | 4.6  |   |
| 4  | Occupational exposures and exacerbations of asthma and COPDA general population study $\bf 2020$ , 15, e0243826   |      |   |
| 3  | Occupational exposures and exacerbations of asthma and COPDA general population study $2020$ , 15, e0243826   |      |   |
| 2  | Occupational exposures and exacerbations of asthma and COPDA general population study $\bf 2020$ , 15, e0243826   |      |   |
| 1  | Occupational exposures and exacerbations of asthma and COPDA general population study <b>2020</b> , 15, e0243826  |      |   |