

Paula Tabares

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7372708/paula-tabares-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

1,984
citations

21
h-index

40
g-index

40
ext. papers

2,149
ext. citations

8.1
avg, IF

4.4
L-index

#	Paper	IF	Citations
40	TLR signals license CD8 T cells to destroy oligodendrocytes expressing an antigen shared with a Listeria pathogen. <i>European Journal of Immunology</i> , 2019 , 49, 413-427	6.1	3
39	TNFRSF receptor-specific antibody fusion proteins with targeting controlled FcR-independent agonistic activity. <i>Cell Death and Disease</i> , 2019 , 10, 224	9.8	11
38	Short-term cytokine stimulation reveals regulatory T cells with down-regulated Foxp3 expression in human peripheral blood. <i>European Journal of Immunology</i> , 2018 , 48, 366-379	6.1	8
37	The secreted <i>Candida albicans</i> protein Pra1 disrupts host defense by broadly targeting and blocking complement C3 and C3 activation fragments. <i>Molecular Immunology</i> , 2018 , 93, 266-277	4.3	17
36	CD28 Costimulation of T Helper 1 Cells Enhances Cytokine Release. <i>Frontiers in Immunology</i> , 2018 , 9, 1060	8.4	8
35	Targeting of the WT1 fragment to human dendritic cells improves leukemia-specific T-cell responses providing an alternative approach to WT1-based vaccination. <i>Cancer Immunology, Immunotherapy</i> , 2017 , 66, 319-332	7.4	8
34	Self-Recognition Sensitizes Mouse and Human Regulatory T Cells to Low-Dose CD28 Superagonist Stimulation. <i>Frontiers in Immunology</i> , 2017 , 8, 1985	8.4	5
33	Protection of Mice from Acute Graft-versus-Host Disease Requires CD28 Co-stimulation on Donor CD4 Foxp3 Regulatory T Cells. <i>Frontiers in Immunology</i> , 2017 , 8, 721	8.4	1
32	Interrupting CD28 costimulation before antigen rechallenge affects CD8(+) T-cell expansion and effector functions during secondary response in mice. <i>European Journal of Immunology</i> , 2016 , 46, 1644-55	6.1	12
31	Boost of Immune Responses Against NY-ESO-1 Following Local Radiation Therapy in Patients with Multiple Myeloma: A Potential Contribution to Tumor Immunosurveillance. <i>Blood</i> , 2016 , 128, 4512-4512	2.2	
30	The rise and fall of the CD28 superagonist TGN1412 and its return as TAB08: a personal account. <i>FEBS Journal</i> , 2016 , 283, 3325-34	5.7	25
29	In vivo activation of Treg cells with a CD28 superagonist prevents and ameliorates chronic destructive arthritis in mice. <i>European Journal of Immunology</i> , 2016 , 46, 1193-202	6.1	8
28	The T cell-selective IL-2 mutant AIC284 mediates protection in a rat model of Multiple Sclerosis. <i>Journal of Neuroimmunology</i> , 2015 , 282, 63-72	3.5	5
27	Amplification of regulatory T cells using a CD28 superagonist reduces brain damage after ischemic stroke in mice. <i>Stroke</i> , 2015 , 46, 212-20	6.7	74
26	High-density preculture of PBMCs restores defective sensitivity of circulating CD8 T cells to virus- and tumor-derived antigens. <i>Blood</i> , 2015 , 126, 185-94	2.2	21
25	In vitro polyclonal activation of conventional T cells with a CD28 superagonist protects mice from acute graft versus host disease. <i>European Journal of Immunology</i> , 2015 , 45, 1997-2007	6.1	7
24	CD28 co-stimulation in T-cell homeostasis: a recent perspective. <i>ImmunoTargets and Therapy</i> , 2015 , 4, 111-22	9	75

23	Novel receptor-derived cyclopeptides to treat heart failure caused by anti- β -adrenoceptor antibodies in a human-analogous rat model. <i>PLoS ONE</i> , 2015 , 10, e0117589	3.7	16
22	Human regulatory T cells are selectively activated by low-dose application of the CD28 superagonist TGN1412/TAB08. <i>European Journal of Immunology</i> , 2014 , 44, 1225-36	6.1	71
21	Eberhard Wecker (1923-2013). <i>European Journal of Immunology</i> , 2013 , 43, 1986-7	6.1	
20	Oligodendrocytes enforce immune tolerance of the uninfected brain by purging the peripheral repertoire of autoreactive CD8+ T cells. <i>Immunity</i> , 2012 , 37, 134-46	32.3	24
19	CD28 and IL-4: two heavyweights controlling the balance between immunity and inflammation. <i>Medical Microbiology and Immunology</i> , 2010 , 199, 239-46	4	21
18	Naive CD8 T-cells initiate spontaneous autoimmunity to a sequestered model antigen of the central nervous system. <i>Brain</i> , 2008 , 131, 2353-65	11.2	69
17	Manipulation of regulatory T-cell number and function with CD28-specific monoclonal antibodies. <i>Advances in Immunology</i> , 2007 , 95, 111-48	5.6	46
16	Induction of experimental autoimmune encephalomyelitis in transgenic mice expressing ovalbumin in oligodendrocytes. <i>European Journal of Immunology</i> , 2006 , 36, 207-15	6.1	33
15	IL-2 and autoimmune disease. <i>Cytokine and Growth Factor Reviews</i> , 2002 , 13, 369-78	17.9	82
14	Thymic development and repertoire selection: the rat perspective. <i>Immunological Reviews</i> , 2001 , 184, 7-19	11.3	20
13	Control of T cell hyperactivation in IL-2-deficient mice by CD4(+)CD25(-) and CD4(+)CD25(+) T cells: evidence for two distinct regulatory mechanisms. <i>European Journal of Immunology</i> , 2001 , 31, 1637-45	6.1	147
12	Autonomous induction of proliferation, JNK and NF- α B activation in primary resting T cells by mobilized CD28. <i>European Journal of Immunology</i> , 2000 , 30, 876-82	6.1	28
11	Autonomous induction of proliferation, JNK and NF- β activation in primary resting T cells by mobilized CD28 2000 , 30, 876		1
10	CD28-mediated induction of proliferation in resting T cells in vitro and in vivo without engagement of the T cell receptor: evidence for functionally distinct forms of CD28. <i>European Journal of Immunology</i> , 1997 , 27, 239-47	6.1	137
9	Orally induced, peptide-specific gamma/delta TCR+ cells suppress experimental autoimmune uveitis. <i>European Journal of Immunology</i> , 1996 , 26, 2140-8	6.1	69
8	Identification and cellular distribution of the rat interleukin-2 receptor beta chain: induction of the IL-2R alpha- beta+ phenotype by major histocompatibility complex class I recognition during T cell development in vivo and by T cell receptor stimulation of CD4+8+ immature thymocytes in vitro. <i>European Journal of Immunology</i> , 1996 , 26, 2371-5	6.1	7
7	The canonical T cell receptor of dendritic epidermal gamma delta T cells is highly conserved between rats and mice. <i>European Journal of Immunology</i> , 1996 , 26, 3092-7	6.1	26
6	Impaired survival of T cell receptor V gamma 3+ cells in interleukin-4 transgenic mice. <i>European Journal of Immunology</i> , 1995 , 25, 1442-5	6.1	10

5	Prevention and treatment of Lewis rat experimental allergic encephalomyelitis with a monoclonal antibody to the T cell receptor V beta 8.2 segment. <i>European Journal of Immunology</i> , 1995 , 25, 1960-4	6.1	32
4	Characterization of mouse CD53: epitope mapping, cellular distribution and induction by T cell receptor engagement during repertoire selection. <i>European Journal of Immunology</i> , 1995 , 25, 2201-5	6.1	25
3	Thymic selection and peptide-induced activation of T cell receptor-transgenic CD8 T cells in interleukin-2-deficient mice. <i>European Journal of Immunology</i> , 1994 , 24, 2317-22	6.1	56
2	Development and function of T cells in mice rendered interleukin-2 deficient by gene targeting. <i>Nature</i> , 1991 , 352, 621-4	50.4	752
1	Induction of proliferative and cytotoxic responses in resting Lyt-2+ T cells with lectin and recombinant interleukin 2. <i>European Journal of Immunology</i> , 1985 , 15, 332-7	6.1	24