

Izaias MÃ©dice Fernandes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7373246/publications.pdf>

Version: 2024-02-01

21
papers

153
citations

1307594

7
h-index

1199594

12
g-index

22
all docs

22
docs citations

22
times ranked

276
citing authors

#	ARTICLE	IF	CITATIONS
1	ANÁLISE HIDROGEOMORFOMÉTRICA E DINÂMICA DE COBERTURA DO SOLO DA MICROBACIA DO RIO FORMOSO, AMAZÔNIA OCIDENTAL, BRASIL. <i>Recima21: Revista Científica Multidisciplinar</i> , 2022, 3, e321134.	0.0	1
2	GEOINDICADORES COMO FERRAMENTA PARA ANÁLISE DOS PROCESSOS ANTROPOGEOMORFOLÓGICOS NA MICROBACIA DO RIO TRACAJÁ, AMAZÔNIA, BRASIL. <i>Recima21: Revista Científica Multidisciplinar</i> , 2022, 3, e331194.	0.0	1
3	MICROBACIA DO RIO CACHARA: CARACTERÍSTICAS HIDROGEOMORFOMÉTRICAS E DINÂMICA DA COBERTURA DO SOLO COMO SUBSÍDIOS PARA O PLANEJAMENTO E A GESTÃO DOS RECURSOS NATURAIS. <i>Recima21: Revista Científica Multidisciplinar</i> , 2022, 3, e341306.	0.0	1
4	Occurrence of <i>Characidium xavante</i> (Characiformes: Crenuchidae) in the Tapajós River basin and comments about the conservation status of the species. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20210281.	0.8	0
5	Effect of environmental and spatial factors on small-sized fish assemblages in a tropical river. <i>Acta Amazonica</i> , 2021, 51, 129-138.	0.7	1
6	Effects of urbanization and environmental heterogeneity on fish assemblages in small streams. <i>Neotropical Ichthyology</i> , 2021, 19, .	1.0	5
7	Length-weight relationship of seven fish species from the temporary habitat, Pantanal wetland, Brazil. <i>Journal of Applied Ichthyology</i> , 2020, 36, 533-535.	0.7	0
8	Intra and not interspecific competition drives intra-populational variation in resource use by a neotropical fish species. <i>Environmental Biology of Fishes</i> , 2019, 102, 1097-1105.	1.0	7
9	STREAM FISH IN THE ARIPIUANÁ RIVER UPSTREAM AND DOWNSTREAM OF THE DARDANELOS-ANDORINHAS WATERFALL COMPLEX, STATE OF MATO GROSSO, BRAZIL. <i>Oecologia Australis</i> , 2019, 23, 606-619.	0.2	1
10	Evidence of cross-taxon congruence in Neotropical wetlands: Importance of environmental and spatial factors. <i>Global Ecology and Conservation</i> , 2017, 12, 108-118.	2.1	13
11	A new species of <i>Astyanax</i> (Characiformes: Characidae) from Dolina Água Milagrosa, Rio Paraguai basin, Mato Grosso, Brazil. <i>Journal of Fish Biology</i> , 2017, 91, 1123-1138.	1.6	3
12	Size-dependent response of tropical wetland fish communities to changes in vegetation cover and habitat connectivity. <i>Landscape Ecology</i> , 2015, 30, 1421-1434.	4.2	14
13	Spatiotemporal variation in life history traits of three small fishes in streams of southeastern Brazil. <i>Fisheries Management and Ecology</i> , 2015, 22, 143-151.	2.0	7
14	Assessing the potential of a protected area for fish conservation in a neotropical wetland. <i>Biodiversity and Conservation</i> , 2014, 23, 3185-3198.	2.6	12
15	Effects of local and regional factors on the fish assemblage structure in Meridional Amazonian streams. <i>Environmental Biology of Fishes</i> , 2013, 96, 837-848.	1.0	23
16	Persistence and stability of cichlid assemblages in neotropical floodplain lagoons. <i>Environmental Biology of Fishes</i> , 2012, 93, 427-437.	1.0	16
17	Spatial and temporal variation in population structure of <i>Hemigrammus marginatus</i> (Characiformes: Tj ETQq1 1 0.784314 rgBT /Over 0.5 2	0.5	2
18	Spatial pattern of a fish assemblage in a seasonal tropical wetland: effects of habitat, herbaceous plant biomass, water depth, and distance from species sources. <i>Neotropical Ichthyology</i> , 2010, 8, 289-298.	1.0	34

#	ARTICLE	IF	CITATIONS
19	A dimensão espacial e temporal da diversidade de peixes da zona litoral vegetada de lagoas marginais da planície de inundação do rio Cuiabá, Pantanal, Brasil. <i>Biota Neotropica</i> , 2007, 7, 233-238.	1.0	11
20	Sexual dimorphism and morphometrics in two populations of the Neotropical freshwater turtle <i>Mesoclemmys vanderhaegei</i> (Testudines, Chelidae). <i>Iheringia - Serie Zoologia</i> , 0, 112, .	0.5	1
21	Influence of palm trees on the richness and distribution of plant species on the murundus at a Caatinga/Cerrado ecotone. <i>Rodriguesia</i> , 0, 73, .	0.9	0