Marcin Hellmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7373956/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Nicotinamide adenine dinucleotide fluorescence to assess microvascular disturbances in post-COVID-19 patients. Cardiology Journal, 2022, 29, 154-156.	0.5	2
2	Sacubitril/valsartan improved microvascular endothelial function in a young patient with COVID-19-related mild left ventricular dysfunction. Kardiologia Polska, 2022, 80, 614-615.	0.3	0
3	Speckle-tracking echocardiographic evaluation of the right ventricle in patients with ischemic left ventricular dysfunction. Cardiology Journal, 2022, , .	0.5	Ο
4	Assessment of microvascular function and pharmacological regulation in genetically confirmed familial hypercholesterolemia. Microvascular Research, 2021, 138, 104216.	1.1	6
5	Arguable ICD placement in a sarcoidosis patient with extensive cardiac involvement. Archives of Medical Science, 2020, 16, 707-708.	0.4	1
6	Invasive Assessment of the Myocardial Microcirculation during Beating Heart Coronary Artery Bypass Grafting. Journal of Clinical Medicine, 2020, 9, 663.	1.0	3
7	Microvascular endothelial dysfunction in a young patient with familial hypercholesterolemia. Polish Archives of Internal Medicine, 2020, 130, 679-680.	0.3	0
8	Real-time microcirculation imaging during beating-heart coronary artery bypass grafting. Kardiologia Polska, 2020, 78, 780-781.	0.3	1
9	Laser Doppler flowmetry to assess myocardial microcirculation. Cardiology Journal, 2020, 27, 197-199.	0.5	2
10	Microvascular imaging of primary erythromelalgia. Polish Archives of Internal Medicine, 2019, 129, 632-633.	0.3	4
11	A mystery of the myocardial microcirculation during coronary artery bypass grafting. European Journal of Cardio-thoracic Surgery, 2018, 54, 405-405.	0.6	2
12	A pilot study with flow mediated skin fluorescence: A novel device to assess microvascular endothelial function in coronary artery disease. Cardiology Journal, 2018, 25, 120-127.	0.5	19
13	Reproducibility of flow mediated skin fluorescence to assess microvascular function. Microvascular Research, 2017, 113, 60-64.	1.1	18
14	Required temporal resolution for accurate thoracic aortic pulse wave velocity measurements by phase-contrast magnetic resonance imaging and comparison with clinical standard applanation tonometry. BMC Cardiovascular Disorders, 2016, 16, 110.	0.7	15
15	Prostanoids are not involved in postocclusive reactive hyperaemia in human skin. Fundamental and Clinical Pharmacology, 2015, 29, 510-516.	1.0	15
16	Cutaneous iontophoresis of treprostinil, a prostacyclin analog, increases microvascular blood flux in diabetic malleolus area. European Journal of Pharmacology, 2015, 758, 123-128.	1.7	17
17	Skin microvascular endothelial function as a biomarker in cardiovascular diseases?. Pharmacological Reports, 2015, 67, 803-810.	1.5	65
18	Pay attention to the skeletal muscles in left ventricular hypertrabeculation / noncompaction. Authors' reply. Polish Archives of Internal Medicine, 2015, 125, 214-214.	0.3	0

#	Article	IF	CITATIONS
19	Cathodal Iontophoresis of Treprostinil Induces a Sustained Increase in Cutaneous Blood Flux in Healthy Volunteers. Journal of Clinical Pharmacology, 2013, 53, 58-66.	1.0	16
20	Iontophoresis of Endothelin Receptor Antagonists in Rats and Men. PLoS ONE, 2012, 7, e40792.	1.1	5