

Brandon J Wainwright

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7375123/publications.pdf>

Version: 2024-02-01

42
papers

4,445
citations

257357

24
h-index

276775

41
g-index

43
all docs

43
docs citations

43
times ranked

5664
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient-derived orthotopic xenograft models of medulloblastoma lack a functional blood-brain barrier. <i>Neuro-Oncology</i> , 2021, 23, 732-742.	0.6	12
2	Genetic and functional interaction network analysis reveals global enrichment of regulatory T cell genes influencing basal cell carcinoma susceptibility. <i>Genome Medicine</i> , 2021, 13, 19.	3.6	20
3	Vincristine-induced peripheral neuropathy is driven by canonical NLRP3 activation and IL-1 β release. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	29
4	Elp2 mutations perturb the epitranscriptome and lead to a complex neurodevelopmental phenotype. <i>Nature Communications</i> , 2021, 12, 2678.	5.8	26
5	Systems pharmacogenomics identifies novel targets and clinically actionable therapeutics for medulloblastoma. <i>Genome Medicine</i> , 2021, 13, 103.	3.6	10
6	SOX9 Defines Distinct Populations of Cells in SHH Medulloblastoma but Is Not Required for Math1-Driven Tumor Formation. <i>Molecular Cancer Research</i> , 2021, 19, 1831-1839.	1.5	5
7	Tumor cells generate astrocyte-like cells that contribute to SHH-driven medulloblastoma relapse. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	19
8	Ectopic expression of SOX18 in Basal cell carcinoma negatively regulates tumour progression. <i>Journal of Dermatological Science</i> , 2020, 98, 179-185.	1.0	3
9	Identification of CD24 as a marker of Patched1 deleted medulloblastoma-initiating neural progenitor cells. <i>PLoS ONE</i> , 2019, 14, e0210665.	1.1	5
10	Activated Hedgehog-Gli Signaling Causes Congenital Ureteropelvic Junction Obstruction. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 532-544.	3.0	20
11	Elongator mutation in mice induces neurodegeneration and ataxia-like behavior. <i>Nature Communications</i> , 2018, 9, 3195.	5.8	40
12	Patched1 patterns Fibroblast growth factor 10 and Forkhead box F1 expression during pulmonary branch formation. <i>Mechanisms of Development</i> , 2017, 147, 37-48.	1.7	9
13	Inhibition of CDK4/6 by Palbociclib Significantly Extends Survival in Medulloblastoma Patient-Derived Xenograft Mouse Models. <i>Clinical Cancer Research</i> , 2017, 23, 5802-5813.	3.2	74
14	Patched Receptors Sense, Interpret, and Establish an Epidermal Hedgehog Signaling Gradient. <i>Journal of Investigative Dermatology</i> , 2017, 137, 179-186.	0.3	11
15	The Many Faces of Elongator in Neurodevelopment and Disease. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 115.	1.4	51
16	MicroRNA Biogenesis and Hedgehog-Patched Signaling Cooperate to Regulate an Important Developmental Transition in Granule Cell Development. <i>Genetics</i> , 2016, 202, 1105-1118.	1.2	13
17	Neogenin1 is a sonic hedgehog target in medulloblastoma and is necessary for cell cycle progression. <i>International Journal of Cancer</i> , 2014, 134, 21-31.	2.3	26
18	Patched 1 and Patched 2 Redundancy Has a Key Role in Regulating Epidermal Differentiation. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1981-1990.	0.3	29

#	ARTICLE	IF	CITATIONS
19	Zfx Facilitates Tumorigenesis Caused by Activation of the Hedgehog Pathway. <i>Cancer Research</i> , 2014, 74, 5914-5924.	0.4	25
20	Murine basal cell carcinoma leads to tumor-mediated alterations in endocrine Igf1 signaling. <i>Endocrine-Related Cancer</i> , 2013, 20, 273-281.	1.6	1
21	<i><i>Sleeping Beauty</i></i> mutagenesis in a mouse medulloblastoma model defines networks that discriminate between human molecular subgroups. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E4325-34.	3.3	62
22	Patched1 is required in neural crest cells for the prevention of orofacial clefts. <i>Human Molecular Genetics</i> , 2013, 22, 5026-5035.	1.4	42
23	Proliferation of Murine Midbrain Neural Stem Cells Depends upon an Endogenous Sonic Hedgehog (Shh) Source. <i>PLoS ONE</i> , 2013, 8, e65818.	1.1	19
24	Kif7 regulates Gli2 through Sufu-dependent and -independent functions during skin development and tumorigenesis. <i>Development (Cambridge)</i> , 2012, 139, 4152-4161.	1.2	61
25	Ptch1-mediated dosage-dependent action of Shh signaling regulates neural progenitor development at late gestational stages. <i>Developmental Biology</i> , 2011, 349, 147-159.	0.9	45
26	Hedgehog/Notch-induced premature gliogenesis represents a new disease mechanism for Hirschsprung disease in mice and humans. <i>Journal of Clinical Investigation</i> , 2011, 121, 3467-3478.	3.9	64
27	Sonic Hedgehog and Notch Signaling Can Cooperate to Regulate Neurogenic Divisions of Neocortical Progenitors. <i>PLoS ONE</i> , 2011, 6, e14680.	1.1	88
28	RBPJ is not required for granule neuron progenitor development and medulloblastoma initiated by Hedgehog pathway activation in the external germinal layer. <i>Neural Development</i> , 2010, 5, 27.	1.1	6
29	Patched1 Inhibits Epidermal Progenitor Cell Expansion and Basal Cell Carcinoma Formation by Limiting Igfbp2 Activity. <i>Cancer Prevention Research</i> , 2010, 3, 1222-1234.	0.7	40
30	Patched 1 is a crucial determinant of asymmetry and digit number in the vertebrate limb. <i>Development (Cambridge)</i> , 2009, 136, 3515-3524.	1.2	51
31	<i><i>Ptch1</i></i> is required locally for mammary gland morphogenesis and systemically for ductal elongation. <i>Development (Cambridge)</i> , 2009, 136, 1423-1432.	1.2	32
32	The Hedgehog receptor Patched1 regulates myeloid and lymphoid progenitors by distinct cell-extrinsic mechanisms. <i>Blood</i> , 2009, 114, 995-1004.	0.6	39
33	Expression of the NET family member <i><i>Zfp503</i></i> is regulated by hedgehog and BMP signaling in the limb. <i>Developmental Dynamics</i> , 2008, 237, 1172-1182.	0.8	22
34	Medulloblastoma Can Be Initiated by Deletion of Patched in Lineage-Restricted Progenitors or Stem Cells. <i>Cancer Cell</i> , 2008, 14, 135-145.	7.7	606
35	Patched1 Functions as a Gatekeeper by Promoting Cell Cycle Progression. <i>Cancer Research</i> , 2006, 66, 2081-2088.	0.4	168
36	An in vivo comparative study of sonic, desert and Indian hedgehog reveals that hedgehog pathway activity regulates epidermal stem cell homeostasis. <i>Development (Cambridge)</i> , 2004, 131, 5009-5019.	1.2	91

#	ARTICLE	IF	CITATIONS
37	Patched 1 conditional null allele in mice. <i>Genesis</i> , 2003, 36, 158-161.	0.8	94
38	Overexpression of Sonic Hedgehog suppresses embryonic hair follicle morphogenesis. <i>Developmental Biology</i> , 2003, 263, 203-215.	0.9	48
39	Novel genes regulated by Sonic Hedgehog in pluripotent mesenchymal cells. <i>Oncogene</i> , 2002, 21, 8196-8205.	2.6	108
40	Mutations of the Human Homolog of <i>Drosophila</i> patched in the Nevoid Basal Cell Carcinoma Syndrome. <i>Cell</i> , 1996, 85, 841-851.	13.5	2,150
41	A Mammalian patched Homolog Is Expressed in Target Tissues of sonic hedgehog and Maps to a Region Associated with Developmental Abnormalities. <i>Journal of Biological Chemistry</i> , 1996, 271, 12125-12128.	1.6	171
42	Functional divergence of the two Elongator subcomplexes during neurodevelopment. <i>EMBO Molecular Medicine</i> , 0, , .	3.3	10