

Seoung Wan Chae

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7375241/publications.pdf>

Version: 2024-02-01

41
papers

587
citations

840776

11
h-index

642732

23
g-index

41
all docs

41
docs citations

41
times ranked

1088
citing authors

#	ARTICLE	IF	CITATIONS
1	Corticosteroid-induced drug reaction with eosinophilia and systematic symptoms successfully treated with a tumor necrosis factor alpha inhibitor. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2022, , .	0.4	3
2	Clinicopathologic Characteristics Associated with Prognosis in Ocular Extranodal Marginal Zone B Cell Lymphoma. <i>Medicina (Lithuania)</i> , 2022, 58, 818.	2.0	0
3	Treatment of elastosis perforans serpiginosa with the 585-nm pulsed dye laser. <i>Medical Lasers</i> , 2022, 11, 110-114.	0.4	0
4	High-sensitivity C-reactive Protein and Regression of Low-grade Squamous Intraepithelial Lesion: The Role of Low-grade Inflammation in Cervical Carcinogenesis. <i>Journal of Epidemiology</i> , 2021, 31, 615-620.	2.4	2
5	Early postoperative treatment of mastectomy scars using a fractional carbon dioxide laser: a randomized, controlled, split-scar, blinded study. <i>Archives of Plastic Surgery</i> , 2021, 48, 347-352.	0.9	6
6	Association between skeletal muscle mass and mammographic breast density. <i>Scientific Reports</i> , 2021, 11, 16785.	3.3	4
7	Proto-oncogene Pokemon in thyroid cancer: a potential promoter of tumorigenesis in papillary thyroid carcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 317-323.	1.1	1
8	Can ultrasound distinguish between dermatofibroma and subcutaneous epidermal tumors? - Imaging features and reproducibility. <i>Clinical Imaging</i> , 2021, 79, 52-55.	1.5	1
9	Expression of UTX Indicates Poor Prognosis in Patients With Luminal Breast Cancer and is Associated With MMP-11 Expression. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020, 28, 544-550.	1.2	3
10	Excessive walking exercise precipitates diabetic neuropathic foot pain: hind paw suspension treadmill exercise experiment in a rat model. <i>Scientific Reports</i> , 2020, 10, 10498.	3.3	4
11	Voxel-based Three-dimensional Segmentation of the Capsulo-synovium from Contrast-enhanced MRI Can Represent Clinical Impairments in Adhesive Capsulitis. <i>Scientific Reports</i> , 2020, 10, 6516.	3.3	0
12	Factors affecting KRAS mutation detection in colorectal cancer tissue. <i>Pathology Research and Practice</i> , 2019, 215, 1071-1075.	2.3	1
13	Clinicopathologic characteristics of early gastric cancer according to specific intragastric location. <i>BMC Gastroenterology</i> , 2019, 19, 24.	2.0	14
14	A case of necrotizing infundibular crystalline folliculitis. <i>International Journal of Dermatology</i> , 2019, 58, 846-848.	1.0	5
15	Biliary Taeniasis with Cholecystitis: An Unusual Case of Taenia solium Infection with a Literature Review. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 100, 135-139.	1.4	8
16	Droplet digital PCR-based EGFR mutation detection with an internal quality control index to determine the quality of DNA. <i>Scientific Reports</i> , 2018, 8, 543.	3.3	16
17	Effect of zolpidem on functional recovery in a rat model of ischemic stroke. <i>Journal of International Medical Research</i> , 2018, 46, 249-257.	1.0	13
18	Artificial Acellular Dermal Matrix Presenting as a Nodule in Thyroidectomy Patient. <i>Journal of Endocrine Surgery</i> , 2018, 18, 214.	0.1	1

#	ARTICLE	IF	CITATIONS
19	The prognostic and predictive value of tumor-infiltrating lymphocytes and hematologic parameters in patients with breast cancer. <i>BMC Cancer</i> , 2018, 18, 938.	2.6	94
20	High TNFRSF12A level associated with MMP-9 overexpression is linked to poor prognosis in breast cancer: Gene set enrichment analysis and validation in large-scale cohorts. <i>PLoS ONE</i> , 2018, 13, e0202113.	2.5	27
21	Coexistence of metastatic thyroid cancer and tuberculosis in a single neck lymph node: a rare association. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1036-1037.	1.7	1
22	Expression of epithelial-mesenchymal transition driver brachyury and status of tumor-infiltrating CD8+ and FOXP3+ lymphocytes in predicting treatment responses to neoadjuvant chemotherapy of breast cancer. <i>Tumor Biology</i> , 2017, 39, 101042831771057.	1.8	3
23	High excision repair cross-complementation group 1 expression is associated with favorable prognostic factors in breast cancer. <i>Oncology Letters</i> , 2017, 14, 4995-5003.	1.8	5
24	Expression of programmed cell death 1 and programmed cell death ligand 1 in extranodal NK/T-cell lymphoma, nasal type. <i>Annals of Hematology</i> , 2017, 96, 25-31.	1.8	81
25	Prognostic significance of expression of epithelial-mesenchymal transition driver brachyury in breast cancer and its association with subtype and characteristics. <i>Oncology Letters</i> , 2017, 15, 1037-1045.	1.8	5
26	Predictive Value of Sphingosine Kinase 1 Expression in Papillary Thyroid Carcinoma. , 2017, 37, 5399-5405.		4
27	The Use of the Bethesda System for Reporting Thyroid Cytopathology in Korea: A Nationwide Multicenter Survey by the Korean Society of Endocrine Pathologists. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 410-417.	1.1	30
28	High Expression of Urokinase-Type Plasminogen Activator Is Associated with Lymph Node Metastasis of Invasive Ductal Carcinoma of the Breast. <i>Journal of Breast Cancer</i> , 2016, 19, 156.	1.9	8
29	Case of Pleomorphic Dermal Sarcoma of the Eyelid Treated with Micrographic Surgery and Secondary Intention Healing. <i>Annals of Dermatology</i> , 2016, 28, 632.	0.9	9
30	Lupus Miliaris Disseminatus Faciei with Extrafacial Involvement. <i>Annals of Dermatology</i> , 2016, 28, 791.	0.9	3
31	High Ki67/BCL2 index is associated with worse outcome in early stage breast cancer. <i>Postgraduate Medical Journal</i> , 2016, 92, 707-714.	1.8	8
32	Decreased expression of p27 is associated with malignant transformation and extrathyroidal extension in papillary thyroid carcinoma. <i>Tumor Biology</i> , 2016, 37, 3359-3364.	1.8	8
33	Negative association between GATA3 and fascin could predict relapse-free and overall survival in patients with breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 409-416.	2.8	11
34	Increased Brahma-related Gene 1 Expression Predicts Distant Metastasis and Shorter Survival in Patients with Invasive Ductal Carcinoma of the Breast. <i>Anticancer Research</i> , 2016, 36, 4873-4882.	1.1	23
35	Fascin expression predicts an aggressive clinical course in patients with advanced breast cancer. <i>Oncology Letters</i> , 2015, 10, 121-130.	1.8	20
36	Traumatic Bowel Perforation and Inguinal Hernia Masking a Mesenteric Calcifying Fibrous Tumor. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 267-269.	1.1	1

#	ARTICLE	IF	CITATIONS
37	Cutaneous Pili Migrans. <i>Annals of Dermatology</i> , 2014, 26, 534.	0.9	11
38	SMAD4 Suppresses AURKA-Induced Metastatic Phenotypes via Degradation of AURKA in a TGF β ² -Independent Manner. <i>Molecular Cancer Research</i> , 2014, 12, 1779-1795.	3.4	20
39	Overexpressions of Cyclin B1, cdc2, p16 and p53 in Human Breast Cancer: The Clinicopathologic Correlations and Prognostic Implications. <i>Yonsei Medical Journal</i> , 2011, 52, 445.	2.2	47
40	Tristetraprolin regulates expression of VEGF and tumorigenesis in human colon cancer. <i>International Journal of Cancer</i> , 2010, 126, 1817-1827.	5.1	76
41	Polycystin-1 Expression in Fetal, Adult and Autosomal Dominant Polycystic Kidney. <i>Journal of Korean Medical Science</i> , 2006, 21, 425.	2.5	10