

# Francesca M Buffa

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7376685/francesca-m-buffa-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138  
papers

8,408  
citations

49  
h-index

90  
g-index

170  
ext. papers

9,951  
ext. citations

8.8  
avg. IF

5.51  
L-index

#	Paper	IF	Citations
138	A Structural Characterisation of the Mitogen-Activated Protein Kinase Network in Cancer. <i>Symmetry</i> , <b>2022</b> , 14, 1009	2.7	1
137	Interferon- and STING-independent induction of type I interferon stimulated genes during fractionated irradiation. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2021</b> , 40, 161	12.8	4
136	Hypoxia-induced SETX links replication stress with the unfolded protein response. <i>Nature Communications</i> , <b>2021</b> , 12, 3686	17.4	6
135	Replication catastrophe induced by cyclic hypoxia leads to increased APOBEC3B activity. <i>Nucleic Acids Research</i> , <b>2021</b> , 49, 7492-7506	20.1	4
134	Heritable genetic variants in key cancer genes link cancer risk with anthropometric traits. <i>Journal of Medical Genetics</i> , <b>2021</b> , 58, 392-399	5.8	1
133	Mitochondrial Inhibitor Atovaquone Increases Tumor Oxygenation and Inhibits Hypoxic Gene Expression in Patients with Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , <b>2021</b> , 27, 2459-2469	12.9	15
132	ADGRL4/ELTD1 Expression in Breast Cancer Cells Induces Vascular Normalization and Immune Suppression. <i>Molecular Cancer Research</i> , <b>2021</b> , 19, 1957-1969	6.6	0
131	Role of gene signatures combined with pathology in classification of oropharynx head and neck cancer. <i>Scientific Reports</i> , <b>2020</b> , 10, 10226	4.9	5
130	Transcriptomic analysis of human primary breast cancer identifies fatty acid oxidation as a target for metformin. <i>British Journal of Cancer</i> , <b>2020</b> , 122, 258-265	8.7	13
129	Disruption of hypoxia-inducible fatty acid binding protein 7 induces beige fat-like differentiation and thermogenesis in breast cancer cells. <i>Cancer &amp; Metabolism</i> , <b>2020</b> , 8, 13	5.4	7
128	The mevalonate precursor enzyme HMGCS1 is a novel marker and key mediator of cancer stem cell enrichment in luminal and basal models of breast cancer. <i>PLoS ONE</i> , <b>2020</b> , 15, e0236187	3.7	6
127	Guest Editorial Data Science in Smart Healthcare: Challenges and Opportunities. <i>IEEE Journal of Biomedical and Health Informatics</i> , <b>2020</b> , 24, 3041-3043	7.2	1
126	MITF controls the TCA cycle to modulate the melanoma hypoxia response. <i>Pigment Cell and Melanoma Research</i> , <b>2019</b> , 32, 792-808	4.5	22
125	Hypoxia-induced switch in SNAT2/SLC38A2 regulation generates endocrine resistance in breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 12452-12461	11.5	53
124	Adaptation to HIF1 Deletion in Hypoxic Cancer Cells by Upregulation of GLUT14 and Creatine Metabolism. <i>Molecular Cancer Research</i> , <b>2019</b> , 17, 1531-1544	6.6	14
123	Modeling genotypes in their microenvironment to predict single- and multi-cellular behavior. <i>GigaScience</i> , <b>2019</b> , 8,	7.6	8
122	Guidelines for using sigQC for systematic evaluation of gene signatures. <i>Nature Protocols</i> , <b>2019</b> , 14, 1377-1400	18.8	14

121	Identification of anticancer drugs to radiosensitise -wild-type and mutant colorectal cancer. <i>Cancer Biology and Medicine</i> , <b>2019</b> , 16, 234-246	5.2	3
120	E2F1 proteolysis via SCF-cyclin F underlies synthetic lethality between cyclin F loss and Chk1 inhibition. <i>EMBO Journal</i> , <b>2019</b> , 38, e101443	13	28
119	Endogenous miRNA sponges mediate the generation of oscillatory dynamics for a non-coding RNA network. <i>Journal of Theoretical Biology</i> , <b>2019</b> , 481, 54-60	2.3	2
118	The many faces of mathematical modelling in oncology. <i>British Journal of Radiology</i> , <b>2019</b> , 92, 20180856	3.4	3
117	Clinical whole-genome sequencing from routine formalin-fixed, paraffin-embedded specimens: pilot study for the 100,000 Genomes Project. <i>Genetics in Medicine</i> , <b>2018</b> , 20, 1196-1205	8.1	77
116	RASSF1A uncouples Wnt from Hippo signalling and promotes YAP mediated differentiation via p73. <i>Nature Communications</i> , <b>2018</b> , 9, 424	17.4	47
115	Development and Validation of a 28-gene Hypoxia-related Prognostic Signature for Localized Prostate Cancer. <i>EBioMedicine</i> , <b>2018</b> , 31, 182-189	8.8	67
114	Nucleoporin 54 contributes to homologous recombination repair and post-replicative DNA integrity. <i>Nucleic Acids Research</i> , <b>2018</b> , 46, 7731-7746	20.1	6
113	miR-139-5p Modulates Radiotherapy Resistance in Breast Cancer by Repressing Multiple Gene Networks of DNA Repair and ROS Defense. <i>Cancer Research</i> , <b>2018</b> , 78, 501-515	10.1	79
112	Pan-cancer characterisation of microRNA across cancer hallmarks reveals microRNA-mediated downregulation of tumour suppressors. <i>Nature Communications</i> , <b>2018</b> , 9, 5228	17.4	60
111	Integrated Pharmacodynamic Analysis Identifies Two Metabolic Adaption Pathways to Metformin in Breast Cancer. <i>Cell Metabolism</i> , <b>2018</b> , 28, 679-688.e4	24.6	55
110	Translation reprogramming is an evolutionarily conserved driver of phenotypic plasticity and therapeutic resistance in melanoma. <i>Genes and Development</i> , <b>2017</b> , 31, 18-33	12.6	140
109	A Gene Signature for Selecting Benefit from Hypoxia Modification of Radiotherapy for High-Risk Bladder Cancer Patients. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 4761-4768	12.9	70
108	Depletion of signal recognition particle 72kDa increases radiosensitivity. <i>Cancer Biology and Therapy</i> , <b>2017</b> , 18, 425-432	4.6	6
107	In vitro downregulated hypoxia transcriptome is associated with poor prognosis in breast cancer. <i>Molecular Cancer</i> , <b>2017</b> , 16, 105	42.1	15
106	A semantic interoperability approach to support integration of gene expression and clinical data in breast cancer. <i>Computers in Biology and Medicine</i> , <b>2017</b> , 87, 179-186	7	10
105	Vitamin D Receptor Expression in Plasmablastic Lymphoma and Myeloma Cells Confers Susceptibility to Vitamin D. <i>Endocrinology</i> , <b>2017</b> , 158, 503-515	4.8	10
104	IGF-1R associates with adverse outcomes IGF-1 radical radiotherapy for prostate cancer. <i>British Journal of Cancer</i> , <b>2017</b> , 117, 1600-1606	8.7	25

103	Selective Targeting of Bromodomains of the Bromodomain-PHD Fingers Family Impairs Osteoclast Differentiation. <i>ACS Chemical Biology</i> , <b>2017</b> , 12, 2619-2630	4.9	20
102	Gemcitabine-Induced TIMP1 Attenuates Therapy Response and Promotes Tumor Growth and Liver Metastasis in Pancreatic Cancer. <i>Cancer Research</i> , <b>2017</b> , 77, 5952-5962	10.1	35
101	TOPK modulates tumour-specific radiosensitivity and correlates with recurrence after prostate radiotherapy. <i>British Journal of Cancer</i> , <b>2017</b> , 117, 503-512	8.7	16
100	Role of Delta-like 4 in Jagged1-induced tumour angiogenesis and tumour growth. <i>Oncotarget</i> , <b>2017</b> , 8, 40115-40131	3.3	24
99	A DCE-MRI analysis workflow <b>2016</b> ,		1
98	Differential clonal evolution in oesophageal cancers in response to neo-adjuvant chemotherapy. <i>Nature Communications</i> , <b>2016</b> , 7, 11111	17.4	54
97	The anti-malarial atovaquone increases radiosensitivity by alleviating tumour hypoxia. <i>Nature Communications</i> , <b>2016</b> , 7, 12308	17.4	122
96	FANCD2 limits replication stress and genome instability in cells lacking BRCA2. <i>Nature Structural and Molecular Biology</i> , <b>2016</b> , 23, 755-757	17.6	57
95	Paracrine effect of GTP cyclohydrolase and angiopoietin-1 interaction in stromal fibroblasts on tumor Tie2 activation and breast cancer growth. <i>Oncotarget</i> , <b>2016</b> , 7, 9353-67	3.3	11
94	Genomic alterations underlie a pan-cancer metabolic shift associated with tumour hypoxia. <i>Genome Biology</i> , <b>2016</b> , 17, 140	18.3	46
93	SCF (Fbx17) ubiquitylation of Sufu regulates Hedgehog signaling and medulloblastoma development. <i>EMBO Journal</i> , <b>2016</b> , 35, 1400-16	13	33
92	Functional evolution of IGF2:IGF2R domain 11 binding generates novel structural interactions and a specific IGF2 antagonist. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, E2766-75	11.5	16
91	Radiogenomics Monitoring in Breast Cancer Identifies Metabolism and Immune Checkpoints as Early Actionable Mechanisms of Resistance to Anti-angiogenic Treatment. <i>EBioMedicine</i> , <b>2016</b> , 10, 109-16	8.8	23
90	Nutritional Stress Induced by Tryptophan-Degrading Enzymes Results in ATF4-Dependent Reprogramming of the Amino Acid Transporter Profile in Tumor Cells. <i>Cancer Research</i> , <b>2016</b> , 76, 6193-6204	10.1	29
89	Tumor hypoxia induces nuclear paraspeckle formation through HIF-2 $\alpha$ -dependent transcriptional activation of NEAT1 leading to cancer cell survival. <i>Oncogene</i> , <b>2015</b> , 34, 4482-90	9.2	164
88	Neoadjuvant Window Studies of Metformin and Biomarker Development for Drugs Targeting Cancer Metabolism. <i>Journal of the National Cancer Institute Monographs</i> , <b>2015</b> , 2015, 81-6	4.8	7
87	MicroRNA-Related DNA Repair/Cell-Cycle Genes Independently Associated With Relapse After Radiation Therapy for Early Breast Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2015</b> , 93, 1104-14	4	16
86	Gene Expression Signatures as Biomarkers of Tumour Hypoxia. <i>Clinical Oncology</i> , <b>2015</b> , 27, 547-60	2.8	74

85	Targeting tumour hypoxia to prevent cancer metastasis. From biology, biosensing and technology to drug development: the METOXIA consortium. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2015</b> , 30, 689-721	5.6	79
84	Alternate RASSF1 Transcripts Control SRC Activity, E-Cadherin Contacts, and YAP-Mediated Invasion. <i>Current Biology</i> , <b>2015</b> , 25, 3019-34	6.3	53
83	Carbonic anhydrase IX induction defines a heterogeneous cancer cell response to hypoxia and mediates stem cell-like properties and sensitivity to HDAC inhibition. <i>Oncotarget</i> , <b>2015</b> , 6, 19413-27	3.3	35
82	Estrogen receptor- $\alpha$ directly regulates the hypoxia-inducible factor 1 pathway associated with antiestrogen response in breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 15172-7	11.5	74
81	Hypoxia-induced p53 modulates both apoptosis and radiosensitivity via AKT. <i>Journal of Clinical Investigation</i> , <b>2015</b> , 125, 2385-98	15.9	80
80	Hypoxia induces a lipogenic cancer cell phenotype via HIF1 $\alpha$ -dependent and -independent pathways. <i>Oncotarget</i> , <b>2015</b> , 6, 1920-41	3.3	50
79	Combining lapatinib and pertuzumab to overcome lapatinib resistance due to NRG1-mediated signalling in HER2-amplified breast cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 5678-94	3.3	25
78	Identification of vitamin B1 metabolism as a tumor-specific radiosensitizing pathway using a high-throughput colony formation screen. <i>Oncotarget</i> , <b>2015</b> , 6, 5978-89	3.3	27
77	RIPOSTE: a framework for improving the design and analysis of laboratory-based research. <i>ELife</i> , <b>2015</b> , 4,	8.9	16
76	Integrated analysis of microRNA and mRNA expression and association with HIF binding reveals the complexity of microRNA expression regulation under hypoxia. <i>Molecular Cancer</i> , <b>2014</b> , 13, 28	42.1	104
75	Hypoxia promotes stem cell phenotypes and poor prognosis through epigenetic regulation of DICER. <i>Nature Communications</i> , <b>2014</b> , 5, 5203	17.4	164
74	COX-2 expression is predictive for early relapse and aromatase inhibitor resistance in patients with ductal carcinoma in situ of the breast, and is a target for treatment. <i>British Journal of Cancer</i> , <b>2014</b> , 111, 46-54	8.7	30
73	Role of carbohydrate response element-binding protein (ChREBP) in generating an aerobic metabolic phenotype and in breast cancer progression. <i>British Journal of Cancer</i> , <b>2014</b> , 110, 715-23	8.7	22
72	miR-182-Mediated Downregulation of BRCA1 Impacts DNA Repair and Sensitivity to PARP Inhibitors. <i>Molecular Cell</i> , <b>2014</b> , 53, 162-163	17.6	2
71	Fatty acid uptake and lipid storage induced by HIF-1 $\alpha$ contribute to cell growth and survival after hypoxia-reoxygenation. <i>Cell Reports</i> , <b>2014</b> , 9, 349-365	10.6	324
70	Informed consent, biobank research, and locality: perceptions of breast cancer patients in three European countries. <i>Journal of Empirical Research on Human Research Ethics</i> , <b>2014</b> , 9, 48-55	1.6	11
69	Functional comparison of Notch ligands in tumour angiogenesis. <i>Asian Pacific Journal of Tropical Disease</i> , <b>2014</b> , 4, 229		
68	Dichloroacetate reverses the hypoxic adaptation to bevacizumab and enhances its antitumor effects in mouse xenografts. <i>Journal of Molecular Medicine</i> , <b>2013</b> , 91, 749-58	5.5	55

67	Towards an environment for data mining based analysis processes in bioinformatics and personalized medicine. <i>Network Modeling Analysis in Health Informatics and Bioinformatics</i> , <b>2013</b> , 2, 29-44	1.6	5
66	A core human primary tumor angiogenesis signature identifies the endothelial orphan receptor ELTD1 as a key regulator of angiogenesis. <i>Cancer Cell</i> , <b>2013</b> , 24, 229-41	24.3	164
65	A 26-gene hypoxia signature predicts benefit from hypoxia-modifying therapy in laryngeal cancer but not bladder cancer. <i>Clinical Cancer Research</i> , <b>2013</b> , 19, 4879-88	12.9	143
64	An in vivo hypoxia metagene identifies the novel hypoxia inducible factor target gene SLCO1B3. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 1741-51	7.5	13
63	Prospective technical validation and assessment of intra-tumour heterogeneity of a low density array hypoxia gene profile in head and neck squamous cell carcinoma. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 156-65	7.5	28
62	Transcriptional up-regulation of ULK1 by ATF4 contributes to cancer cell survival. <i>Biochemical Journal</i> , <b>2013</b> , 449, 389-400	3.8	111
61	Hypoxia regulates FGFR3 expression via HIF-1 $\alpha$ and miR-100 and contributes to cell survival in non-muscle invasive bladder cancer. <i>British Journal of Cancer</i> , <b>2013</b> , 109, 50-9	8.7	42
60	Glucose utilization via glycogen phosphorylase sustains proliferation and prevents premature senescence in cancer cells. <i>Cell Metabolism</i> , <b>2012</b> , 16, 751-64	24.6	241
59	Gene expression analysis in human breast cancer associated blood vessels. <i>PLoS ONE</i> , <b>2012</b> , 7, e44294	3.7	27
58	Igf2 ligand dependency of Pten(+/-) developmental and tumour phenotypes in the mouse. <i>Oncogene</i> , <b>2012</b> , 31, 3635-46	9.2	16
57	Human CHCHD4 mitochondrial proteins regulate cellular oxygen consumption rate and metabolism and provide a critical role in hypoxia signaling and tumor progression. <i>Journal of Clinical Investigation</i> , <b>2012</b> , 122, 600-11	15.9	65
56	Direct targeting of Sec23a by miR-200s influences cancer cell secretome and promotes metastatic colonization. <i>Nature Medicine</i> , <b>2011</b> , 17, 1101-8	50.5	486
55	miR-182-mediated downregulation of BRCA1 impacts DNA repair and sensitivity to PARP inhibitors. <i>Molecular Cell</i> , <b>2011</b> , 41, 210-20	17.6	355
54	Hypoxia-driven cell motility reflects the interplay between JMY and HIF-1 $\alpha$ . <i>Oncogene</i> , <b>2011</b> , 30, 4835-42	9.2	30
53	The small-nucleolar RNAs commonly used for microRNA normalisation correlate with tumour pathology and prognosis. <i>British Journal of Cancer</i> , <b>2011</b> , 104, 1168-77	8.7	217
52	Gene expression and hypoxia in breast cancer. <i>Genome Medicine</i> , <b>2011</b> , 3, 55	14.4	64
51	Towards an environment for data mining based analysis processes in bioinformatics & personalized medicine <b>2011</b> ,		4
50	microRNA-associated progression pathways and potential therapeutic targets identified by integrated mRNA and microRNA expression profiling in breast cancer. <i>Cancer Research</i> , <b>2011</b> , 71, 5635-45	10.1	253

49	Close and stable relationship between proliferation and a hypoxia metagene in aromatase inhibitor-treated ER-positive breast cancer. <i>Clinical Cancer Research</i> , <b>2011</b> , 17, 3005-12	12.9	25
48	Assessing early therapeutic response to bevacizumab in primary breast cancer using magnetic resonance imaging and gene expression profiles. <i>Journal of the National Cancer Institute Monographs</i> , <b>2011</b> , 2011, 71-4	4.8	40
47	Diagnostic and Prognostic Cancer Biomarkers: From Traditional to Systems Approaches <b>2011</b> , 329-366		
46	Regulation of autophagy by ATF4 in response to severe hypoxia. <i>Oncogene</i> , <b>2010</b> , 29, 4424-35	9.2	266
45	Large meta-analysis of multiple cancers reveals a common, compact and highly prognostic hypoxia metagene. <i>British Journal of Cancer</i> , <b>2010</b> , 102, 428-35	8.7	282
44	MicroRNA-210 regulates mitochondrial free radical response to hypoxia and krebs cycle in cancer cells by targeting iron sulfur cluster protein ISCU. <i>PLoS ONE</i> , <b>2010</b> , 5, e10345	3.7	243
43	Spectral clustering of microarray data elucidates the roles of microenvironment remodeling and immune responses in survival of head and neck squamous cell carcinoma. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, 2881-8	2.2	64
42	The histone demethylase JMJD2B is regulated by estrogen receptor alpha and hypoxia, and is a key mediator of estrogen induced growth. <i>Cancer Research</i> , <b>2010</b> , 70, 6456-66	10.1	141
41	Epigenetic downregulation of human disabled homolog 2 switches TGF-beta from a tumor suppressor to a tumor promoter. <i>Journal of Clinical Investigation</i> , <b>2010</b> , 120, 2842-57	15.9	74
40	The role of hypoxia regulated microRNAs in cancer. <i>Current Topics in Microbiology and Immunology</i> , <b>2010</b> , 345, 47-70	3.3	33
39	Assessment of tumour hypoxia for prediction of response to therapy and cancer prognosis. <i>Journal of Cellular and Molecular Medicine</i> , <b>2010</b> , 14, 18-29	5.6	116
38	hsa-mir-210 is a marker of tumor hypoxia and a prognostic factor in head and neck cancer. <i>Cancer</i> , <b>2010</b> , 116, 2148-58	6.4	193
37	Intensity-modulated radiotherapy allows escalation of the radiation dose to the pelvic lymph nodes in patients with locally advanced prostate cancer: preliminary results of a phase I dose escalation study. <i>Clinical Oncology</i> , <b>2010</b> , 22, 236-44	2.8	33
36	Overexpression of POLQ confers a poor prognosis in early breast cancer patients. <i>Oncotarget</i> , <b>2010</b> , 1, 175-84	3.3	74
35	Phase I/II trial of bevacizumab and radiotherapy for locally advanced inoperable colorectal cancer: vasculature-independent radiosensitizing effect of bevacizumab. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 7069-78	12.9	46
34	Phosphorylated ERalpha, HIF-1alpha, and MAPK signaling as predictors of primary endocrine treatment response and resistance in patients with breast cancer. <i>Journal of Clinical Oncology</i> , <b>2009</b> , 27, 227-34	2.2	98
33	A new procedure for determining the genetic basis of a physiological process in a non-model species, illustrated by cold induced angiogenesis in the carp. <i>BMC Genomics</i> , <b>2009</b> , 10, 490	4.5	8
32	Fundamental Radiobiology and its Application to Radiation Oncology. <i>NATO Science for Peace and Security Series B: Physics and Biophysics</i> , <b>2009</b> , 3-9	0.2	

31	MicroRNA-10b and breast cancer metastasis. <i>Nature</i> , <b>2008</b> , 455, E8-9; author reply E9	50.4	113
30	Robust prognostic value of a knowledge-based proliferation signature across large patient microarray studies spanning different cancer types. <i>British Journal of Cancer</i> , <b>2008</b> , 99, 1884-90	8.7	43
29	hsa-miR-210 is induced by hypoxia and is an independent prognostic factor in breast cancer. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 1340-8	12.9	555
28	Multiple biomarker tissue microarrays: bioinformatics and practical approaches. <i>Cancer and Metastasis Reviews</i> , <b>2008</b> , 27, 481-94	9.6	23
27	A general framework for quantifying the effects of DNA repair inhibitors on radiation sensitivity as a function of dose. <i>Theoretical Biology and Medical Modelling</i> , <b>2007</b> , 4, 25	2.3	6
26	Relation of a hypoxia metagene derived from head and neck cancer to prognosis of multiple cancers. <i>Cancer Research</i> , <b>2007</b> , 67, 3441-9	10.1	257
25	Dose- and time-dependent changes in gene expression in human glioma cells after low radiation doses. <i>Radiation Research</i> , <b>2007</b> , 168, 199-208	3.1	11
24	A phase 2 study of high-activity <sup>186</sup> Re-HEDP with autologous peripheral blood stem cell transplant in progressive hormone-refractory prostate cancer metastatic to bone. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2006</b> , 33, 1055-61	8.8	21
23	CD44v3 levels in primary cutaneous melanoma are predictive of prognosis: assessment by the use of tissue microarray. <i>International Journal of Cancer</i> , <b>2006</b> , 118, 1460-4	7.5	22
22	Pre-treatment proliferation and the outcome of conventional and accelerated radiotherapy. <i>European Journal of Cancer</i> , <b>2006</b> , 42, 363-71	7.5	15
21	nm23 as a prognostic marker in primary cutaneous melanoma: evaluation using tissue microarray in a patient group with long-term follow-up. <i>Melanoma Research</i> , <b>2005</b> , 15, 435-40	3.3	14
20	Development of a tissue array for primary melanoma with long-term follow-up: discovering melanoma cell adhesion molecule as an important prognostic marker. <i>Plastic and Reconstructive Surgery</i> , <b>2005</b> , 115, 367-75	2.7	49
19	Identification of P-cadherin in primary melanoma using a tissue microarray: prognostic implications in a patient cohort with long-term follow up. <i>Annals of Plastic Surgery</i> , <b>2005</b> , 55, 316-20	1.7	8
18	Backscatter and dose perturbations for low- to medium-energy electron point sources at the interface between materials with different atomic numbers. <i>Radiation Research</i> , <b>2004</b> , 162, 693-701	3.1	8
17	Molecular marker profiles predict locoregional control of head and neck squamous cell carcinoma in a randomized trial of continuous hyperfractionated accelerated radiotherapy. <i>Clinical Cancer Research</i> , <b>2004</b> , 10, 3745-54	12.9	72
16	Molecular profiles as predictive marker for the effect of overall treatment time of radiotherapy in supraglottic larynx squamous cell carcinomas. <i>Radiotherapy and Oncology</i> , <b>2004</b> , 72, 275-82	5.3	36
15	A model-based method for the prediction of whole-body absorbed dose and bone marrow toxicity for <sup>186</sup> Re-HEDP treatment of skeletal metastases from prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2003</b> , 30, 1114-24	8.8	14
14	A Monte-Carlo method for interface dosimetry of beta emitters. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , <b>2003</b> , 18, 463-71	3.9	7



13	Multicellular dosimetry in voxel geometry for targeted radionuclide therapy. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , <b>2003</b> , 18, 451-61	3.9	13
12	High activity Rhenium-186 HEDP with autologous peripheral blood stem cell rescue: a phase I study in progressive hormone refractory prostate cancer metastatic to bone. <i>British Journal of Cancer</i> , <b>2002</b> , 86, 1715-20	8.7	49
11	Radiation response and cure rate of human colon adenocarcinoma spheroids of different size: the significance of hypoxia on tumor control modelling. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2001</b> , 49, 1109-18	4	30
10	Incorporating biologic measurements (SF(2), CFE) into a tumor control probability model increases their prognostic significance: a study in cervical carcinoma treated with radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2001</b> , 50, 1113-22	4	43
9	Quantifying effects of lead shielding in electron beams: a Monte Carlo study. <i>Physics in Medicine and Biology</i> , <b>2001</b> , 46, 757-69	3.8	12
8	Dosimetric features of linac head and phantom scattered radiation outside the clinical photon beam: experimental measurements and comparison with treatment planning system calculations. <i>Radiotherapy and Oncology</i> , <b>2001</b> , 58, 193-200	5.3	25
7	Considerations for modelling MLCs with Monte Carlo techniques <b>2000</b> , 458-460		2
6	Monte Carlo dose calculations and radiobiological modelling: analysis of the effect of the statistical noise of the dose distribution on the probability of tumour control. <i>Physics in Medicine and Biology</i> , <b>2000</b> , 45, 3009-23	3.8	22
5	An analysis of the relationship between radiosensitivity and volume effects in tumor control probability modeling. <i>Medical Physics</i> , <b>2000</b> , 27, 1258-65	4.4	15
4	Dosimetric impact of computed tomography calibration on a commercial treatment planning system for external radiation therapy. <i>Radiotherapy and Oncology</i> , <b>1998</b> , 48, 335-8	5.3	47
3	Hypoxia-induced switch in SNAT2/SLC38A2 regulation generates endocrine-resistance in breast cancer		2
2	sigQC: A procedural approach for standardising the evaluation of gene signatures		4
1	Pan-cancer characterisation of microRNA with hallmarks of cancer reveals role of microRNA-mediated downregulation of tumour suppressor genes		1