
Xianchen Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7377501/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Sleep Patterns and Sleep Problems Among Schoolchildren in the United States and China. Pediatrics, 2005, 115, 241-249. | 2.1 | 375 |
| 2 | An Epidemiological Study of Insomnia Among the Japanese General Population. Sleep, 2000, 23, 1-7. | 1.1 | 371 |
| 3 | Sleep and Adolescent Suicidal Behavior. Sleep, 2004, 27, 1351-1358. | 1.1 | 291 |
| 4 | Sleep Disturbances and Correlates of Children with Autism Spectrum Disorders. Child Psychiatry and Human Development, 2006, 37, 179-191. | 1.9 | 280 |
| 5 | Mental Health Among College Students During the COVID-19 Pandemic in China: A 2-Wave Longitudinal Survey. Journal of Affective Disorders, 2021, 281, 597-604. | 4.1 | 238 |
| 6 | Symptoms of posttraumatic stress disorder, depression, and anxiety among adolescents following the 2008 Wenchuan earthquake in China. Journal of Traumatic Stress, 2011, 24, 44-53. | 1.8 | 231 |
| 7 | Insomnia and Hypersomnia Associated with Depressive Phenomenology and Comorbidity in Childhood Depression. Sleep, 2007, 30, 83-90. | 1.1 | 226 |
| 8 | Life events, psychopathology, and suicidal behavior in Chinese adolescents. Journal of Affective Disorders, 2005, 86, 195-203. | 4.1 | 155 |
| 9 | Sleep Patterns and Problems Among Chinese Adolescents. Pediatrics, 2008, 121, 1165-1173. | 2.1 | 154 |
| 10 | Sleep duration, insomnia and behavioral problems among Chinese adolescents. Psychiatry Research, 2002, 111, 75-85. | 3.3 | 148 |
| 11 | Suicidality and correlates among rural adolescents of China. Journal of Adolescent Health, 2005, 37, 443-451. | 2.5 | 138 |
| 12 | Sleep and youth suicidal behavior: a neglected field. Current Opinion in Psychiatry, 2006, 19, 288-293. | 6.3 | 121 |
| 13 | Life events, locus of control, and behavioral problems among Chinese adolescents. Journal of Clinical Psychology, 2000, 56, 1565-1577. | 1.9 | 118 |
| 14 | Prevalence and Risk Factors of Behavioral and Emotional Problems Among Chinese Children Aged 6 Through 11 Years. Journal of the American Academy of Child and Adolescent Psychiatry, 1999, 38, 708-715. | 0.5 | 108 |
| 15 | Prevalence and Correlates of Self-Reported Sleep Problems Among Chinese Adolescents. Sleep, 2000, 23, 1-8. | 1.1 | 105 |
| 16 | Bed Sharing, Sleep Habits, and Sleep Problems Among Chinese School-Aged Children. Sleep, 2003, 26, 839-844. | 1.1 | 99 |
| 17 | Depressive symptoms in Chinese children and adolescents: Parent, teacher, and self reports. Journal of Affective Disorders, 2008, 111, 291-298. | 4.1 | 91 |
| 18 | Poor sleep quality and nightmares are associated with non-suicidal self-injury in adolescents. European Child and Adolescent Psychiatry, 2017, 26, 271-279. | 4.7 | 91 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Poor Compensatory Function for Sleep Loss as a Pathogenic Factor in Patients with Delayed Sleep Phase Syndrome. Sleep, 2000, 23, 1-6. | 1.1 | 88 |
| 20 | Rapid Eye Movement Sleep in Relation to Overweight in Children and Adolescents. Archives of General Psychiatry, 2008, 65, 924. | 12.3 | 88 |
| 21 | Blood Lead Concentrations and Children's Behavioral and Emotional Problems. JAMA Pediatrics, 2014, 168, 737. | 6.2 | 88 |
| 22 | Sleep habits and insomnia in a sample of elderly persons in China. Sleep, 2005, 28, 1579-87. | 1.1 | 86 |
| 23 | Sleep Disturbance Predicts Posttraumatic Stress Disorder and Depressive Symptoms. Journal of Clinical Psychiatry, 2017, 78, 882-888. | 2.2 | 82 |
| 24 | Psychological and behavioral characteristics of suicide attempts and non-suicidal self-injury in Chinese adolescents. Journal of Affective Disorders, 2018, 226, 287-293. | 4.1 | 65 |
| 25 | Comparative effectiveness of first-line palbociclib plus letrozole versus letrozole alone for HR+/HER2â^' metastatic breast cancer in US real-world clinical practice. Breast Cancer Research, 2021, 23, 37. | 5.0 | 65 |
| 26 | <p>Gut Microbiota Changes and Their Relationship with Inflammation in Patients with Acute and Chronic Insomnia</p> . Nature and Science of Sleep, 2020, Volume 12, 895-905. | 2.7 | 64 |
| 27 | Clinical Features of Depressed Children and Adolescents With Various Forms of Suicidality. Journal of Clinical Psychiatry, 2006, 67, 1442-1450. | 2.2 | 64 |
| 28 | Depressive symptoms are associated with short and long sleep duration: A longitudinal study of Chinese adolescents. Journal of Affective Disorders, 2020, 263, 267-273. | 4.1 | 61 |
| 29 | Behavioral and Emotional Problems in Chinese Adolescents: Parent and Teacher Reports. Journal of the American Academy of Child and Adolescent Psychiatry, 2001, 40, 828-836. | 0.5 | 59 |
| 30 | Impact of Low Blood Lead Concentrations on IQ and School Performance in Chinese Children. PLoS ONE, 2013, 8, e65230. | 2.5 | 56 |
| 31 | Sleep Problems Among Adolescent Survivors Following the 2008 Wenchuan Earthquake in China. Journal of Clinical Psychiatry, 2013, 74, 67-74. | 2.2 | 55 |
| 32 | Daytime sleepiness predicts future suicidal behavior: a longitudinal study of adolescents. Sleep, 2019, 42, . | 1.1 | 54 |
| 33 | Psychometric properties of Youth Self-Rating Insomnia Scale (YSIS) in Chinese adolescents. Sleep and Biological Rhythms, 2019, 17, 339-348. | 1.0 | 53 |
| 34 | Prolonged mobile phone use is associated with depressive symptoms in Chinese adolescents. Journal of Affective Disorders, 2019, 259, 128-134. | 4.1 | 50 |
| 35 | Sleep Problems, Fatigue, and Cognitive Performance in Chinese Kindergarten Children. Journal of Pediatrics, 2012, 161, 520-525.e2. | 1.8 | 48 |
| 36 | Longitudinal trajectories of depression and anxiety among adolescents during COVID-19 lockdown in China. Journal of Affective Disorders, 2022, 299, 628-635. | 4.1 | 48 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Stressful life events, insomnia and suicidality in a large sample of Chinese adolescents. Journal of Affective Disorders, 2019, 249, 404-409. | 4.1 | 45 |
| 38 | Sleep disordered breathing symptoms and daytime sleepiness are associated with emotional problems and poor school performance in children. Psychiatry Research, 2016, 242, 218-225. | 3.3 | 44 |
| 39 | Parent-reported suicidal behavior and correlates among adolescents in China. Journal of Affective Disorders, 2008, 105, 73-80. | 4.1 | 43 |
| 40 | Menarche, menstrual problems and suicidal behavior in Chinese adolescents. Journal of Affective Disorders, 2017, 209, 53-58. | 4.1 | 42 |
| 41 | Prevalence and Correlates of Sleep Problems in Chinese Schoolchildren. Sleep, 2000, 23, 1-10. | 1.1 | 41 |
| 42 | Nightmares Are Associated With Future Suicide Attempt and Non-Suicidal Self-Injury in Adolescents. Journal of Clinical Psychiatry, 2019, 80, . | 2.2 | 40 |
| 43 | Behavioral and Emotional Problems in Chinese Children: Teacher Reports for Ages 6 to 11. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2000, 41, 253-260. | 5.2 | 34 |
| 44 | Bidirectional associations between insomnia, posttraumatic stress disorder, and depressive symptoms among adolescent earthquake survivors: a longitudinal multiwave cohort study. Sleep, 2019, 42, . | 1.1 | 32 |
| 45 | Is returning to school during the COVID-19 pandemic stressful? A study on immediate mental health status of Chinese college students. Journal of Affective Disorders, 2021, 287, 261-267. | 4.1 | 32 |
| 46 | Prolonged Mobile Phone Use Is Associated with Poor Academic Performance in Adolescents. Cyberpsychology, Behavior, and Social Networking, 2020, 23, 303-311. | 3.9 | 31 |
| 47 | Psychometric assessment of the Chinese adolescent daytime sleepiness scale (CADSS). Sleep and Biological Rhythms, 2017, 15, 207-216. | 1.0 | 30 |
| 48 | Sleep disturbance predicts suicidal ideation during COVID-19 pandemic: A two-wave longitudinal survey. Journal of Psychiatric Research, 2021, 143, 350-356. | 3.1 | 30 |
| 49 | Age at menarche, menstrual problems, and daytime sleepiness in Chinese adolescent girls. Sleep, 2019, 42, . | 1.1 | 28 |
| 50 | Insomnia and other sleep-related problems during the remission period of the COVID-19 pandemic: A large-scale survey among college students in China. Psychiatry Research, 2021, 304, 114153. | 3.3 | 28 |
| 51 | Psychopathology Associated with Suicide Attempts Among Rural Adolescents of China. Suicide and Life-Threatening Behavior, 2005, 35, 265-276. | 1.9 | 27 |
| 52 | Early Blood Lead Levels and Sleep Disturbance in Preadolescence. Sleep, 2015, 38, 1869-1874. | 1.1 | 26 |
| 53 | Early Menarche and Menstrual Problems Are Associated with Sleep Disturbance in a Large Sample of Chinese Adolescent Girls. Sleep, 2017, 40, . | 1.1 | 26 |
| 54 | Depression as a mediator between frequent nightmares and non-suicidal self-injury among adolescents: a 3-wave longitudinal model. Sleep Medicine, 2021, 77, 29-34. | 1.6 | 26 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Cohort Profile: The Wenchuan Earthquake Adolescent Health Cohort Study. International Journal of Epidemiology, 2017, 46, dyw013. | 1.9 | 24 |
| 56 | Associations between sleep problems and ADHD symptoms among adolescents: findings from the Shandong Adolescent Behavior and Health Cohort (SABHC). Sleep, 2020, 43, . | 1.1 | 24 |
| 57 | Sleep Problems in Relation to Smoking and Alcohol Use in Chinese Adolescents. Journal of Nervous and Mental Disease, 2017, 205, 353-360. | 1.0 | 23 |
| 58 | Longitudinal trajectories of insomnia symptoms among college students during the COVID-19 lockdown in China. Journal of Psychosomatic Research, 2022, 157, 110795. | 2.6 | 23 |
| 59 | Menarche and menstrual problems are associated with non-suicidal self-injury in adolescent girls. Archives of Women's Mental Health, 2018, 21, 649-656. | 2.6 | 21 |
| 60 | Trajectories of maternal symptoms of posttraumatic stress disorder predict long-term mental health of children following the Wenchuan earthquake in China: A 10-year follow-up study. Journal of Affective Disorders, 2020, 266, 201-206. | 4.1 | 21 |
| 61 | Insomnia and Psychopathological Features Associated With Restless Legs Syndrome in Chinese Adolescents. Journal of Clinical Psychiatry, 2018, 79, 16m11358. | 2.2 | 20 |
| 62 | Prospective associations between sleep problems and subtypes of anxiety symptoms among disaster-exposed adolescents. Sleep Medicine, 2018, 50, 7-13. | 1.6 | 19 |
| 63 | Digital media use and subsequent self-harm during a 1-year follow-up of Chinese adolescents. Journal of Affective Disorders, 2020, 277, 279-286. | 4.1 | 19 |
| 64 | Longitudinal associations of nightmare frequency and nightmare distress with suicidal behavior in adolescents: mediating role of depressive symptoms. Sleep, 2021, 44, . | 1.1 | 19 |
| 65 | Shift work disorder and related influential factors among shift workers in China. Sleep Medicine, 2021, 81, 451-456. | 1.6 | 19 |
| 66 | Insomnia symptoms, behavioral/emotional problems, and suicidality among adolescents of insomniac and non-insomniac parents. Psychiatry Research, 2015, 228, 797-802. | 3.3 | 17 |
| 67 | Insomnia symptom, mental disorder and suicide: A case-control study in Chinese rural youths. Sleep and Biological Rhythms, 2015, 13, 181-188. | 1.0 | 16 |
| 68 | Real-World Tumor Response of Palbociclib Plus Letrozole Versus Letrozole for Metastatic Breast Cancer in US Clinical Practice. Targeted Oncology, 2021, 16, 601-611. | 3.6 | 16 |
| 69 | Depressive symptoms mediate the association between maternal authoritarian parenting and non-suicidal self-injury among Chinese adolescents. Journal of Affective Disorders, 2022, 305, 213-219. | 4.1 | 16 |
| 70 | Sleep disturbance mediates the association between intrafamily conflict and mental health problems in Chinese adolescents. Sleep Medicine, 2018, 46, 74-80. | 1.6 | 15 |
| 71 | Repeat self-harm among Chinese adolescents: 1-year incidence and psychosocial predictors. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1979-1992. | 3.1 | 15 |
| 72 | Suicidal behaviours among Chinese adolescents exposed to suicide attempt or death. Epidemiology and Psychiatric Sciences, 2020, 29, e12. | 3.9 | 14 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Characteristics of suicide completers and attempters in rural Chinese population. Comprehensive Psychiatry, 2016, 70, 134-140. | 3.1 | 13 |
| 74 | A Longitudinal Study of Insomnia, Daytime Sleepiness, and Academic Performance in Chinese Adolescents. Behavioral Sleep Medicine, 2022, 20, 798-808. | 2.1 | 13 |
| 75 | Age of attaining nocturnal bladder control and adolescent suicidal behavior. Journal of Affective Disorders, 2005, 87, 281-289. | 4.1 | 11 |
| 76 | Psychometric properties of the Chinese version of nightmare distress questionnaire (NDQ-CV) in adolescents. Sleep Medicine, 2021, 79, 94-100. | 1.6 | 10 |
| 77 | Real-World Treatment Patterns and Outcomes of Palbociclib Plus an Aromatase Inhibitor for Metastatic Breast Cancer: Flatiron Database Analysis. Clinical Breast Cancer, 2022, 22, 601-610. | 2.4 | 10 |
| 78 | Longitudinal associations between multiple mental health problems and suicidal ideation among university students during the COVID-19 pandemic. Journal of Affective Disorders, 2022, 311, 425-431. | 4.1 | 10 |
| 79 | Prospective Associations of Frequent Pain Symptoms With Suicidal Behavior in Adolescents. Journal of Pain, 2021, 22, 852-863. | 1.4 | 8 |
| 80 | Nightmare distress as a mediator between frequent nightmares and depressive symptoms in Chinese adolescents. Journal of Affective Disorders, 2022, 296, 363-369. | 4.1 | 8 |
| 81 | Nightmare frequency and psychopathological problems in a large sample of Chinese adolescents. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 805-816. | 3.1 | 8 |
| 82 | Risk factors for psychopathology among Chinese children. Psychiatry and Clinical Neurosciences, 1999, 53, 497-503. | 1.8 | 7 |
| 83 | Patterns of sleep problems and internalizing and externalizing problems among Chinese adolescents: A latent class analysis. Sleep Medicine, 2022, 95, 47-54. | 1.6 | 7 |
| 84 | The COMT rs4680 polymorphism and suicide attempt in rural Shandong, China. Psychiatric Genetics, 2016, 26, 166-171. | 1.1 | 6 |
| 85 | Associations of frequent pain symptoms with excessive daytime sleepiness in adolescents: a longitudinal study. Journal of Clinical Sleep Medicine, 2021, 17, 2415-2423. | 2.6 | 6 |
| 86 | Associations between pain and depressive symptoms: A longitudinal study of Chinese adolescents. Journal of Affective Disorders, 2022, 299, 675-681. | 4.1 | 6 |
| 87 | Agreement between parent-reports and child self-reports of sleep problems in Chinese children. Sleep and Biological Rhythms, 2018, 16, 283-291. | 1.0 | 5 |
| 88 | Early Childhood Co-Sleeping Predicts Behavior Problems in Preadolescence: A Prospective Cohort Study. Behavioral Sleep Medicine, 2021, 19, 563-576. | 2.1 | 5 |
| 89 | Sleep disordered breathing symptoms are associated with depressive symptoms: A longitudinal study of Chinese adolescents. Journal of Affective Disorders, 2021, 293, 492-501. | 4.1 | 2 |
| 90 | Adolescent suicidal ideation predicts suicidal behaviour and psychopathological problems at age 30. Evidence-Based Mental Health, 2007, 10, 62-62. | 4.5 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | 0803 Sleep Duration and Depressive Symptoms in Chinese Adolescents: a 3-wave Prospective Cohort Study. Sleep, 2019, 42, A322-A323. | 1.1 | Ο |
| 92 | Sleep and cardiovascular health needs further research in the general population. Sleep and Biological Rhythms, 2021, 19, 205-206. | 1.0 | 0 |
| 93 | Application of the Chinese version of the 11-item circadian-type inventory (CTI-11) in a working sample. Sleep and Biological Rhythms, 2021, 19, 443-451. | 1.0 | Ο |
| 94 | A Positive Legacy of Trauma? The Role of Perceived Social Support on Mental Health Among Earthquake Survivors During the COVID-19 Outbreak. Frontiers in Psychiatry, 2022, 13, 845929. | 2.6 | 0 |