Xianchen Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7377501/publications.pdf

Version: 2024-02-01

94 papers

5,595 citations

38 h-index 70 g-index

94 all docs 94 docs citations

times ranked

94

5108 citing authors

#	Article	IF	CITATIONS
1	Nightmare distress as a mediator between frequent nightmares and depressive symptoms in Chinese adolescents. Journal of Affective Disorders, 2022, 296, 363-369.	4.1	8
2	Longitudinal trajectories of depression and anxiety among adolescents during COVID-19 lockdown in China. Journal of Affective Disorders, 2022, 299, 628-635.	4.1	48
3	Associations between pain and depressive symptoms: A longitudinal study of Chinese adolescents. Journal of Affective Disorders, 2022, 299, 675-681.	4.1	6
4	Nightmare frequency and psychopathological problems in a large sample of Chinese adolescents. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 805-816.	3.1	8
5	A Longitudinal Study of Insomnia, Daytime Sleepiness, and Academic Performance in Chinese Adolescents. Behavioral Sleep Medicine, 2022, 20, 798-808.	2.1	13
6	Depressive symptoms mediate the association between maternal authoritarian parenting and non-suicidal self-injury among Chinese adolescents. Journal of Affective Disorders, 2022, 305, 213-219.	4.1	16
7	Longitudinal trajectories of insomnia symptoms among college students during the COVID-19 lockdown in China. Journal of Psychosomatic Research, 2022, 157, 110795.	2.6	23
8	A Positive Legacy of Trauma? The Role of Perceived Social Support on Mental Health Among Earthquake Survivors During the COVID-19 Outbreak. Frontiers in Psychiatry, 2022, 13, 845929.	2.6	0
9	Real-World Treatment Patterns and Outcomes of Palbociclib Plus an Aromatase Inhibitor for Metastatic Breast Cancer: Flatiron Database Analysis. Clinical Breast Cancer, 2022, 22, 601-610.	2.4	10
10	Patterns of sleep problems and internalizing and externalizing problems among Chinese adolescents: A latent class analysis. Sleep Medicine, 2022, 95, 47-54.	1.6	7
11	Longitudinal associations between multiple mental health problems and suicidal ideation among university students during the COVID-19 pandemic. Journal of Affective Disorders, 2022, 311, 425-431.	4.1	10
12	Early Childhood Co-Sleeping Predicts Behavior Problems in Preadolescence: A Prospective Cohort Study. Behavioral Sleep Medicine, 2021, 19, 563-576.	2.1	5
13	Longitudinal associations of nightmare frequency and nightmare distress with suicidal behavior in adolescents: mediating role of depressive symptoms. Sleep, 2021, 44, .	1.1	19
14	Mental Health Among College Students During the COVID-19 Pandemic in China: A 2-Wave Longitudinal Survey. Journal of Affective Disorders, 2021, 281, 597-604.	4.1	238
15	Depression as a mediator between frequent nightmares and non-suicidal self-injury among adolescents: a 3-wave longitudinal model. Sleep Medicine, 2021, 77, 29-34.	1.6	26
16	Comparative effectiveness of first-line palbociclib plus letrozole versus letrozole alone for HR+/HER2â° metastatic breast cancer in US real-world clinical practice. Breast Cancer Research, 2021, 23, 37.	5.0	65
17	Psychometric properties of the Chinese version of nightmare distress questionnaire (NDQ-CV) in adolescents. Sleep Medicine, 2021, 79, 94-100.	1.6	10
18	Repeat self-harm among Chinese adolescents: 1-year incidence and psychosocial predictors. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1979-1992.	3.1	15

#	Article	IF	Citations
19	Is returning to school during the COVID-19 pandemic stressful? A study on immediate mental health status of Chinese college students. Journal of Affective Disorders, 2021, 287, 261-267.	4.1	32
20	Sleep and cardiovascular health needs further research in the general population. Sleep and Biological Rhythms, 2021, 19, 205-206.	1.0	0
21	Shift work disorder and related influential factors among shift workers in China. Sleep Medicine, 2021, 81, 451-456.	1.6	19
22	Associations of frequent pain symptoms with excessive daytime sleepiness in adolescents: a longitudinal study. Journal of Clinical Sleep Medicine, 2021, 17, 2415-2423.	2.6	6
23	Application of the Chinese version of the 11-item circadian-type inventory (CTI-11) in a working sample. Sleep and Biological Rhythms, 2021, 19, 443-451.	1.0	0
24	Prospective Associations of Frequent Pain Symptoms With Suicidal Behavior in Adolescents. Journal of Pain, 2021, 22, 852-863.	1.4	8
25	Real-World Tumor Response of Palbociclib Plus Letrozole Versus Letrozole for Metastatic Breast Cancer in US Clinical Practice. Targeted Oncology, 2021, 16, 601-611.	3.6	16
26	Insomnia and other sleep-related problems during the remission period of the COVID-19 pandemic: A large-scale survey among college students in China. Psychiatry Research, 2021, 304, 114153.	3.3	28
27	Sleep disordered breathing symptoms are associated with depressive symptoms: A longitudinal study of Chinese adolescents. Journal of Affective Disorders, 2021, 293, 492-501.	4.1	2
28	Sleep disturbance predicts suicidal ideation during COVID-19 pandemic: A two-wave longitudinal survey. Journal of Psychiatric Research, 2021, 143, 350-356.	3.1	30
29	Suicidal behaviours among Chinese adolescents exposed to suicide attempt or death. Epidemiology and Psychiatric Sciences, 2020, 29, e12.	3.9	14
30	Depressive symptoms are associated with short and long sleep duration: A longitudinal study of Chinese adolescents. Journal of Affective Disorders, 2020, 263, 267-273.	4.1	61
31	Associations between sleep problems and ADHD symptoms among adolescents: findings from the Shandong Adolescent Behavior and Health Cohort (SABHC). Sleep, 2020, 43, .	1.1	24
32	<p>Gut Microbiota Changes and Their Relationship with Inflammation in Patients with Acute and Chronic Insomnia</p> . Nature and Science of Sleep, 2020, Volume 12, 895-905.	2.7	64
33	Digital media use and subsequent self-harm during a 1-year follow-up of Chinese adolescents. Journal of Affective Disorders, 2020, 277, 279-286.	4.1	19
34	Prolonged Mobile Phone Use Is Associated with Poor Academic Performance in Adolescents. Cyberpsychology, Behavior, and Social Networking, 2020, 23, 303-311.	3.9	31
35	Trajectories of maternal symptoms of posttraumatic stress disorder predict long-term mental health of children following the Wenchuan earthquake in China: A 10-year follow-up study. Journal of Affective Disorders, 2020, 266, 201-206.	4.1	21
36	Prolonged mobile phone use is associated with depressive symptoms in Chinese adolescents. Journal of Affective Disorders, 2019, 259, 128-134.	4.1	50

3

#	Article	IF	CITATIONS
37	Bidirectional associations between insomnia, posttraumatic stress disorder, and depressive symptoms among adolescent earthquake survivors: a longitudinal multiwave cohort study. Sleep, 2019, 42, .	1.1	32
38	0803 Sleep Duration and Depressive Symptoms in Chinese Adolescents: a 3-wave Prospective Cohort Study. Sleep, 2019, 42, A322-A323.	1.1	0
39	Psychometric properties of Youth Self-Rating Insomnia Scale (YSIS) in Chinese adolescents. Sleep and Biological Rhythms, 2019, 17, 339-348.	1.0	53
40	Age at menarche, menstrual problems, and daytime sleepiness in Chinese adolescent girls. Sleep, 2019, 42, .	1.1	28
41	Stressful life events, insomnia and suicidality in a large sample of Chinese adolescents. Journal of Affective Disorders, 2019, 249, 404-409.	4.1	45
42	Daytime sleepiness predicts future suicidal behavior: a longitudinal study of adolescents. Sleep, 2019, 42, .	1.1	54
43	Nightmares Are Associated With Future Suicide Attempt and Non-Suicidal Self-Injury in Adolescents. Journal of Clinical Psychiatry, 2019, 80, .	2.2	40
44	Agreement between parent-reports and child self-reports of sleep problems in Chinese children. Sleep and Biological Rhythms, 2018, 16, 283-291.	1.0	5
45	Sleep disturbance mediates the association between intrafamily conflict and mental health problems in Chinese adolescents. Sleep Medicine, 2018, 46, 74-80.	1.6	15
46	Psychological and behavioral characteristics of suicide attempts and non-suicidal self-injury in Chinese adolescents. Journal of Affective Disorders, 2018, 226, 287-293.	4.1	65
47	Menarche and menstrual problems are associated with non-suicidal self-injury in adolescent girls. Archives of Women's Mental Health, 2018, 21, 649-656.	2.6	21
48	Prospective associations between sleep problems and subtypes of anxiety symptoms among disaster-exposed adolescents. Sleep Medicine, 2018, 50, 7-13.	1.6	19
49	Insomnia and Psychopathological Features Associated With Restless Legs Syndrome in Chinese Adolescents. Journal of Clinical Psychiatry, 2018, 79, 16m11358.	2.2	20
50	Cohort Profile: The Wenchuan Earthquake Adolescent Health Cohort Study. International Journal of Epidemiology, 2017, 46, dyw013.	1.9	24
51	Poor sleep quality and nightmares are associated with non-suicidal self-injury in adolescents. European Child and Adolescent Psychiatry, 2017, 26, 271-279.	4.7	91
52	Early Menarche and Menstrual Problems Are Associated with Sleep Disturbance in a Large Sample of Chinese Adolescent Girls. Sleep, 2017, 40, .	1.1	26
53	Sleep Problems in Relation to Smoking and Alcohol Use in Chinese Adolescents. Journal of Nervous and Mental Disease, 2017, 205, 353-360.	1.0	23
54	Menarche, menstrual problems and suicidal behavior in Chinese adolescents. Journal of Affective Disorders, 2017, 209, 53-58.	4.1	42

#	Article	IF	CITATIONS
55	Psychometric assessment of the Chinese adolescent daytime sleepiness scale (CADSS). Sleep and Biological Rhythms, 2017, 15, 207-216.	1.0	30
56	Sleep Disturbance Predicts Posttraumatic Stress Disorder and Depressive Symptoms. Journal of Clinical Psychiatry, 2017, 78, 882-888.	2.2	82
57	The COMT rs4680 polymorphism and suicide attempt in rural Shandong, China. Psychiatric Genetics, 2016, 26, 166-171.	1.1	6
58	Sleep disordered breathing symptoms and daytime sleepiness are associated with emotional problems and poor school performance in children. Psychiatry Research, 2016, 242, 218-225.	3.3	44
59	Characteristics of suicide completers and attempters in rural Chinese population. Comprehensive Psychiatry, 2016, 70, 134-140.	3.1	13
60	Early Blood Lead Levels and Sleep Disturbance in Preadolescence. Sleep, 2015, 38, 1869-1874.	1.1	26
61	Insomnia symptoms, behavioral/emotional problems, and suicidality among adolescents of insomniac and non-insomniac parents. Psychiatry Research, 2015, 228, 797-802.	3.3	17
62	Insomnia symptom, mental disorder and suicide: A case-control study in Chinese rural youths. Sleep and Biological Rhythms, 2015, 13, 181-188.	1.0	16
63	Blood Lead Concentrations and Children's Behavioral and Emotional Problems. JAMA Pediatrics, 2014, 168, 737.	6.2	88
64	Impact of Low Blood Lead Concentrations on IQ and School Performance in Chinese Children. PLoS ONE, 2013, 8, e65230.	2.5	56
65	Sleep Problems Among Adolescent Survivors Following the 2008 Wenchuan Earthquake in China. Journal of Clinical Psychiatry, 2013, 74, 67-74.	2.2	55
66	Sleep Problems, Fatigue, and Cognitive Performance in Chinese Kindergarten Children. Journal of Pediatrics, 2012, 161, 520-525.e2.	1.8	48
67	Symptoms of posttraumatic stress disorder, depression, and anxiety among adolescents following the 2008 Wenchuan earthquake in China. Journal of Traumatic Stress, 2011, 24, 44-53.	1.8	231
68	Parent-reported suicidal behavior and correlates among adolescents in China. Journal of Affective Disorders, 2008, 105, 73-80.	4.1	43
69	Depressive symptoms in Chinese children and adolescents: Parent, teacher, and self reports. Journal of Affective Disorders, 2008, 111, 291-298.	4.1	91
70	Rapid Eye Movement Sleep in Relation to Overweight in Children and Adolescents. Archives of General Psychiatry, 2008, 65, 924.	12.3	88
71	Sleep Patterns and Problems Among Chinese Adolescents. Pediatrics, 2008, 121, 1165-1173.	2.1	154
72	Adolescent suicidal ideation predicts suicidal behaviour and psychopathological problems at age 30. Evidence-Based Mental Health, 2007, 10, 62-62.	4.5	0

#	Article	IF	Citations
73	Insomnia and Hypersomnia Associated with Depressive Phenomenology and Comorbidity in Childhood Depression. Sleep, 2007, 30, 83-90.	1.1	226
74	Sleep and youth suicidal behavior: a neglected field. Current Opinion in Psychiatry, 2006, 19, 288-293.	6.3	121
75	Sleep Disturbances and Correlates of Children with Autism Spectrum Disorders. Child Psychiatry and Human Development, 2006, 37, 179-191.	1.9	280
76	Clinical Features of Depressed Children and Adolescents With Various Forms of Suicidality. Journal of Clinical Psychiatry, 2006, 67, 1442-1450.	2.2	64
77	Life events, psychopathology, and suicidal behavior in Chinese adolescents. Journal of Affective Disorders, 2005, 86, 195-203.	4.1	155
78	Age of attaining nocturnal bladder control and adolescent suicidal behavior. Journal of Affective Disorders, 2005, 87, 281-289.	4.1	11
79	Sleep Patterns and Sleep Problems Among Schoolchildren in the United States and China. Pediatrics, 2005, 115, 241-249.	2.1	375
80	Suicidality and correlates among rural adolescents of China. Journal of Adolescent Health, 2005, 37, 443-451.	2.5	138
81	Psychopathology Associated with Suicide Attempts Among Rural Adolescents of China. Suicide and Life-Threatening Behavior, 2005, 35, 265-276.	1.9	27
82	Sleep habits and insomnia in a sample of elderly persons in China. Sleep, 2005, 28, 1579-87.	1.1	86
83	Sleep and Adolescent Suicidal Behavior. Sleep, 2004, 27, 1351-1358.	1.1	291
84	Bed Sharing, Sleep Habits, and Sleep Problems Among Chinese School-Aged Children. Sleep, 2003, 26, 839-844.	1.1	99
85	Sleep duration, insomnia and behavioral problems among Chinese adolescents. Psychiatry Research, 2002, 111, 75-85.	3.3	148
86	Behavioral and Emotional Problems in Chinese Adolescents: Parent and Teacher Reports. Journal of the American Academy of Child and Adolescent Psychiatry, 2001, 40, 828-836.	0.5	59
87	An Epidemiological Study of Insomnia Among the Japanese General Population. Sleep, 2000, 23, 1-7.	1.1	371
88	Poor Compensatory Function for Sleep Loss as a Pathogenic Factor in Patients with Delayed Sleep Phase Syndrome. Sleep, 2000, 23, 1-6.	1.1	88
89	Prevalence and Correlates of Self-Reported Sleep Problems Among Chinese Adolescents. Sleep, 2000, 23, 1-8.	1.1	105
90	Life events, locus of control, and behavioral problems among Chinese adolescents. Journal of Clinical Psychology, 2000, 56, 1565-1577.	1.9	118

#	Article	IF	CITATIONS
91	Behavioral and Emotional Problems in Chinese Children: Teacher Reports for Ages 6 to 11. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2000, 41, 253-260.	5.2	34
92	Prevalence and Correlates of Sleep Problems in Chinese Schoolchildren. Sleep, 2000, 23, 1-10.	1.1	41
93	Risk factors for psychopathology among Chinese children. Psychiatry and Clinical Neurosciences, 1999, 53, 497-503.	1.8	7
94	Prevalence and Risk Factors of Behavioral and Emotional Problems Among Chinese Children Aged 6 Through 11 Years. Journal of the American Academy of Child and Adolescent Psychiatry, 1999, 38, 708-715.	0.5	108