

Yingjie Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/737771/publications.pdf>

Version: 2024-02-01

52
papers

1,209
citations

430874

18
h-index

377865

34
g-index

52
all docs

52
docs citations

52
times ranked

1499
citing authors

#	ARTICLE	IF	CITATIONS
1	Guanidine/Pd(OAc) ₂ -Catalyzed Room Temperature Suzuki Cross-Coupling Reaction in Aqueous Media under Aerobic Conditions. <i>Journal of Organic Chemistry</i> , 2007, 72, 4067-4072.	3.2	181
2	Brønsted Guanidine Acid-Base Ionic Liquids: Novel Reaction Media for the Palladium-Catalyzed Heck Reaction. <i>Organic Letters</i> , 2006, 8, 391-394.	4.6	144
3	Assembly of Magnetic Nanospheres into One-Dimensional Nanostructured Carbon Hybrid Materials. <i>Langmuir</i> , 2010, 26, 6676-6680.	3.5	87
4	lncRNA HOTAIR targets miR-126-5p to promote the progression of Parkinson's disease through RAB3IP. <i>Biological Chemistry</i> , 2019, 400, 1217-1228.	2.5	76
5	Efficient Knoevenagel condensation catalyzed by cyclic guanidinium lactate ionic liquid as medium. <i>Catalysis Communications</i> , 2007, 8, 115-117.	3.3	59
6	Asymmetric Phase-Transfer Catalysts Bearing Multiple Hydrogen-Bonding Donors: Highly Efficient Catalysts for Enantio- and Diastereoselective Nitro-Mannich Reaction of Amidosulfones. <i>Organic Letters</i> , 2014, 16, 6432-6435.	4.6	59
7	Efficient one-pot synthesis of substituted pyridines through multicomponent reaction. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 3078.	2.8	57
8	A facile and efficient one-pot synthesis of polysubstituted benzenes in guanidinium ionic liquids. <i>Green Chemistry</i> , 2010, 12, 893.	9.0	43
9	Preparation of MCM-48 materials with enhanced hydrothermal stability. <i>Journal of Materials Chemistry</i> , 2006, 16, 4051.	6.7	42
10	Highly enantioselective nitro-Mannich reaction of ketimines under phase-transfer catalysis. <i>Organic Chemistry Frontiers</i> , 2017, 4, 1266-1271.	4.5	33
11	Bifunctional Thiourea-Ammonium Salt Catalysts Derived from Cinchona Alkaloids: Cooperative Phase-Transfer Catalysts in the Enantioselective Aza-Henry Reaction of Ketimines. <i>Journal of Organic Chemistry</i> , 2018, 83, 1486-1492.	3.2	32
12	Base-Promoted Intermolecular Cyclization of Substituted 3-Aryl(Heteroaryl)-3-chloroacrylaldehydes and Tetrahydroisoquinolines: An Approach to Access Pyrrolo[2,1- <i>a</i>]isoquinolines. <i>Journal of Organic Chemistry</i> , 2016, 81, 11950-11955.	3.2	29
13	Enantio- and Diastereoselective Nitro-Mannich Reaction of β -Aryl Nitromethanes with Amidosulfones Catalyzed by Phase-Transfer Catalysts. <i>Journal of Organic Chemistry</i> , 2017, 82, 4668-4676.	3.2	24
14	N,N,N',N' -Tetramethylchloroformamimidinium Chloride-Mediated Cyclizations of α -Oxo Amides: Facile and Divergent One-Pot Synthesis of Substituted 2-H-Pyrans, 4-H-Pyrans and Pyridinones. <i>Advanced Synthesis and Catalysis</i> , 2009, 351, 2217-2223.	4.3	23
15	A New Class of Squaramide-Containing Phase-Transfer Catalysts: Application to Asymmetric Fluorination of β -Keto Esters. <i>Synlett</i> , 2015, 26, 2588-2592.	1.8	21
16	Metal-free oxidative cascade cyclization of isocyanides with thiols: a new pathway for constructing 6-aryl(alkyl)thiophenanthridines. <i>Tetrahedron Letters</i> , 2016, 57, 2410-2413.	1.4	20
17	Asymmetric phase-transfer catalysts bearing multiple hydrogen-bonding donors: Synthesis and application in nitro-Mannich reaction of isatin-derived N-Boc ketimines. <i>Tetrahedron Letters</i> , 2017, 58, 2400-2403.	1.4	19
18	A Facile and Efficient One-Pot Synthesis of Substituted Quinolines from β -Arylamino Ketones Under Vilsmeier Conditions. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 4165-4169.	2.4	18

#	ARTICLE	IF	CITATIONS
19	Bifunctional Phase-Transfer Catalysts Catalyzed Diastereo- and Enantioselective Aza-Henry Reaction of β,γ -Unsaturated Nitroalkenes With Amidosulfones. <i>Advanced Synthesis and Catalysis</i> , 2017, 359, 4111-4116.	4.3	15
20	Highly Enantioselective Synthesis of Acyclic α,α -Acetals by Chiral Urea Derived from Quinine Catalyzed the Addition of Aryl Amines to Isatin-Derived Ketimines. <i>Organic Letters</i> , 2019, 21, 5719-5724.	4.6	15
21	Synthesis of Copper Halide Coordination Polymers with Ligands Formed by In Situ Cyclization of 2-Aminopyrimidine and Ethanol. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 1035-1038.	2.0	14
22	Using Hg^{II} and Ag^{I} : a four-input dual-core molecular logic gate and its new application in cryptography. <i>RSC Advances</i> , 2014, 4, 5363.	3.6	14
23	Aggregation-enhanced excimer emission (AEEE) based on pyrenylchalcone and 2-to-4 molecular decoder by biothiols and polyanions in aqueous media. <i>Sensors and Actuators B: Chemical</i> , 2014, 195, 80-84.	7.8	13
24	Novel β -amino acid-derived phase-transfer catalyst application to a highly enantio- and diastereoselective nitro-Mannich reaction. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 9234-9242.	2.8	13
25	Synthesis of 4-Azaindoles Using Phase-Transfer Catalysis via an Intramolecular Mannich Reaction. <i>Journal of Organic Chemistry</i> , 2020, 85, 4047-4057.	3.2	13
26	Condensation of Vilsmeier salts, derived from tetraalkylureas, with amidoximes: a novel approach to access N,N-dialkyl-1,2,4-oxadiazol-5-amines. <i>Tetrahedron Letters</i> , 2013, 54, 6959-6963.	1.4	12
27	An efficient proline-based homogeneous organocatalyst with recyclability. <i>New Journal of Chemistry</i> , 2018, 42, 827-831.	2.8	12
28	An enantioselective aza-Henry reaction of trifluoromethyl ketimines catalyzed by phase-transfer catalysts. <i>Organic Chemistry Frontiers</i> , 2019, 6, 3269-3273.	4.5	12
29	Asymmetric synthesis of spirooxindole-pyranoindole products via Friedel-Crafts alkylation/cyclization of the indole carbocyclic ring. <i>New Journal of Chemistry</i> , 2020, 44, 9788-9792.	2.8	12
30	Aymmetric Aza-Friedel-Crafts Reaction of Isatin-Derived Ketimines with Indoles Catalyzed by a Chiral Phase-Transfer Catalyst. <i>Journal of Organic Chemistry</i> , 2022, 87, 2532-2542.	3.2	11
31	Monascin exhibits neuroprotective effects in rotenone model of Parkinson's disease via antioxidation and anti-neuroinflammation. <i>NeuroReport</i> , 2020, 31, 637-643.	1.2	10
32	L-tert-Leucine derived urea-ammonium salts: Efficient bifunctional phase transfer catalysts for highly diastereo- and enantioselective aza-Henry reaction of isatin-derived N-Boc ketimines with β -aryl nitromethanes. <i>Tetrahedron</i> , 2019, 75, 2883-2892.	1.9	9
33	Diastereo- and enantioselective nitro-Mannich reaction of isatin-derived α -Boc ketimines catalyzed by chiral phase-transfer catalysts. <i>New Journal of Chemistry</i> , 2018, 42, 1608-1611.	2.8	8
34	Highly enantioselective aza-henry reaction of ketimines catalyzed by a chiral bifunctional thiourea-tertiary amine derived from quinine. <i>Tetrahedron Letters</i> , 2018, 59, 4371-4375.	1.4	8
35	Novel Chiral Thiourea Derived from Hydroquinine and α -Phenylglycinol: An Effective Catalyst for Enantio- and Diastereoselective Aza-Henry Reaction. <i>ACS Omega</i> , 2021, 6, 5812-5824.	3.5	7
36	Cu-catalyzed aryl C-H halogenation using N-halosuccinimides via assistance of benzoic acid. <i>Chemical Research in Chinese Universities</i> , 2015, 31, 167-170.	2.6	6

#	ARTICLE	IF	CITATIONS
37	Direct enantio- and diastereoselective Mannich reactions of isatin-derived ketimines with oxo-indanecarboxylates catalyzed by chiral thiourea derived from hydroquinidine. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 8927-8932.	2.8	6
38	Enantioselective addition of thiols to trifluoromethyl ketimines: synthesis of <i>N</i> -, <i>S</i> -ketals. <i>Organic and Biomolecular Chemistry</i> , 2020, 18, 7431-7436.	2.8	6
39	Role of Adamantane Amide Based on L-Proline Double-H Potential Organocatalyst in Aldol Reaction with Product Separated via Host-guest Interaction. <i>Chemical Research in Chinese Universities</i> , 2018, 34, 180-185.	2.6	4
40	Synthesis of optically active 2-amino-1-benzyl-2,5-dioxo-5H-spiro[indeno[1,2-b]pyran-4,3-indoline]-3-carbonitriles catalyzed by a bifunctional squaramide derived from quinine. <i>New Journal of Chemistry</i> , 2021, 45, 2609-2613.	2.8	4
41	Synthesis of Tonghaosu Analogues. <i>Chinese Journal of Chemistry</i> , 2009, 27, 16-18.	4.9	3
42	Preparation of prolinamide with adamantane for aldol reaction catalysis in brine and separation using a poly(AN-MA- β -CD) nanofibrous film via host-guest interaction. <i>RSC Advances</i> , 2018, 8, 28376-28385.	3.6	3
43	The asymmetric vinylogous Mannich reaction of noncyclic dicyanoolefins catalyzed by a bifunctional thiourea ammonium salt phase transfer catalyst. <i>New Journal of Chemistry</i> , 2019, 43, 10012-10016.	2.8	3
44	Tetramethylguanidine as an Inexpensive and Efficient Ligand for the Palladium-Catalyzed Heck Reaction. <i>Synlett</i> , 2005, 2005, 1885-1888.	1.8	2
45	Synthesis, photophysical properties and TD-DFT calculation of fluorescent dyes based on pyrenylthiazoles. <i>Chemical Research in Chinese Universities</i> , 2014, 30, 4-8.	2.6	2
46	Condensation of Vilsmeier Salts, Derived from Tetraalkylureas, with β -Hydroxy Amide Derivatives: One-pot Approach to Synthesize 2-Dialkylamino-2-oxazolin-4-ones. <i>Chemistry Letters</i> , 2017, 46, 249-252.	1.3	2
47	Chiral Phase-transfer Catalysts Bearing Multiple Hydrogen-bonding Donors Derived from Amino Acids: Efficient Catalysts for Diastereo- and Enantioselective Nitro-Mannich Reaction. <i>Chemical Research in Chinese Universities</i> , 2018, 34, 333-337.	2.6	1
48	Approach to 2-(Dialkylamino)-1-alkyl-4H-spiro[indoline-3,5-oxazole]-2,4-diones and 1,3-Oxazin-4-ones via Cyclization of Vilsmeier Salts with β -Hydroxy and β -Carbonyl Amides. <i>Chemical Research in Chinese Universities</i> , 2019, 35, 216-220.	2.6	1
49	An L-tert-leucine derived urea catalyzed asymmetric synthesis of acyclic N, N-ketals derived from aryl amines and isatin-derived ketimines. <i>Tetrahedron</i> , 2022, 103, 132206.	1.9	1
50	Surface Properties and Etherification in Microemulsion Systems of Novel Brønsted Acid Surfactants. <i>Chemical Research in Chinese Universities</i> , 2018, 34, 440-443.	2.6	0
51	Asymmetric Synthesis of 3-Phenyl-2,3-dihydro-1H-pyrrolo[3,2-b]pyridine-3-carbonitriles Catalyzed by Phase-Transfer Catalyst Derived from tert-Leucine. <i>Synlett</i> , 0, 32, .	1.8	0
52	Chiral Urea-Catalyzed Asymmetric Mannich Reaction of 3-Fluorooxindoles with β -Amidosulfones: Synthesis of Optically Active β -Fluoro- β -amino-oxindoles. <i>Synlett</i> , 0, 33, .	1.8	0