

Zhao Wang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7378027/zhao-wang-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

1,186
citations

15
h-index

33
g-index

94
ext. papers

1,656
ext. citations

3.8
avg. IF

4.34
L-index

#	Paper	IF	Citations
73	Recommendations for the management of hemophagocytic lymphohistiocytosis in adults. <i>Blood</i> , 2019 , 133, 2465-2477	2.2	318
72	Exome sequencing identifies somatic mutations of DDX3X in natural killer/T-cell lymphoma. <i>Nature Genetics</i> , 2015 , 47, 1061-6	36.3	214
71	Multicenter study of combination DEP regimen as a salvage therapy for adult refractory hemophagocytic lymphohistiocytosis. <i>Blood</i> , 2015 , 126, 2186-92	2.2	90
70	Recommendations for the Use of Etoposide-Based Therapy and Bone Marrow Transplantation for the Treatment of HLH: Consensus Statements by the HLH Steering Committee of the Histiocyte Society. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 1508-1517	5.4	69
69	Genetic features of late onset primary hemophagocytic lymphohistiocytosis in adolescence or adulthood. <i>PLoS ONE</i> , 2014 , 9, e107386	3.7	47
68	Ruxolitinib for refractory/relapsed hemophagocytic lymphohistiocytosis. <i>Haematologica</i> , 2020 , 105, e210-6	6.6	242
67	Central nervous system involvement in adults with haemophagocytic lymphohistiocytosis: a single-center study. <i>Annals of Hematology</i> , 2017 , 96, 1279-1285	3	31
66	Early diagnostic value of low percentage of glycosylated ferritin in secondary hemophagocytic lymphohistiocytosis. <i>International Journal of Hematology</i> , 2009 , 90, 501-505	2.3	27
65	PEG-asparaginase and DEP regimen combination therapy for refractory Epstein-Barr virus-associated hemophagocytic lymphohistiocytosis. <i>Journal of Hematology and Oncology</i> , 2016 , 9, 84	22.4	22
64	Epstein-Barr virus-associated hemophagocytic lymphohistiocytosis in adults and adolescents-a life-threatening disease: analysis of 133 cases from a single center. <i>Hematology</i> , 2018 , 23, 810-816	2.2	21
63	Multivariate analysis of prognosis for patients with natural killer/T cell lymphoma-associated hemophagocytic lymphohistiocytosis. <i>Hematology</i> , 2018 , 23, 228-234	2.2	20
62	Allogeneic hematopoietic stem-cell transplantation for adult and adolescent hemophagocytic lymphohistiocytosis: a single center analysis. <i>International Journal of Hematology</i> , 2016 , 104, 628-635	2.3	20
61	Central Nervous System Involvement in Hemophagocytic Lymphohistiocytosis in Adults: A Retrospective Analysis of 96 Patients in a Single Center. <i>Chinese Medical Journal</i> , 2018 , 131, 776-783	2.9	20
60	Primary hemophagocytic lymphohistiocytosis in adults: the utility of family surveys in a single-center study from China. <i>Orphanet Journal of Rare Diseases</i> , 2018 , 13, 17	4.2	17
59	Circularly permuted TRAIL plus thalidomide and dexamethasone versus thalidomide and dexamethasone for relapsed/refractory multiple myeloma: a phase 2 study. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 79, 1141-1149	3.5	16
58	Application of an improved flow cytometry-based NK cell activity assay in adult hemophagocytic lymphohistiocytosis. <i>International Journal of Hematology</i> , 2017 , 105, 828-834	2.3	12
57	Requirement for etoposide in the initial treatment of Epstein-Barr virus-associated haemophagocytic lymphohistiocytosis. <i>British Journal of Haematology</i> , 2019 , 186, 717-723	4.5	12

56	The inhibitory receptors on NK cells and CTLs are upregulated in adult and adolescent patients with secondary hemophagocytic lymphohistiocytosis. <i>Clinical Immunology</i> , 2019 , 202, 18-28	9	12
55	Soluble ST2 and CD163 as Potential Biomarkers to Differentiate Primary Hemophagocytic Lymphohistiocytosis from Macrophage Activation Syndrome. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2019 , 11, e2019008	3.2	10
54	Requirement for etoposide in the treatment of pregnancy related hemophagocytic lymphohistiocytosis: a multicenter retrospective study. <i>Orphanet Journal of Rare Diseases</i> , 2019 , 14, 50	4.2	10
53	Efficacy and safety of geptanolimab (GB226) for relapsed or refractory peripheral T cell lymphoma: an open-label phase 2 study (Gxplore-002). <i>Journal of Hematology and Oncology</i> , 2021 , 14, 12	22.4	10
52	Relmacabtagene autoleucel (relma-cel) CD19 CAR-T therapy for adults with heavily pretreated relapsed/refractory large B-cell lymphoma in China. <i>Cancer Medicine</i> , 2021 , 10, 999-1011	4.8	10
51	Genotype characteristics and immunological indicator evaluation of 311 hemophagocytic lymphohistiocytosis cases in China. <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 112	4.2	9
50	Haploidentical hematopoietic stem cell transplantation for adult patients with Epstein-Barr virus-associated hemophagocytic lymphohistiocytosis. <i>Leukemia and Lymphoma</i> , 2018 , 59, 77-84	1.9	8
49	Ruxolitinib-combined doxorubicin-etoposide-methylprednisolone regimen as a salvage therapy for refractory/relapsed haemophagocytic lymphohistiocytosis: a single-arm, multicentre, phase 2 trial. <i>British Journal of Haematology</i> , 2021 , 193, 761-768	4.5	8
48	The analysis of corneal asphericity (Q value) and its related factors of 1,683 Chinese eyes older than 30 years. <i>PLoS ONE</i> , 2017 , 12, e0176913	3.7	7
47	A phase 3 study of rituximab biosimilar HLX01 in patients with diffuse large B-cell lymphoma. <i>Journal of Hematology and Oncology</i> , 2020 , 13, 38	22.4	7
46	Monomorphic Post-transplant Lymphoproliferative Disorder After Kidney Transplantation and Hematopoietic Stem Cell Transplantation: Clinicopathological Characteristics, Treatments and Prognostic Factors. <i>Indian Journal of Hematology and Blood Transfusion</i> , 2017 , 33, 492-499	0.7	6
45	Long-term survival benefit of ruxolitinib in a patient with relapsed refractory chronic active Epstein-Barr virus. <i>Annals of Hematology</i> , 2019 , 98, 2003-2004	3	5
44	Adult onset of primary hemophagocytic syndrome in subjects carrying PRF1 mutations. <i>Annals of Hematology</i> , 2012 , 91, 1489-90	3	5
43	Phase Ib Study of Recombinant Circularly Permuted TRAIL (CPT) in Relapsed or Refractory multiple Myeloma Patients. <i>Blood</i> , 2012 , 120, 1857-1857	2.2	5
42	Hemophagocytic Lymphohistiocytosis during the Postpartum Stage of Pregnancy: A Report of Eight Cases. <i>Acta Haematologica</i> , 2019 , 141, 55-60	2.7	5
41	The DEP regimen is superior to the HLH-1994 regimen as first-line therapy for lymphoma-associated haemophagocytic lymphohistiocytosis. <i>Leukemia and Lymphoma</i> , 2021 , 62, 854-860 ¹⁹	1.9	5
40	Epidemiological investigation of hemophagocytic lymphohistiocytosis in China. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 342	4.2	5
39	Hodgkin lymphoma-associated hemophagocytic lymphohistiocytosis-a dangerous disease. <i>Annals of Hematology</i> , 2020 , 99, 1575-1581	3	4

38	Development and validation of a prediction model (AHC) for early identification of refractory thrombotic thrombocytopenic purpura using nationally representative data. <i>British Journal of Haematology</i> , 2020 , 191, 269-281	4.5	3
37	A case of lepromatous leprosy complicated by hemophagocytosis misdiagnosed as hemophagocytic lymphohistiocytosis. <i>International Journal of Infectious Diseases</i> , 2014 , 23, 28-30	10.5	3
36	Ruxolitinib treatment for SR-aGVHD in patients with EBV-HLH undergoing allo-HSCT. <i>Annals of Hematology</i> , 2020 , 99, 343-349	3	3
35	Rituximab-containing immuno-chemotherapy regimens are effective for the elimination of EBV for EBV-HLH with only and mainly B lymphocytes of EBV infection. <i>International Immunopharmacology</i> , 2021 , 96, 107606	5.8	3
34	Elevation of CD16CD56 NK-cells and down-regulation of serum interleukin-21 (IL-21) and IL-1 β after splenectomy in relapsed hemophagocytic lymphohistiocytosis of unknown cause. <i>Hematology</i> , 2017 , 22, 477-483	2.2	2
33	Basiliximab for steroid-refractory acute graft-versus-host disease: a real-world analysis.. <i>American Journal of Hematology</i> , 2022 ,	7.1	2
32	Circularly Permuted TRAIL (CPT) combined with Thalidomide for the Treatment of Relapsed or Refractory Multiple Myeloma: An Open-Label, Multicenter Phase II Clinical Trial.. <i>Blood</i> , 2012 , 120, 2958-2958	2.2	2
31	Transiently Elevated AST/LDH Are Associated with Clinical Response to Recombinant Circularly Permuted TRAIL (CPT) Plus Thalidomide in Patients with Relapsed and/or Refractory Multiple Myeloma. <i>Blood</i> , 2014 , 124, 3478-3478	2.2	2
30	Requirement for containing etoposide in the initial treatment of lymphoma associated hemophagocytic lymphohistiocytosis. <i>Cancer Biology and Therapy</i> , 2021 , 1-9	4.6	2
29	Autologous Hematopoietic Stem Cell Transplantation for Patients with Lymphoma-Associated Hemophagocytic lymphohistiocytosis. <i>Cell Transplantation</i> , 2021 , 30, 9636897211057077	4	2
28	Non-EBV infection-associated hemophagocytic lymphohistiocytosis: a distinct subgroup where pathogen-directed therapy is essential and favorable outcomes are expected. <i>Leukemia and Lymphoma</i> , 2021 , 62, 1657-1663	1.9	2
27	Successful treatment of cytomegalovirus-induced hemophagocytic lymphohistiocytosis with ruxolitinib as a first-line treatment. <i>Infectious Diseases Now</i> , 2021 , 51, 311-313		2
26	Clinical Features and Prognostic Risk Prediction of Non-Hodgkin Lymphoma-Associated Hemophagocytic Syndrome.. <i>Frontiers in Oncology</i> , 2021 , 11, 788056	5.3	2
25	Adult primary hemophagocytic lymphohistiocytosis associated with lymphoma. <i>Annals of Hematology</i> , 2020 , 99, 663-665	3	1
24	Neurological symptoms of familial hemophagocytic lymphohistiocytosis type 2. <i>Journal of Integrative Neuroscience</i> , 2020 , 19, 131-135	1.5	1
23	The role of allogeneic hematopoietic stem cell transplantation and Epstein-Barr virus infection on the treatment for child primary hemophagocytic lymphohistiocytosis patients with X-linked lymphoproliferative disease: A rare case report and family survey study. <i>Pediatric Transplantation</i> , 2020 , 24, e13635	1.8	1
22	A Novel Prognostic Index Model for Adult Hemophagocytic Lymphohistiocytosis: A Multicenter Retrospective Analysis in China.. <i>Frontiers in Immunology</i> , 2022 , 13, 829878	8.4	1
21	Innovative analysis of predictors for overall survival from systemic non-Hodgkin T cell lymphoma using quantile regression analysis. <i>Chinese Medical Journal</i> , 2019 , 132, 294-301	2.9	0

20	Clinical Response of CD19 CAR-T Cells (relmacabtagene autoleucel, relma-cel) in Adults with Heavily-Pre-Treated Relapsed/Refractory (r/r) Large B-Cell Lymphoma in China. <i>Blood</i> , 2020 , 136, 39-40	2.2	○
19	Development of a Nomogram to Predict the Risk of Chronic Active Epstein-Barr Virus Infection Progressing to Hemophagocytic Lymphohistiocytosis.. <i>Frontiers in Medicine</i> , 2022 , 9, 826080	4.9	○
18	A Dose Escalation Phase Ia Study of Anti-CD20 Antibody Drug Conjugate, MRG001 in Relapsed/Refractory Advanced Non-Hodgkin Lymphom. <i>Blood</i> , 2021 , 138, 2490-2490	2.2	○
17	Epstein-Barr virus infection is an important cause of hemophagocytic lymphohistiocytosis during chemotherapy for lymphoma. <i>Infectious Diseases Now</i> , 2021 , 51, 310-311		○
16	Characteristics of Epstein-Barr virus reactivation after allogeneic haematopoietic stem cell transplantation in patients with chronic active Epstein-Barr virus disease: favorable responses to rituximab. <i>Bone Marrow Transplantation</i> , 2021 , 56, 1449-1451	4.4	○
15	Ruxolitinib in Patients With Chronic Active Epstein-Barr Virus Infection: A Retrospective, Single-Center Study. <i>Frontiers in Pharmacology</i> , 2021 , 12, 710400	5.6	○
14	Analysis of Electrocardiogram Among 108 Patients with Brucella. <i>International Journal of General Medicine</i> , 2021 , 14, 5251-5254	2.3	○
13	Allogeneic Hematopoietic Stem Cell Transplantation: A Salvage Treatment for Relapsed or Refractory Lymphoma. <i>Indian Journal of Hematology and Blood Transfusion</i> , 2015 , 31, 426-33	0.7	
12	HLA-mismatched GPBSC infusion therapy in refractory Epstein-Barr virus-associated hemophagocytic lymphohistiocytosis: an observational study from a single center. <i>Stem Cell Research and Therapy</i> , 2020 , 11, 265	8.3	
11	Safety and Efficacy of Mitoxantrone Hydrochloride Liposome in Patients with Relapsed or Refractory Peripheral T-Cell Lymphoma and Extranodal NK/T-Cell Lymphoma: A Prospective, Single-Arm, Open-Label, Multi-Center, Phase II Clinical Trial. <i>Blood</i> , 2020 , 136, 36-37	2.2	
10	Efficacy and Safety of Recombinant Human-Mouse Chimeric Anti-CD20 Monoclonal Antibody (SCT400) Combined with CHOP in Patients with Treatment-Naïve Diffuse Large B-Cell Lymphoma: A Multicenter, Randomized, Single-Blind, Parallel Active-Controlled, Phase III Study. <i>Blood</i> , 2021 , 138, 2480-2480	2.2	
9	Dose of Deferasirox Correlates with Effects but Is Different in Low-Risk Myelodysplastic Syndrome and Aplastic Anemia. <i>Blood</i> , 2021 , 138, 3075-3075	2.2	
8	The Type II Glycoengineered Humanized Anti-CD20 Monoclonal Antibody MIL62 Combined with Lenalidomide in Chinese Patients with Relapsed/Refractory Follicular Lymphoma and Marginal Zone Lymphoma: Results of a Multicenter, Single-Arm, Phase 1b/2 Trial. <i>Blood</i> , 2021 , 138, 1351-1351	2.2	
7	Plasma Lipidome Acts As Diagnostic Marker and Predictor for Cyclosporin Response in Patients with Aplastic Anemia. <i>Blood</i> , 2021 , 138, 2199-2199	2.2	
6	Efficacy and Safety of Eltrombopag with or without Immunosuppressant in Patients with Relapsed/Refractory Acquired Aplastic Anemia: A Real-World Experience. <i>Blood</i> , 2021 , 138, 1124-1124	2.2	
5	Recombinant Human Thrombopoietin Accelerates the Recovery of Platelet in Patients with Lower-Risk Myelodysplastic Syndrome: A Prospective Cohort Study. <i>Blood</i> , 2021 , 138, 1525-1525	2.2	
4	Successful Outcome of a Case of Acute Myeloid Leukemia with t(8;21)/AML-ETO Following Langerhans Cell Histiocytosis. <i>Turkish Journal of Haematology</i> , 2019 , 36, 294-296	0.9	
3	Study on Treatment of Lymphoma-Associated Hemophagocytic Syndrome with Fludarabine Combined with Methylprednisolone and Globulin. <i>Blood</i> , 2008 , 112, 4956-4956	2.2	

- 2 The Revised High-Dose Regimen of Beacop in the Primary Treatment of the Advanced Hodgkin's Lymphoma: A Interim Report. *Blood*, **2012**, 120, 4783-4783 2.2
- 1 Chronic active Epstein-Barr virus infection treated with PEG-asparaginase: A case report. *World Journal of Clinical Cases*, **2021**, 9, 7845-7849 1.6