

Lonneke V Van De Poll-Franse

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7378750/publications.pdf>

Version: 2024-02-01

133
papers

5,848
citations

116194

36
h-index

100535

70
g-index

141
all docs

141
docs citations

141
times ranked

7897
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between peripheral neuropathy and sleep quality among colorectal cancer patients from diagnosis until 2-year follow-up: results from the PROFILES registry. <i>Journal of Cancer Survivorship</i> , 2023, 17, 894-905.	1.5	7
2	Self-performed Five Times Sit-to-stand test at home as (pre-)screening tool for frailty in cancer survivors: Reliability and agreement assessment. <i>Journal of Clinical Nursing</i> , 2023, 32, 1370-1380.	1.4	3
3	Exploring the relationship among dispositional optimism, health-related quality of life, and CIPN severity among colorectal cancer patients with chronic peripheral neuropathy. <i>Supportive Care in Cancer</i> , 2022, 30, 95-104.	1.0	12
4	Integrated analysis of pain, health-related quality of life, and analgesic use in patients with metastatic castration-resistant prostate cancer treated with Radium-223. <i>Prostate Cancer and Prostatic Diseases</i> , 2022, 25, 248-255.	2.0	9
5	Oncology team perspectives on distress screening: a multisite study of a well-established use of patient-reported outcomes for clinical assessment. <i>Supportive Care in Cancer</i> , 2022, 30, 1261-1271.	1.0	5
6	Comparing Survivors of Cancer in Population-Based Samples With Those in Online Cancer Communities: Cross-sectional Questionnaire Study. <i>JMIR Cancer</i> , 2022, 8, e19379.	0.9	2
7	Measuring Clinical, Biological, and Behavioral Variables to Elucidate Trajectories of Patient-Reported Outcomes: The PROFILES Registry. <i>Journal of the National Cancer Institute</i> , 2022, 114, 800-807.	3.0	10
8	Sociodemographic, Clinical, Lifestyle, and Psychological Correlates of Peripheral Neuropathy among 2- to 12-Year Colorectal Cancer Survivors. <i>Oncology Research and Treatment</i> , 2022, 45, 480-493.	0.8	0
9	Visualization formats of patient-reported outcome measures in clinical practice: a systematic review about preferences and interpretation accuracy. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, 18.	0.9	10
10	Quality of life and quality of care as experienced by patients with advanced cancer and their relatives: A multicentre observational cohort study (eQuiPe). <i>European Journal of Cancer</i> , 2022, 165, 125-135.	1.3	22
11	Estimating VO ₂ peak in 18-90 Year-Old Adults: Development and Validation of the FitMAx-Questionnaire. <i>International Journal of General Medicine</i> , 2022, Volume 15, 3727-3737.	0.8	10
12	Communication, perception, and use of personalized side-effect risks in prostate cancer treatment-decision making: An observational and interview study. <i>Patient Education and Counseling</i> , 2022, 105, 2731-2739.	1.0	7
13	Personalized response-directed surgery and adjuvant therapy after neoadjuvant ipilimumab and nivolumab in high-risk stage III melanoma: the PRADO trial. <i>Nature Medicine</i> , 2022, 28, 1178-1188.	15.2	121
14	A Narrative Review on the Collection and Use of Electronic Patient-Reported Outcomes in Cancer Survivorship Care with Emphasis on Symptom Monitoring. <i>Current Oncology</i> , 2022, 29, 4370-4385.	0.9	14
15	The ENSURE trial for women with low-risk, early-stage endometrial cancer: A randomized controlled trial comparing the effect of a reduced (4 visits/3 yr) versus usual (8-11 visits/3 yr) follow-up schedule on patient satisfaction, health care use, and disease perception.. <i>Journal of Clinical Oncology</i> , 2022, 40, 5586-5586.	0.8	0
16	The course of peripheral neuropathy and its association with health-related quality of life among colorectal cancer patients. <i>Journal of Cancer Survivorship</i> , 2021, 15, 190-200.	1.5	25
17	Web-Based Return of Individual Patient-Reported Outcome Results Among Patients With Lymphoma: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e27886.	2.1	7
18	Supportive care needs of patients living with an extremely rare and unpredictable cancer: The Epithelioid Haemangioendothelioma patient experience. <i>European Journal of Cancer Care</i> , 2021, 30, e13461.	0.7	1

#	ARTICLE	IF	CITATIONS
19	Comprehensive Assessment of Incidence, Risk Factors, and Mechanisms of Impaired Medical and Psychosocial Health Outcomes among Adolescents and Young Adults with Cancer: Protocol of the Prospective Observational COMPRAYA Cohort Study. <i>Cancers</i> , 2021, 13, 2348.	1.7	5
20	Towards Optimal Timing and Method for promoting sustained adherence to lifestyle and body weight recommendations in postmenopausal breast cancer survivors (the OPTIMUM-study): protocol for a longitudinal mixed-method study. <i>BMC Women's Health</i> , 2021, 21, 268.	0.8	3
21	Lifestyle and Empowerment Techniques in Survivorship of Gynaecologic Oncology (LETSGO study): a study protocol for a multicentre longitudinal interventional study using mobile health technology and biobanking. <i>BMJ Open</i> , 2021, 11, e050930.	0.8	6
22	Symptom monitoring with Patient-Reported Outcomes using a web application among patients with Lung cancer in the Netherlands (SYMPRO-Lung): study protocol for a stepped-wedge randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e052494.	0.8	9
23	Sex-differences in symptoms and functioning in >5000 cancer survivors: Results from the PROFILES registry. <i>European Journal of Cancer</i> , 2021, 156, 24-34.	1.3	29
24	Heterogeneity in Quality of Life of Long-Term Colon Cancer Survivors: A Latent Class Analysis of the Population-Based PROFILES Registry. <i>Oncologist</i> , 2021, 26, e492-e499.	1.9	6
25	The eHealth self-management application "Oncokompas"™ that supports cancer survivors to improve health-related quality of life and reduce symptoms: which groups benefit most?. <i>Acta Oncologica</i> , 2021, 60, 403-411.	0.8	34
26	Exploring Cancer Survivor Needs and Preferences for Communicating Personalized Cancer Statistics From Registry Data: Qualitative Multimethod Study. <i>JMIR Cancer</i> , 2021, 7, e25659.	0.9	14
27	Differences in Internet Use and eHealth Needs of Adolescent and Young Adult Versus Older Cancer Patients; Results from the PROFILES Registry. <i>Cancers</i> , 2021, 13, 6308.	1.7	5
28	Quality of Life During Palliative Systemic Therapy for Esophagogastric Cancer: Systematic Review and Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2020, 112, 12-29.	3.0	25
29	Changes in internet use and wishes of cancer survivors: A comparison between 2005 and 2017. <i>Cancer</i> , 2020, 126, 408-415.	2.0	33
30	Introducing Decision Aids into Routine Prostate Cancer Care in The Netherlands: Implementation and Patient Evaluations from the Multi-regional JIPPA Initiative. <i>Journal of Cancer Education</i> , 2020, 35, 1141-1148.	0.6	7
31	Multicenter randomized controlled trial to evaluate the efficacy and tolerability of frozen gloves for the prevention of chemotherapy-induced peripheral neuropathy. <i>Annals of Oncology</i> , 2020, 31, 131-136.	0.6	57
32	Role of eHealth application Oncokompas in supporting self-management of symptoms and health-related quality of life in cancer survivors: a randomised, controlled trial. <i>Lancet Oncology</i> , The, 2020, 21, 80-94.	5.1	121
33	The risk of developing cardiovascular disease is increased for patients with prostate cancer who are pharmaceutically treated for depression. <i>BJU International</i> , 2020, 125, 433-441.	1.3	4
34	Prospective cohort study of patients with advanced cancer and their relatives on the experienced quality of care and life (eQuiPe study): a study protocol. <i>BMC Palliative Care</i> , 2020, 19, 139.	0.8	21
35	Patient and diagnostic intervals of survivors of sarcoma: Results from the SURVSARC study. <i>Cancer</i> , 2020, 126, 5283-5292.	2.0	19
36	Quality of life and experiences of sarcoma trajectories (the QUEST study): protocol for an international observational cohort study on diagnostic pathways of sarcoma patients. <i>BMJ Open</i> , 2020, 10, e039309.	0.8	2

#	ARTICLE	IF	CITATIONS
37	The Perceived Impact of Length of the Diagnostic Pathway Is Associated with Health-Related Quality of Life of Sarcoma Survivors: Results from the Dutch Nationwide SURVSARC Study. <i>Cancers</i> , 2020, 12, 2088.	1.7	7
38	Communicating tailored risk information of cancer treatment side effects: Only words or also numbers?. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 277.	1.5	9
39	Health-related quality of life and symptom burden of epithelioid hemangioendothelioma patients: a global patient-driven Facebook study in a very rare malignancy. <i>Acta Oncologica</i> , 2020, 59, 975-982.	0.8	9
40	Painful and non-painful chemotherapy-induced peripheral neuropathy and quality of life in colorectal cancer survivors: results from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , 2020, 28, 5933-5941.	1.0	25
41	Web-Based Self-Management for Patients With Lymphoma: Assessment of the Reach of Intervention of a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e17018.	2.1	6
42	Patient Satisfaction and Quality of Life Before and After Treatment of Pancreatic and Periampullary Cancer: A Prospective Multicenter Study. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 704-711.	2.3	14
43	Onderzoek naar de kwaliteit van leven van kankerpatiënten. , 2020, , 681-691.		0
44	The role of positive psychological changes in anxiety and depression of patients with ovarian tumors and their partners: an observational study from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , 2019, 27, 423-431.	1.0	13
45	Cancer survivor perspectives on sharing patient-generated health data with central cancer registries. <i>Quality of Life Research</i> , 2019, 28, 2957-2967.	1.5	14
46	Anxiety and depression mediate the association between chemotherapy-induced peripheral neuropathy and fatigue: Results from the population-based PROFILES registry. <i>Psycho-Oncology</i> , 2019, 28, 1926-1933.	1.0	46
47	Assessing the quality and communicative aspects of patient decision aids for early-stage breast cancer treatment: a systematic review. <i>Breast Cancer Research and Treatment</i> , 2019, 178, 1-15.	1.1	32
48	Current state of quality of life and patient-reported outcomes research. <i>European Journal of Cancer</i> , 2019, 121, 55-63.	1.3	83
49	Communicative aspects of decision aids for localized prostate cancer treatment – A systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 409-429.	0.8	23
50	The impact of colorectal surgery on health-related quality of life in older functionally dependent patients with cancer – A longitudinal follow-up study. <i>Journal of Geriatric Oncology</i> , 2019, 10, 724-732.	0.5	10
51	The association of cancer-related fatigue with all-cause mortality of colorectal and endometrial cancer survivors: Results from the population-based PROFILES registry. <i>Cancer Medicine</i> , 2019, 8, 3227-3236.	1.3	22
52	Do people improve health behavior after their partner is diagnosed with cancer? A prospective study in the Danish diet, Cancer and Health Cohort. <i>Acta Oncologica</i> , 2019, 58, 700-707.	0.8	5
53	Older ovarian cancer survivors report lower long-term health-related quality of life than younger survivors: A study from the population-based profiles registry. <i>Gynecologic Oncology</i> , 2019, 153, 391-398.	0.6	9
54	Longitudinal regret and information satisfaction after deciding on treatment for localized prostate cancer with or without a decision aid. Results at one-year follow-up in the PCPC trial. <i>Patient Education and Counseling</i> , 2019, 102, 424-428.	1.0	18

#	ARTICLE	IF	CITATIONS
55	Paying attention to relatives of cancer patients: What can we learn from their online writings? Patient Education and Counseling, 2019, 102, 404-410.	1.0	3
56	Financial toxicity is more than costs of care: the relationship between employment and financial toxicity in long-term cancer survivors. Journal of Cancer Survivorship, 2019, 13, 10-20.	1.5	95
57	Patients' information coping styles influence the benefit of a survivorship care plan in the ROGY Care Trial: New insights for tailored delivery. Cancer, 2019, 125, 788-797.	2.0	25
58	Population-based cancer survivorship research: Experiences from Germany and the Netherlands. Journal of Cancer Policy, 2018, 15, 87-91.	0.6	9
59	Health-related quality of life among cancer patients in their last year of life: results from the PROFILES registry. Supportive Care in Cancer, 2018, 26, 3397-3404.	1.0	24
60	More frequent use of health care services among distressed compared with nondistressed survivors of lymphoma and chronic lymphocytic leukemia: Results from the population-based PROFILES registry. Cancer, 2018, 124, 3016-3024.	2.0	22
61	Course of chemotherapy-induced peripheral neuropathy and its impact on health-related quality of life among ovarian cancer patients: A longitudinal study. Gynecologic Oncology, 2018, 149, 455-463.	0.6	33
62	Survivorship care plans have a negative impact on long-term quality of life and anxiety through more threatening illness perceptions in gynecological cancer patients: the ROGY care trial. Quality of Life Research, 2018, 27, 1533-1544.	1.5	31
63	Changes in glucose-lowering drug use before and after cancer diagnosis in patients with diabetes. Diabetes and Metabolism, 2018, 44, 22-29.	1.4	5
64	The impact of the survivorship care plan on health care use: 2-year follow-up results of the ROGY care trial. Journal of Cancer Survivorship, 2018, 12, 18-27.	1.5	17
65	Identifying the subtypes of cancer-related fatigue: results from the population-based PROFILES registry. Journal of Cancer Survivorship, 2018, 12, 38-46.	1.5	31
66	The impact of prostate cancer diagnosis and treatment decision-making on health-related quality of life before treatment onset. Supportive Care in Cancer, 2018, 26, 1297-1304.	1.0	19
67	International development of four EORTC disease-specific quality of life questionnaires for patients with Hodgkin lymphoma, high- and low-grade non-Hodgkin lymphoma and chronic lymphocytic leukaemia. Quality of Life Research, 2018, 27, 333-345.	1.5	33
68	Cancer survivors not participating in observational patient-reported outcome studies have a lower survival compared to participants: the population-based PROFILES registry. Quality of Life Research, 2018, 27, 3313-3324.	1.5	50
69	Incidence of cardiovascular disease up to 13 years after cancer diagnosis: A matched cohort study among 32,757 cancer survivors. Cancer Medicine, 2018, 7, 4952-4963.	1.3	33
70	Cluster Analysis Demonstrates the Need to Individualize Care for Cancer Survivors. Oncologist, 2018, 23, 1474-1481.	1.9	13
71	Reference data of the EORTC QLQ-C30 questionnaire: five consecutive annual assessments of approximately 2000 representative Dutch men and women. Acta Oncologica, 2018, 57, 1381-1391.	0.8	35
72	Monitoring potentially modifiable lifestyle factors in cancer survivors: A narrative review on currently available methodologies and innovations for large-scale surveillance. European Journal of Cancer, 2018, 103, 327-340.	1.3	8

#	ARTICLE	IF	CITATIONS
73	Impact of a web-based prostate cancer treatment decision aid on patient-reported decision process parameters: results from the Prostate Cancer Patient Centered Care trial. <i>Supportive Care in Cancer</i> , 2018, 26, 3739-3748.	1.0	17
74	Analysis of Content Shared in Online Cancer Communities: Systematic Review. <i>JMIR Cancer</i> , 2018, 4, e6.	0.9	27
75	How do patients choose between active surveillance, radical prostatectomy, and radiotherapy? The effect of a preference-sensitive decision aid on treatment decision making for localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 37.e9-37.e17.	0.8	25
76	The impact of cancer survivorship care plans on patient and health care provider outcomes: a current perspective. <i>Acta Oncologica</i> , 2017, 56, 134-138.	0.8	52
77	Lymphoma InterVEntion (LIVE) â€“ patient-reported outcome feedback and a web-based self-management intervention for patients with lymphoma: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 199.	0.7	21
78	Effects of Survivorship Care Plans on patient reported outcomes in ovarian cancer during 2-year follow-up â€“ The ROGY care trial. <i>Gynecologic Oncology</i> , 2017, 145, 319-328.	0.6	35
79	Illness perceptions and changes in lifestyle following a gynecological cancer diagnosis: A longitudinal analysis. <i>Gynecologic Oncology</i> , 2017, 145, 310-318.	0.6	22
80	Pharmaceutically treated anxiety but not depression prior to cancer diagnosis predicts the onset of cardiovascular disease among breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 259-266.	1.1	11
81	Efficacy, cost-utility and reach of an eHealth self-management application 'Oncokompas' that helps cancer survivors to obtain optimal supportive care: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 228.	0.7	38
82	Factors influencing implementation of a survivorship care planâ€”a quantitative process evaluation of the ROGY Care trial. <i>Journal of Cancer Survivorship</i> , 2017, 11, 64-73.	1.5	13
83	The Course of Neuropathic Symptoms in Relation to Adjuvant Chemotherapy Among Elderly Patients With Stage III Colon Cancer: A Longitudinal Study. <i>Clinical Colorectal Cancer</i> , 2017, 16, 195-203.	1.0	7
84	The Impact of Participation in Online Cancer Communities on Patient Reported Outcomes: Systematic Review. <i>JMIR Cancer</i> , 2017, 3, e15.	0.9	47
85	â€œAm I normal?â€•The Wishes of Patients With Lymphoma to Compare Their Patient-Reported Outcomes With Those of Their Peers. <i>Journal of Medical Internet Research</i> , 2017, 19, e288.	2.1	25
86	Patients are dissatisfied with information provision: perceived information provision and quality of life in prostate cancer patients. <i>Psycho-Oncology</i> , 2016, 25, 633-640.	1.0	46
87	Reference data of the European Organisation for Research and Treatment of Cancer (EORTC) QLQ-CIPN20 Questionnaire in the general Dutch population. <i>European Journal of Cancer</i> , 2016, 69, 28-38.	1.3	33
88	Prostate cancer survivors with a passive role preference in treatment decision-making are less satisfied with information received: Results from the PROFILES registry. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 482.e11-482.e18.	0.8	19
89	Cardiovascular co-morbidity in cancer patients: the role of psychological distress. <i>Cardio-Oncology</i> , 2016, 2, 9.	0.8	15
90	Utilization of supportive care by survivors of colorectal cancer: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2016, 24, 2883-92.	1.0	6

#	ARTICLE	IF	CITATIONS
91	Prospectively measured lifestyle factors and BMI explain differences in health-related quality of life between colorectal cancer patients with and without comorbid diabetes. <i>Supportive Care in Cancer</i> , 2016, 24, 2591-2601.	1.0	13
92	The impact of having both cancer and diabetes on patient-reported outcomes: a systematic review and directions for future research. <i>Journal of Cancer Survivorship</i> , 2016, 10, 406-415.	1.5	25
93	Paper-Based Survivorship Care Plans May be Less Helpful for Cancer Patients Who Search for Disease-Related Information on the Internet: Results of the Registrationsystem Oncological Gynecology (ROGY) Care Randomized Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e162.	2.1	8
94	Impact of a web-based treatment decision aid for early-stage prostate cancer on shared decision-making and health outcomes: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 231.	0.7	22
95	Controversies in defining cancer survivorship. <i>Lancet Oncology</i> , The, 2015, 16, 610-612.	5.1	22
96	Impact of an Automatically Generated Cancer Survivorship Care Plan on Patient-Reported Outcomes in Routine Clinical Practice: Longitudinal Outcomes of a Pragmatic, Cluster Randomized Trial. <i>Journal of Clinical Oncology</i> , 2015, 33, 3550-3559.	0.8	106
97	The course of fatigue and its correlates in colorectal cancer survivors: a prospective cohort study of the PROFILES registry. <i>Supportive Care in Cancer</i> , 2015, 23, 3361-3371.	1.0	36
98	Variation in fatigue among 6011 (long-term) cancer survivors and a normative population: a study from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , 2015, 23, 2165-2174.	1.0	55
99	Low subjective health literacy is associated with adverse health behaviors and worse health-related quality of life among colorectal cancer survivors: results from the profiles registry. <i>Psycho-Oncology</i> , 2015, 24, 478-486.	1.0	62
100	Treatment-related differences in health related quality of life and disease specific symptoms among colon cancer survivors: Results from the population-based PROFILES registry. <i>European Journal of Cancer</i> , 2015, 51, 1263-1273.	1.3	21
101	Are metformin, statin and aspirin use still associated with overall mortality among colorectal cancer patients with diabetes if adjusted for one another?. <i>British Journal of Cancer</i> , 2015, 113, 403-410.	2.9	46
102	Peripheral neuropathy in colorectal cancer survivors: The influence of oxaliplatin administration. Results from the population-based PROFILES registry. <i>Acta OncolÁgica</i> , 2015, 54, 463-469.	0.8	67
103	Plpelle Prospective ENDOMETrial carcinoma (PIPENDO) study, pre-operative recognition of high risk endometrial carcinoma: a multicentre prospective cohort study. <i>BMC Cancer</i> , 2015, 15, 487.	1.1	19
104	Response Rates for Patient-Reported Outcomes Using Web-Based Versus Paper Questionnaires: Comparison of Two Invitational Methods in Older Colorectal Cancer Patients. <i>Journal of Medical Internet Research</i> , 2015, 17, e111.	2.1	77
105	Chronic fatigue in Hodgkin lymphoma survivors and associations with anxiety, depression and comorbidity. <i>British Journal of Cancer</i> , 2014, 110, 868-874.	2.9	54
106	Chemotherapy-induced peripheral neuropathy and its impact on health-related quality of life among ovarian cancer survivors: Results from the population-based PROFILES registry. <i>Gynecologic Oncology</i> , 2014, 135, 510-517.	0.6	115
107	Recruiting long-term survivors of European Organisation for Research and Treatment of Cancer phase III clinical trials into quality of life studies: Challenges and opportunities. <i>European Journal of Cancer</i> , 2014, 50, 1957-1963.	1.3	4
108	Oncology providersâ€™ evaluation of the use of an automatically generated cancer survivorship care plan: longitudinal results from the ROGY Care trial. <i>Journal of Cancer Survivorship</i> , 2014, 8, 248-259.	1.5	21

#	ARTICLE	IF	CITATIONS
109	Colorectal cancer, diabetes and survival: Epidemiological insights. <i>Diabetes and Metabolism</i> , 2014, 40, 120-127.	1.4	27
110	Impact of Cardiovascular Counseling and Screening in Hodgkin Lymphoma Survivors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 164-171.	0.4	8
111	Health-related quality of life and persistent symptoms in relation to (R-)CHOP14, (R-)CHOP21, and other therapies among patients with diffuse large B-cell lymphoma: results of the population-based PHAROS-registry. <i>Annals of Hematology</i> , 2014, 93, 1705-1715.	0.8	36
112	The course of anxiety and depression for patients with Hodgkin's lymphoma or diffuse large B cell lymphoma: a longitudinal study of the PROFILES registry. <i>Journal of Cancer Survivorship</i> , 2014, 8, 555-564.	1.5	56
113	Survivorship Care Plans to inform the primary care physician: results from the ROGY care pragmatic cluster randomized controlled trial. <i>Journal of Cancer Survivorship</i> , 2014, 8, 595-602.	1.5	38
114	Time trends and inter-hospital variation in treatment and axillary staging of patients with ductal carcinoma in situ of the breast in the era of screening in Southern Netherlands. <i>Breast</i> , 2014, 23, 63-68.	0.9	15
115	Beyond treatment – Psychosocial and behavioural issues in cancer survivorship research and practice. <i>European Journal of Cancer, Supplement</i> , 2014, 12, 54-64.	2.2	177
116	Illness perceptions in cancer survivors: what is the role of information provision?. <i>Psycho-Oncology</i> , 2013, 22, 490-498.	1.0	121
117	Quantifying fatigue in (long-term) colorectal cancer survivors: A study from the population-based Patient Reported Outcomes Following Initial treatment and Long term Evaluation of Survivorship registry. <i>European Journal of Cancer</i> , 2013, 49, 1957-1966.	1.3	71
118	Adrenocortical carcinoma: A population-based study on incidence and survival in the Netherlands since 1993. <i>European Journal of Cancer</i> , 2013, 49, 2579-2586.	1.3	241
119	Chemotherapy-Induced Neuropathy and Its Association With Quality of Life Among 2- to 11-Year Colorectal Cancer Survivors: Results From the Population-Based PROFILES Registry. <i>Journal of Clinical Oncology</i> , 2013, 31, 2699-2707.	0.8	289
120	A high level of fatigue among long-term survivors of non-Hodgkin's lymphoma: results from the longitudinal population-based PROFILES registry in the south of the Netherlands. <i>Haematologica</i> , 2013, 98, 479-486.	1.7	77
121	Perceived information provision and satisfaction among lymphoma and multiple myeloma survivors – results from a Dutch population-based study. <i>Annals of Hematology</i> , 2012, 91, 1587-1595.	0.8	47
122	Type D (distressed) personality is associated with poor quality of life and mental health among 3080 cancer survivors. <i>Journal of Affective Disorders</i> , 2012, 136, 26-34.	2.0	76
123	The relation between information provision and health-related quality of life, anxiety and depression among cancer survivors: a systematic review. <i>Annals of Oncology</i> , 2011, 22, 761-772.	0.6	386
124	Normative data for the EORTC QLQ-C30 and EORTC-sexuality items in the general Dutch population. <i>European Journal of Cancer</i> , 2011, 47, 667-675.	1.3	170
125	Impact of chemotherapy on health status and symptom burden of colon cancer survivors: A population-based study. <i>European Journal of Cancer</i> , 2011, 47, 1798-1807.	1.3	42
126	The Patient Reported Outcomes Following Initial treatment and Long term Evaluation of Survivorship registry: Scope, rationale and design of an infrastructure for the study of physical and psychosocial outcomes in cancer survivorship cohorts. <i>European Journal of Cancer</i> , 2011, 47, 2188-2194.	1.3	322

#	ARTICLE	IF	CITATIONS
127	Health-related quality of life among thyroid cancer survivors: a systematic review. <i>Clinical Endocrinology</i> , 2011, 75, 544-554.	1.2	116
128	The impact of a cancer Survivorship Care Plan on gynecological cancer patient and health care provider reported outcomes (ROGY Care): study protocol for a pragmatic cluster randomized controlled trial. <i>Trials</i> , 2011, 12, 256.	0.7	36
129	Impact of concentration of oesophageal and gastric cardia cancer surgery on long-term population-based survival. <i>British Journal of Surgery</i> , 2011, 98, 956-963.	0.1	51
130	New opportunities for drug outcomes research in cancer patients: The linkage of the Eindhoven Cancer Registry and the PHARMO Record Linkage System. <i>European Journal of Cancer</i> , 2010, 46, 395-404.	1.3	110
131	Internet use by cancer survivors: current use and future wishes. <i>Supportive Care in Cancer</i> , 2008, 16, 1189-1195.	1.0	130
132	Quality of life among long-term breast cancer survivors: A systematic review. <i>European Journal of Cancer</i> , 2005, 41, 2613-2619.	1.3	475
133	Evaluation of an individual feedback report on patient-reported outcomes in the Prospective Dutch ColoRectal Cancer cohort. <i>Supportive Care in Cancer</i> , 0, , .	1.0	0