

JosÃ© Alberto MÃ©ndez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7380700/publications.pdf>

Version: 2024-02-01

61
papers

2,092
citations

249298

26
h-index

274796

44
g-index

61
all docs

61
docs citations

61
times ranked

2447
citing authors

#	ARTICLE	IF	CITATIONS
1	Maleic Anhydride Polylactic Acid Coupling Agent Prepared from Solvent Reaction: Synthesis, Characterization and Composite Performance. <i>Materials</i> , 2022, 15, 1161.	1.3	12
2	Nanocomposites Materials of PLA Reinforced with Nanoclays Using a Masterbatch Technology: A Study of the Mechanical Performance and Its Sustainability. <i>Polymers</i> , 2021, 13, 2133.	2.0	16
3	Manufacturing PLA/PCL Blends by Ultrasonic Molding Technology. <i>Polymers</i> , 2021, 13, 2412.	2.0	8
4	Nanoclay Effect into the Biodegradation and Processability of Poly(lactic acid) Nanocomposites for Food Packaging. <i>Polymers</i> , 2021, 13, 2741.	2.0	16
5	Multicolor PEGDA/LCNF Hydrogel in the Presence of Red Cabbage Anthocyanin Extract. <i>Gels</i> , 2021, 7, 160.	2.1	3
6	Impact Strength and Water Uptake Behavior of Bleached Kraft Softwood-Reinforced PLA Composites as Alternative to PP-Based Materials. <i>Polymers</i> , 2020, 12, 2144.	2.0	12
7	Effect of NaOH Treatment on the Flexural Modulus of Hemp Core Reinforced Composites and on the Intrinsic Flexural Moduli of the Fibers. <i>Polymers</i> , 2020, 12, 1428.	2.0	4
8	Improved Process to Obtain Nanofibrillated Cellulose (CNF) Reinforced Starch Films with Upgraded Mechanical Properties and Barrier Character. <i>Polymers</i> , 2020, 12, 1071.	2.0	13
9	The influence of maleic anhydride-grafted polymers as compatibilizer on the properties of polypropylene and cyclic natural rubber blends. <i>Journal of Polymer Research</i> , 2019, 26, 1.	1.2	35
10	Photo-activated self-healing bio-based polyurethanes. <i>Industrial Crops and Products</i> , 2019, 140, 111613.	2.5	29
11	Determination of Mean Intrinsic Flexural Strength and Coupling Factor of Natural Fiber Reinforcement in Polylactic Acid Biocomposites. <i>Polymers</i> , 2019, 11, 1736.	2.0	24
12	Thermal and Morphology Properties of Cellulose Nanofiber from TEMPO-oxidized Lower part of Empty Fruit Bunches (LEFB). <i>Open Chemistry</i> , 2019, 17, 526-536.	1.0	29
13	OIL PALM-BASED NANOCRYSTALLINE CELLULOSE IN THE EMULSION SYSTEM OF CYCLIC NATURAL RUBBER. <i>Rasayan Journal of Chemistry</i> , 2019, 12, 635-640.	0.2	8
14	The role of lignin on the mechanical performance of polylactic acid and jute composites. <i>International Journal of Biological Macromolecules</i> , 2018, 116, 299-304.	3.6	36
15	Composites from poly(lactic acid) and bleached chemical fibres: Thermal properties. <i>Composites Part B: Engineering</i> , 2018, 134, 169-176.	5.9	57
16	Multilayer structures based on annealed electrospun biopolymer coatings of interest in water and aroma barrier fiber-based food packaging applications. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45501.	1.3	40
17	Compatibility and Wettability of Polypropylene-Cyclic Natural Rubber-NanocrystalCelluloseNanocomposites Containing Methacrylic Acid and Methylacrylateas Coagents. <i>Journal of Physics: Conference Series</i> , 2018, 1120, 012087.	0.3	7
18	Influence of nanocellulose in the emulsion system of resiprene-35 containing Lutrol F127 and Tween80. <i>AIP Conference Proceedings</i> , 2018, , .	0.3	4

#	ARTICLE	IF	CITATIONS
19	Towards More Sustainable Material Formulations: A Comparative Assessment of PA11-SGW Flexural Performance versus Oil-Based Composites. <i>Polymers</i> , 2018, 10, 440.	2.0	18
20	Bleached Kraft Eucalyptus Fibers as Reinforcement of Poly(Lactic Acid) for the Development of High-Performance Biocomposites. <i>Polymers</i> , 2018, 10, 699.	2.0	12
21	Impact Strength and Water Uptake Behaviors of Fully Bio-Based PA11-SGW Composites. <i>Polymers</i> , 2018, 10, 717.	2.0	19
22	Bio composite from bleached pine fibers reinforced polylactic acid as a replacement of glass fiber reinforced polypropylene, macro and micro-mechanics of the Young's modulus. <i>Composites Part B: Engineering</i> , 2017, 125, 203-210.	5.9	50
23	Bleached kraft softwood fibers reinforced polylactic acid composites, tensile and flexural strengths. , 2017, , 73-90.		5
24	Cellulose polymer composites (WPC). , 2017, , 115-139.		10
25	Evaluation of Thermal and Thermomechanical Behaviour of Bio-Based Polyamide 11 Based Composites Reinforced with Lignocellulosic Fibres. <i>Polymers</i> , 2017, 9, 522.	2.0	26
26	Strong and electrically conductive nanopaper from cellulose nanofibers and polypyrrole. <i>Carbohydrate Polymers</i> , 2016, 152, 361-369.	5.1	65
27	Towards a good interphase between bleached kraft softwood fibers and poly(lactic) acid. <i>Composites Part B: Engineering</i> , 2016, 99, 514-520.	5.9	54
28	Semichemical fibres of <i>Leucaena collinsii</i> reinforced polypropylene composites: Flexural characterisation, impact behaviour and water uptake properties. <i>Composites Part B: Engineering</i> , 2016, 97, 176-182.	5.9	24
29	Combined effect of carbon nanotubes and polypyrrole on the electrical properties of cellulose-nanopaper. <i>Cellulose</i> , 2016, 23, 3925-3937.	2.4	19
30	Tensile properties and micromechanical analysis of stone groundwood from softwood reinforced bio-based polyamide11 composites. <i>Composites Science and Technology</i> , 2016, 132, 123-130.	3.8	46
31	Polypropylene reinforced with semi-chemical fibres of <i>Leucaena collinsii</i> : Thermal properties. <i>Composites Part B: Engineering</i> , 2016, 94, 75-81.	5.9	8
32	Semichemical fibres of <i>Leucaena collinsii</i> reinforced polypropylene composites: Young's modulus analysis and fibre diameter effect on the stiffness. <i>Composites Part B: Engineering</i> , 2016, 92, 332-337.	5.9	44
33	Orange Wood Fiber Reinforced Polypropylene Composites: Thermal Properties. <i>BioResources</i> , 2015, 10, .	0.5	9
34	Synthesis and characterization of self-curing hydrophilic bone cements for protein delivery. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2015, 103, 992-1001.	1.6	3
35	Oxidized dextrans as alternative crosslinking agents for polysaccharides: Application to hydrogels of agarose-chitosan. <i>Acta Biomaterialia</i> , 2014, 10, 798-811.	4.1	59
36	Estimation of the interfacial shears strength, orientation factor and mean equivalent intrinsic tensile strength in old newspaper fiber/polypropylene composites. <i>Composites Part B: Engineering</i> , 2013, 50, 232-238.	5.9	66

#	ARTICLE	IF	CITATIONS
37	Thermal and dynamic mechanical characterization of acrylic bone cements modified with biodegradable polymers. <i>Journal of Applied Polymer Science</i> , 2013, 128, 3455-3464.	1.3	10
38	Synthesis, characterization and applications of amphiphilic elastomeric polyurethane networks in drug delivery. <i>Polymer Journal</i> , 2013, 45, 331-338.	1.3	26
39	Impact and flexural properties of stone-ground wood pulp-reinforced polypropylene composites. <i>Polymer Composites</i> , 2013, 34, 842-848.	2.3	33
40	Thermoplastic Starch-based Composites Reinforced with Rape Fibers: Water Uptake and Thermomechanical Properties. <i>BioResources</i> , 2013, 8, .	0.5	16
41	Bioresorbable and Nonresorbable Polymers for Bone Tissue Engineering Jordi Girones. <i>Current Pharmaceutical Design</i> , 2012, 18, 2536-2557.	0.9	27
42	Recycling Ability of Biodegradable Matrices and Their Cellulose-Reinforced Composites in a Plastic Recycling Stream. <i>Journal of Polymers and the Environment</i> , 2012, 20, 96-103.	2.4	53
43	STONE-GROUND WOOD PULP-REINFORCED POLYPROPYLENE COMPOSITES: WATER UPTAKE AND THERMAL PROPERTIES. <i>BioResources</i> , 2012, 7, .	0.5	11
44	BIO-BASED COMPOSITES FROM STONE GROUNDWOOD APPLIED TO NEW PRODUCT DEVELOPMENT. <i>BioResources</i> , 2012, 7, .	0.5	17
45	Influence of coupling agents in the preparation of polypropylene composites reinforced with recycled fibers. <i>Chemical Engineering Journal</i> , 2011, 166, 1170-1178.	6.6	95
46	Process and recyclability analyses of innovative bio-composite for tray. <i>Packaging Technology and Science</i> , 2010, 23, 177-188.	1.3	4
47	Preparation and properties of biocomposites based on jute fibers and blend of plasticized starch and poly(α -hydroxybutyrate). <i>Journal of Applied Polymer Science</i> , 2009, 114, 313-321.	1.3	10
48	Biocomposites based on α fibers and starch-based biopolymer. <i>Polymers for Advanced Technologies</i> , 2009, 20, 1068-1075.	1.6	68
49	Behavior of biocomposite materials from flax strands and starch-based biopolymer. <i>Chemical Engineering Science</i> , 2009, 64, 2651-2658.	1.9	61
50	Evaluation of the influence of the addition of biodegradable polymer matrices in the formulation of self-curing polymer systems for biomedical purposes. <i>Acta Biomaterialia</i> , 2009, 5, 2953-2962.	4.1	18
51	Recovered and recycled Kraft fibers as reinforcement of PP composites. <i>Chemical Engineering Journal</i> , 2008, 138, 586-595.	6.6	30
52	Effect of silane coupling agents on the properties of pine fibers/polypropylene composites. <i>Journal of Applied Polymer Science</i> , 2007, 103, 3706-3717.	1.3	77
53	Evaluation of the reinforcing effect of ground wood pulp in the preparation of polypropylene-based composites coupled with maleic anhydride grafted polypropylene. <i>Journal of Applied Polymer Science</i> , 2007, 105, 3588-3596.	1.3	61
54	Chemical modification of jute fibers for the production of green-composites. <i>Journal of Hazardous Materials</i> , 2007, 144, 730-735.	6.5	197

#	ARTICLE	IF	CITATIONS
55	Composite materials derived from biodegradable starch polymer and jute strands. <i>Process Biochemistry</i> , 2007, 42, 329-334.	1.8	142
56	Effect of maleated polypropylene as coupling agent for polypropylene composites reinforced with hemp strands. <i>Journal of Applied Polymer Science</i> , 2006, 102, 833-840.	1.3	98
57	Injectable self-curing bioactive acrylic-glass composites charged with specific anti-inflammatory/analgesic agent. <i>Biomaterials</i> , 2004, 25, 2381-2392.	5.7	47
58	An Evolutionary Approach to the Estimation of Reactivity Ratios. <i>Macromolecular Theory and Simulations</i> , 2002, 11, 525.	0.6	12
59	Self-curing acrylic formulations containing PMMA/PCL composites: Properties and antibiotic release behavior. <i>Journal of Biomedical Materials Research Part B</i> , 2002, 61, 66-74.	3.0	28
60	New acrylic bone cements conjugated to vitamin E: Curing parameters, properties, and biocompatibility. <i>Journal of Biomedical Materials Research Part B</i> , 2002, 62, 299-307.	3.0	47
61	Acrylic-phosphate glasses composites as self-curing controlled delivery systems of antibiotics. <i>Journal of Materials Science: Materials in Medicine</i> , 2002, 13, 1251-1257.	1.7	14