

Ron Benyair

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7381869/publications.pdf>

Version: 2024-02-01

10
papers

446
citations

1163117

8
h-index

1372567

10
g-index

10
all docs

10
docs citations

10
times ranked

712
citing authors

#	ARTICLE	IF	CITATIONS
1	Maintaining Golgi Homeostasis: A Balancing Act of Two Proteolytic Pathways. <i>Cells</i> , 2022, 11, 780.	4.1	6
2	Golgi organization is regulated by proteasomal degradation. <i>Nature Communications</i> , 2020, 11, 409.	12.8	73
3	Mannosidase activity of EDEM1 and EDEM2 depends on an unfolded state of their glycoprotein substrates. <i>Communications Biology</i> , 2018, 1, 172.	4.4	39
4	Common fixationâ€™permeabilization methods cause artifactual localization of a type II transmembrane protein. <i>Microscopy (Oxford, England)</i> , 2016, 65, 517-521.	1.5	5
5	Mannosidase IA is in Quality Control Vesicles and Participates in Glycoprotein Targeting to ERAD. <i>Journal of Molecular Biology</i> , 2016, 428, 3194-3205.	4.2	23
6	Mammalian ER mannosidase I resides in quality control vesicles, where it encounters its glycoprotein substrates. <i>Molecular Biology of the Cell</i> , 2015, 26, 172-184.	2.1	50
7	Glycan regulation of ER-associated degradation through compartmentalization. <i>Seminars in Cell and Developmental Biology</i> , 2015, 41, 99-109.	5.0	63
8	ER Stress-Induced eIF2-alpha Phosphorylation Underlies Sensitivity of Striatal Neurons to Pathogenic Huntingtin. <i>PLoS ONE</i> , 2014, 9, e90803.	2.5	85
9	Protein Quality Control, Retention, and Degradation at the Endoplasmic Reticulum. <i>International Review of Cell and Molecular Biology</i> , 2011, 292, 197-280.	3.2	92
10	Constant serum levels of secreted asialoglycoprotein receptor sH2a and decrease with cirrhosis. <i>World Journal of Gastroenterology</i> , 2011, 17, 5305.	3.3	10